

| LIST OF ITEMS - HIGH END MODULAR OTs | |
|--------------------------------------|--|
| S.N | NAME OF THE ITEMS |
| 1 | Prefabricated SS room walls |
| 2 | PVC Flooring for Modular OT |
| 3 | Self Levelling Compound |
| 4 | Anti microbial Painting |
| 5 | False ceiling as per tender specification |
| 6 | Laminar Flow Air System and Exhaust cabinets as per tender Specification |
| 7 | Peripheral Lighting and Clean Room Lumiaries as per tender Specification |
| 8 | Touch screen control panel as per tender Specification |
| 9 | LED X ray Viewing Screen as per tender Specification |
| 10 | Storage Shelves as per tender Specification |
| 11 | Hatch Boxes as per tender Specification |
| 12 | Pressure Relief Dampers |
| 13 | Hermetically automated door as per tender Specification |
| 14 | Operating List Board as per tender Specification |
| 15 | Air Conditioning duct only within the OT |
| 16 | 2 Bay Scrub Sink made of 304 grade steel as per Tender specification |
| 17 | Distribution Box and Internal electrical wiring inside the OT and Provision for connecting to pendants |
| 18 | Cable Trays for Electrical and Video |
| 19 | Medical Gas copper pipeline inside the OT and the Provision to connect to Pendant Systems |
| 20 | Supply installation testing and commissioning of Medical gas hose assemblies. Hoses shall be color coded throughout their length as specified in British standards . |
| 21 | Outlets with probe- |
| a | Oxygen |
| b | Vacuum |
| c | Medical Air 4 Bar |
| d | Surgical Air 7 Bar/Nitrogen |
| e | Nitrous Oxide |
| f | CO2 |
| g | AGSS |
| 22 | OT Light LED Double dome with integrated camera and 23" HD flatpanel monitor. |
| 23 | Double arm movable pendant for Anesthetist |
| 24 | Double arm movable pendant for Surgeon |
| 25 | UPS 200 KVA |
| 26 | Demolition, reconstruction,water proofing,plumbing,repainting and replacement |
| 27 | Camera Inside OT's |

BOQ FOR INTEGRATION 10 HIGH END MODULAR OT'S - AIIMS

| S.N | NAME OF THE ITEMS |
|------------|---|
| 1 | Digital display monitor 32" HD flat panel Medical grade LED as per tender Specification(2 Nos per OT) |
| 2 | Image Data Management System with 32" High Definition Medical grade LED monitor. |
| 3 | Audio Visual Communication System as per tender Specification |
| | Central Control System with 21" HD flat panel LED as per tender Specification. |
| | Digital Documentation System integrated with Central Control System. |