

Corrigendum No: 1 Issued on dated 23/01/2013

Ref: Tender Enquiry No: HLL/PCD/NIB-12/12-13 Dtd. 08.01.2013 and Pre-Bid meeting held on 16/01/2013 at HLL Lifecare Ltd., B-14A, Sector-62, Noida - 201 307

The following amendments are issued with respect to the above Tender Enquiry Document.

1. FOR:-

SECTION I: NOTICE INVITING TENDERS (NIT); Para 2: Important events and dates:

vi.	Closing date & time for receipt of Tender	02.02.2013,1400 Hrs. (IST)
vii.	Time and date of opening of Techno – Commercial tenders	02.02.2013,1430 Hrs (IST)

Read as:

vi.	Closing date & time for receipt of Tender	07.02.2013,1400 Hrs(IST)
vii.	Time and date of opening of Techno – Commercial tenders	07.02.2013,1430 Hrs(IST)

2. FOR: - Section VII, Technical Specifications

(i) Item no. 5(b), SS Waste Bin

Specifications: Same as above in item No. 5 a) but with flap type lid (half lid openable centrally hinged lid).

Read as:

Specifications: Same as above in item 5(a) but with **conical** lid to accommodate swinging type flap(half lid openable centrally hinged lid).

(ii) Item no.6, SS Box Trolley for Animal House

Material of Construction (MOC): Caster wheel 75mm X25mm in chrome finish.

Read as:

Material of Construction (MOC): Caster wheel **125mm X50mm** in chrome finish.

(iii) Item no.7, SS Material Transfer Trolley Three (3) Tier

Material of Construction (MOC): Caster wheel 75mm X25mm in chrome finish.

Read as:

Material of Construction (MOC): Caster wheel **125mm X50mm** in chrome finish.

(iv) **Item no.8, SS Material Transfer Trolley 2 Tier**

Material of Construction (MOC): Caster wheel 75mm X25mm in chrome finish.

Read as:

Material of Construction (MOC): Caster wheel **125mm X50mm** in chrome finish.

(v) **Item no.9, SS Low Height Material Transfer trolley**

Material of Construction (MOC): Caster wheel 75mm X25mm in chrome finish.

Read as:

Material of Construction (MOC): Caster wheel **125mm X50mm** in chrome finish.

(vi) **Item 12(a), SS cross over bench/ Shoe Racks for change rooms and Vestibules
Ground Floor,First Floor,&Second Floor.**

Specifications: The cross over bench frame shall be made with30mmX300mm square pipe.

Read as:

*Specifications:*The cross over bench frame shall be made with **30mmX30 mm** square pipe.

(vii) **Item 12(b), SS cross over bench/ Shoe Racks for change rooms and Vestibules
First Floor**

Specifications: The cross over bench frame shall be made with30mmX300mm square pipe.

Read as:

*Specifications:*The cross over bench frame shall be made with **30mmX30 mm** square pipe.

(viii) **Item 12(c), SS cross over bench/ Shoe Racks for Animal House**

Specifications: The cross over bench frame shall be made with30mmX300mm square pipe.

Read as:

Specifications: The cross over bench frame shall be made with **30mmX30 mm** square pipe.

The above corrections shall form a part of the Tender Enquiry Document (TED).

All other contents in the TED remain unaltered.

-----END-----