

HLL MEDIPARK LTD						
Tender for Construction of Site Grading, Roads and Storm water drainage system for Medipark, Chengalpattu, Kancheepuram district, Tamil Nadu						
Storm Water Drain and Culvert Works						
SI No	Description	Unit	Quantity	Rate (Rs.)		Total Amount
				In Figures	In Words	
1	Excavation for roadwork in soil with hydraulic excavator of 0.9 cum bucket capacity including cutting and loading in tippers, trimming bottom and side slopes, in accordance with requirements of lines, grades and cross sections, and transporting the suitable material to the embankment location within all lifts and leads and disposal of unsuitable materials including all leads and lifts as per the instruction of engineer in charge					
i)	All kinds of Soil	Cum	11,493.00			
2	Excavation for roadway in ordinary rock with hydraulic excavator of 0.9 cum bucket capacity including cutting and loading in tippers, transporting the suitable material to the embankment site within all lifts and lead including trimming bottom and side slopes in accordance with requirements of lines, grades and cross sections and disposal of unsuitable material including all leads and lifts as per the instruction of engineer in charge.	Cum	1,276.00			
3	Excavation for roadway in hard rock with controlled blasting by drilling, blasting and breaking, trimming of bottom and side slopes in accordance with requirements of lines, grades and cross sections, loading and disposal of all materials including all lead and lifts as per the instruction of engineer in charge	Cum	QRO			

HLL MEDIPARK LTD						
Tender for Construction of Site Grading, Roads and Storm water drainage system for Medipark, Chengalpattu, Kancheepuram district, Tamil Nadu						
Storm Water Drain and Culvert Works						
SI No	Description	Unit	Quantity	Rate (Rs.)		Total Amount
				In Figures	In Words	
4	Filling earth to required levels with approved materials obtained from cutting, in layers not exceeding 15cm to 20cm in compacted thickness, breaking clods, spreading, grading to required slopes/levels, watering and compacting with power roller to meet the required compaction as per detailed specification, including removal of existing ground topsoil containing organic matter, scarification and compaction of the cleared surface etc., with all lift and lead, machinery charges, material charges and labour chages including all etc., complete and as directed by the engineer incharge.	Cum	3,551.00			
5	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :					
i)	1:3:6 (1 Cement : 3 coarse sand : 6 graded stone aggregate 40 mm nominal size)	Cum	895.00			
6	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level :					
i)	1:1.5:3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size)	Cum	4,179.12			
7	Centering and shuttering including strutting, propping etc. and removal of form for :					

HLL MEDIPARK LTD						
Tender for Construction of Site Grading, Roads and Storm water drainage system for Medipark, Chengalpattu, Kancheepuram district, Tamil Nadu						
Storm Water Drain and Culvert Works						
SI No	Description	Unit	Quantity	Rate (Rs.)		Total Amount
				In Figures	In Words	
i)	Foundations, footings, bases of columns, etc. for mass concrete	Sqm	35,122.40			
8	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level.					
i)	Thermo-Mechanically Treated bars	Kg	208,232.00			
9	Providing, hoisting and fixing above plinth level up to floor five level precast reinforced cement concrete work in string courses, bands, copings, bed plates, anchor blocks, plain window sills and the like, including the cost of required centering, shuttering but, excluding cost of reinforcement, with 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) : 3 graded stone aggregate 20 mm nominal size). For Storm Water Drain - Manhole Openings:					
i)	1:1.5:3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size) - For Storm Water Drain - Manhole Openings:	Cum	107.00			

HLL MEDIPARK LTD						
Tender for Construction of Site Grading, Roads and Storm water drainage system for Medipark, Chengalpattu, Kancheepuram district, Tamil Nadu						
Storm Water Drain and Culvert Works						
SI No	Description	Unit	Quantity	Rate (Rs.)		Total Amount
				In Figures	In Words	
10	Disposal of unsuitable Surplus Earth outside the proposed site, location identified by the contractor and approved by the engineer incharge, and contractor should take all the required necessary approvals from the various department including all leads and lifts and machinary charges and labour charges complete etc., as per the detailed specification	Cum	9,218.00			
	Sub Total :					