

BRANDED (PUR/08/R1/PQ/CP/8/2017-18)					
PFT					
sl no	ITEM	SPECIFICATION WALLET	QUANTITY	SPECIFICATION CARTON	QUANTITY
1	MUT 2's (catch cover type)	<ul style="list-style-type: none"> DIMENSION (ID) : 68X68X10mm (LXBXH) open size 128x176mm Four colour printing 250 G.S.M Superchromo board with white back and gloss UV Varnish.batch stamping area should be free from varnish 	10,20,000		
2	MOODS Domestic Picture pack 3's – Rose 3's/ MSD3's /MAN3's / Ribbed 3's / Chocolate 3's / MUT3+1/MUT3s/ Regular3sand similar schemes	<ul style="list-style-type: none"> Dimensions (ID) : 65 X 65 X 15mm (LXBXH). Four colour Printing. 250 G.S.M. Superchromo board with white back and gloss UV Varnish. Die punching and pasting Batch stamping area should be free from varnish. Orientation should be suited for pampac machine . Pasting should not be in the front panel 	2,90,70,000	<p>(For 40 wallets) Dimensions (ID) (mm):160 X 137 X 135 (LxBxH). Four colour printing. 3Ply Micro Flute, 250 G.S.M Duplex Board with grey back, as the top layer and other inside layers are virgin craft of G.S.M 100 each and with IR varnish. Die punching and pasting. Batch stamping area should be free from varnish. FOR 60 wallets - Dimensions (ID) (mm):205 X 137 X 135 (LxBxH). Four colour printing. 3Ply Micro Flute, 250 G.S.M Duplex Board with grey back, as the top layer and other inside layers are virgin craft of G.S.M 100 each and with IR varnish. Die punching and pasting Batch stamping area should be free from varnish.</p>	
3	MOODS Domestic picture pack10's - Ultrathin 10's / Dotted 10's/ All night 10's / Similar schemes	<ul style="list-style-type: none"> Dimensions (ID) :115x 58 X 25 (mm) (LXBXH) Four colour Printing. 250 G.S.M. Superchromo board with white back and gloss UV Varnish Die punching and pasting. Batch stamping area should be free from varnish.Joint should not be in the front panel 	36,00,000	<ul style="list-style-type: none"> Dimensions (ID) (mm) : 265 X 180 X118(LXBXH) Four colour printing. <p>3Ply Micro Flute, 250 G.S.M Duplex Board with grey back, as the top layer and other inside layers are virgin craft of G.S.M 100 each and with IR varnish. Die punching and pasting. Batch stamping area should be free from varnish.</p>	
4	Moods Premium Domestic Pack 20's(With out tray) - Ultrathin 20's/ AllNight 20's / Dotted Seagreen 20's / Similar schemes	<ul style="list-style-type: none"> Dimensions (ID) : 125 X 110 X 40 mm (LXBXH). Four colour Printing. 300 G.S.M.Superchromo board with white back and Gloss UV Varnish. Batch stamping area should be free from varnish. Die punching and pasting. Dotted 20's - Embossing on dots 	9,20,000		

5	Moods Premium Pack 12's - Ultrathin 12's / All Night 12's / Chocolate 12's / DottedSeagreen 12's / Ribbed 12's / Aloe Vera 12's / Similar schemes	<ul style="list-style-type: none"> • Dimensions (ID): 124 X 63 X 32mm (LXBXH). • 300 G.S.M Superchromo board with white back and gloss UV Varnish. <ul style="list-style-type: none"> • Four colour printing. Die punching and pasting. <ul style="list-style-type: none"> • Joint should not be on the front panel. • Batch stamping area should be free from varnish • Dimensions (ID): 124 X 63 X 32mm (LXBXH). • 300 G.S.M Superchromo board with white back and gloss UV Varnish. <ul style="list-style-type: none"> • Four colour printing. Die punching and pasting. <ul style="list-style-type: none"> • Joint should not be on the front panel. • Batch stamping area should be free from varnish 	22,00,000	<ul style="list-style-type: none"> • Dimensions (ID) (mm) : 330X 135 X 130 (LXBXH). • 4 Colour Printing. • 3 Ply MicroFlute, 250 G.S.M Duplex Board with grey back, as the top layer and other inside layers are virgin craft of G.S.M 100 each and with IR varnish. <ul style="list-style-type: none"> • Total GSM 450 • Die punching and pasting. 	
6	Moods Premium Pack 12's - Melange 12's / Xtasy12's / Strawberry12's / Similar schemes	<ul style="list-style-type: none"> • Dimensions (ID) : 124 X 63 X 32mm(LXBXH). • 300 G.S.M Superchromo board with white back and gloss UV Varnish / <ul style="list-style-type: none"> • Four colour printing. • Die punching and pasting. <ul style="list-style-type: none"> • Joint should not be on the front panel. • Batch stamping area should be free from varnish. <ul style="list-style-type: none"> • Embossing on design for Strawberry 	22,00,000	<ul style="list-style-type: none"> • Dimensions (ID) (mm) : 330X 135 X 130 (LXBXH). • 4 Colour Printing. • 3 Ply MicroFlute, 250 G.S.M Duplex Board with grey back, as the top layer and other inside layers are virgin craft of G.S.M 100 each and with IR varnish. <ul style="list-style-type: none"> • Total GSM 450 • Die punching and pasting. 	
7	COOL 12's / Blaze 12's	<ul style="list-style-type: none"> • Dimensions (ID) : 124 X 63 X 32mm (LXBXH). <ul style="list-style-type: none"> • Four colour printing. • 300 G.S.M Superchromo board with white back and gloss UV Varnish), with embossing on design. Finish : textured UV across the pack, <ul style="list-style-type: none"> • Die punching and pasting. <ul style="list-style-type: none"> • Joint should not be on the front panel. • Batch stamping area should be free from varnish 	5,00,000	<ul style="list-style-type: none"> • Dimensions (ID) (mm) : 330X 135 X 130 (LXBXH). • 4 Colour Printing. • 3 Ply MicroFlute, 250 G.S.M Duplex Board with grey back, as the top layer and other inside layers are virgin craft of G.S.M 100 each and with IR varnish. <ul style="list-style-type: none"> • Total GSM 450 • Die punching and pasting. 	

8	1500 dots 12's	<ul style="list-style-type: none"> • Dimensions (ID) : 124 X 63 X 32 mm(L X B X H). • 300 G.S.M Superchromo board with white back and gloss UV Varnish <ul style="list-style-type: none"> • Six Colour Printing. • U.V Texture, Spot & Emboss - Additional Silver Color & Vibrant Green. • Embossing is not required on 'Moods logo and 1500 dots' on side panels or anywhere on the pack. • Batch stamping area should be free from varnish. <ul style="list-style-type: none"> • Joint should not be on the front panel. • Joint should not be on the front panel. • Die punching and pasting. 	5,00,000	<ul style="list-style-type: none"> • Dimensions (ID) (mm) : 330X 135 X 130 (L X B X H). • 4 Colour Printing. • 3 Ply MicroFlute, 250 G.S.M Duplex Board with grey back, as the top layer and other inside layers are virgin craft of G.S.M 100 each and with IR varnish. <ul style="list-style-type: none"> • Total GSM 450 • Die punching and pasting. 	
9	MOODS Premium Pack 3's - MUT 3's / MAN 3's / Chocolate 3's / Bubble Gum 3's / Coffee 3's / Aloe Vera 3's / Dotted 3's / Ribbed 3's / Similar	<ul style="list-style-type: none"> • Dimensions (ID) : 65 X 65 X 15 mm(L X B X H). • 300 G.S.M Superchromo board with white back and gloss UV Varnish./ <ul style="list-style-type: none"> • Four colour printing. • Embossing on design for Strawberry • Die punching and pasting. • Joint should not be on the front panel. • Batch stamping area should be free from varnish. • Dimensions (ID) : 65 X 65 X 15 mm (L X B X H). <ul style="list-style-type: none"> • Four colour printing. • 300 G.S.M Superchromo board with white back and gloss UV Varnish.,with embossing and finish : textured UV across the pack, <ul style="list-style-type: none"> • Die punching and pasting. • Joint should not be on the front panel . Batch stamping area should be free from varnish. 	85,00,000		

10	MOODS 1500 dots 3's	<ul style="list-style-type: none"> • Dimensions (ID) : 65 X 65 X 15 mm (LXBXH). • 300 G.S.M Superchromo board with white back and gloss UV Varnish <ul style="list-style-type: none"> • Six Colour Printing. • Green color - U.V Texture, Spot & Emboss - Additional Silver Color & Vibrant Green. • Embossing is not required on 'Moods logo and 1500 dots' on side panels or anywhere on the pack. • Batch stamping area should be free from varnish. • Die punching and pasting. Joint should not be on the front panel. 	17,00,000	<p>For 40wallets "• Dimensions (ID) (mm) : 160X 137 X 135(LXBXH).</p> <ul style="list-style-type: none"> • 4 Colour Printing. • 3 Ply MicroFlute, 250 G.S.M Duplex Board with grey back, as the top layer and other inside layers are virgin craft of G.S.M 100 each. <ul style="list-style-type: none"> • IR varnish. • Die punching and pasting." COMMON CARTON 3's for 60 wallets <ul style="list-style-type: none"> Dimension:205 X 160 X135 (mm) (LXBXH) • 4 colour printing • 3 Ply MicroFlute, 250 G.S.M Duplex Board with grey back, as the top layer and other inside layers are virgin craft of G.S.M 100 each. <ul style="list-style-type: none"> • IR varnish. • Die punching and pasting." 	
----	---------------------	---	-----------	--	--

MOODS VARIETY PACK

1	CARTON SLIDING TRAY FOR VARIETY PACK	<p>Dimension (ID):152 X 152 X 35mm (LX B X H).• Open size : 320 X 320 mm(LXB)</p> <ul style="list-style-type: none"> • Four Colour Printing. • 400 G. S.M. ITC Bhadrachalam Duplex board with gloss UV varnish• Die punching. 	504000
2	CARTON TOP SLEEVE FOR VARIETY PACK	<ul style="list-style-type: none"> • Dimension (ID) : 152X 150.5 X 34 mm (LXBXH) • Four Colour Printing. Open size 305X305mm • 400 G.S.M ITC Bhadrachalam Duplex board with gloss UV varnish • Die punching. 	504000
3	DIVIDER (PRINT)	<p>Dimension (ID) : 146 X 25 X 10mm(LX B X H).</p> <ul style="list-style-type: none"> • Open size: 146 X 60mm (LX B). • 270 G.S.M. ITC Bhadrachalam Duplex board 	504000
4	DIVIDER (PLAIN)	<p>Dimension (ID) : 146 X 25 X 10mm(LX B X H).</p> <ul style="list-style-type: none"> • Open size: 146 X 60mm (LX B). • 270 G.S.M. ITC Bhadrachalam Duplex board 	504000

EXPORT SCHEMES

sl no	ITEM	SPECIFICATION WALLET	QUANTITY	SPECIFICATION CARTON	QUANTITY
1	IPPF – English /Spanish / similar schemes			<ul style="list-style-type: none"> • Dimensions (ID): 234 x 170 x 59 mm(LX B X H). • 350 GSM. Pearl Grafix / Cyber XL (ITC). • 2 color printingReflex blue & Pantone PMS 2756. Top open. <ul style="list-style-type: none"> • Matt Lamination. • Die Punching & Pasting. 	70000

2	TANGO SIRE / similar schemes			<ul style="list-style-type: none"> • Dimension (ID): 175 x 165 x 72 mm (L X B X H). • Four colour printing. 2593C,241C & Black(for tango) • 350GSM ITC Bhadrachalam board with White back. <ul style="list-style-type: none"> • After print & IR varnish • Die punching and pasting. 	175000
3	UNFPA / BRAZIL / Similar Schemes			<ul style="list-style-type: none"> • Dimensions(ID) : 175 X 165 X 67 mm(L X B X H) • Side open type (165mm side)with varnish <ul style="list-style-type: none"> • Total GSM - 350 • ITC Bhadrachalam Duplex board. white colour DC • Single colour colour printing. .(BRAZIL (Black) / (Blue)UNFPA • Batch stamping area should be free from varnish. 	175000
4	Protec Bulk / Similar Schemes			<ul style="list-style-type: none"> • Dimensions (ID) : 185 X 170 X 70 mm (LXBXH). • 400 GSM Cyber XL (ITC) / Pearl graphix (ITC). Side open at 170 mm side <ul style="list-style-type: none"> • Four colour printing. • IR varnish. • Stamping area should be free from Varnish. 	
5	Nepal			<ul style="list-style-type: none"> •Material : ITC Bhadrachalam Duplex board. •No.of Colours : single (Blue). •GSM : 350. •Dimensions(ID): 230X115X60 (LxBXH) (mm) If pouch is using inside lamination can be avoided (115mm side open) •Others : side open type with Varnish on the outside 	100000
6	IDA / Similar Schemes			<ul style="list-style-type: none"> • ITC Bhadrachalam Duplex board with top open type with varnish on the outside . •(ID) Dimensions175X165X67 mm . (165mm side open) <ul style="list-style-type: none"> •Colours : (BluePMS280 C). & Black •350 G.S.M 	

7	GCC MOODS DUBAI 3'S - COFFEE 3'S / BANANA 3'S / CHOCOLATE 3'S / ALLNIGHT 3'S / SCENTED 3'S / COLOURED 3'S / BUBBLEGUM 3'S / STRAWBERRY 3'S / XTASY 3'S / ULTRATHIN 3'S / EXTRALONG 3'S / REGULAR 3'S / DOTTED 3'S / RIBBED 3'S / 1500 DOTS 3'S / SIMILAR SCHEMES	<p>Dimensions (ID) : 65 X 65 X 21 mm (L X B X H).</p> <ul style="list-style-type: none"> • 4 Colour printing. • 300 G.S.M Cyber XL (ITC) with full UV Varnish on Metpet board. • Die punching & pasting. Batch stamping area should be 20X15(mm) (LXBXH) <ul style="list-style-type: none"> • Joint should not be there on the front panel. • Batch stamping area should be free from varnish. <ul style="list-style-type: none"> • XTASY 3'S / ULTRATHIN 3'S - 5 Colour Printing • EXTRALONG 3'S / REGULAR 3'S - Embossing on design <ul style="list-style-type: none"> • DOTTED 3'S – Embossing on dots • RIBBED 3'S – Emboss & Silver colouring on ribs • 1500 DOTS 3's - Embossing on design. Finish- Green color- U.V Texture, Spot & Emboss- Vibrant Green. • BANANA & STRAWBERRY - Embossing on design 		<p>Dimensions (ID): 220 X137 X 135 mm (LXBXH).</p> <ul style="list-style-type: none"> • 4 Colour Printing. • 350 G.S.M Cyber XL (ITC) with IR varnish. • Die punching & pasting 	
8	GCC MOODS DUBAI 12'S - COFFEE 12'S / BANANA 12'S / CHOCOLATE 12'S / ALLNIGHT 12'S / BUBBLEGUM 12'S / SCENTED 12'S / COLOURED 12'S / STRAWBERRY 12'S / XTASY 12'S / ULTRATHIN 12'S / EXTRALONG 12'S / REGULAR 12'S / DOTTED 12'S / RIBBED 12'S / 1500 DOTS 12'S / SIMILAR SCHEMES	<p>Dimensions (ID) : 124 x 63 x 32 mm (LXBXH).</p> <ul style="list-style-type: none"> • 4 Colour printing. 300 G.S.M Cyber XL (ITC) with full UV Varnish on Metpet board . • Die punching & pasting. Batch stamping area should be 20X15(mm) (LXBXH) <ul style="list-style-type: none"> • Batch stamping area should be free from varnish. <ul style="list-style-type: none"> • Joint should not be there on the front panel. • XTASY 12'S / ULTRATHIN 12'S - 5 Colour Printing • EXTRALONG 12'S / REGULAR 12'S - Embossing on design <ul style="list-style-type: none"> • DOTTED 12'S – Embossing on dots • RIBBED 12'S – emboss & Silver colouring on ribs • 1500 DOTS 12'S - Embossing on design. Finish- Green color- U.V Texture, Spot & Emboss- Vibrant Green. • BANANA & STRAWBERRY - Embossing on design. 		<ul style="list-style-type: none"> • Dimensions ID (mm): 175 x 132 x 135(LXBXH). <ul style="list-style-type: none"> • 4 Colour Printing. • 350 G.S.M Cyber XL (ITC) with IR varnish. • Die punching & pasting. 	
9	SHARE 3 'S	<ul style="list-style-type: none"> ••Dimensions (ID) : 65 X 65 X 21 mm. (LXBXH). <ul style="list-style-type: none"> • Four colour printing. • 300 GSM, Superchromo board with full gloss UV varnish • Die punching and pasting. Batch stamping area should be 20X15(mm) (LXBXH) • Batch stamping area should be free from varnish. <ul style="list-style-type: none"> • Joint should not be there on the front panel. 			

10	SHARE 12 'S	<ul style="list-style-type: none"> • Dimensions (ID) : 124 x 63 x 32 mm(LXBXH). . • Four colour printing. • 300 GSM, superchromo board with full gloss UV varnish • Die punching and pasting. Batch stamping area should be 20X15(mm) (LXBXH) • Batch stamping area should be free from varnish. • Joint should not be there on the front panel 			
11	GOLD 1500 dots 3 'S	<ul style="list-style-type: none"> •(ID) Dimensions: 65 X65X21 (LXBXH) (mm). • 4 Colour Printing. •300 G.S.M Cyber XL (ITC) with Full UV Varnish on Metpet board with Spot UV on the blurb, •Embossing on the dots, •Textured UV across the pack. •Joint should not be in front panel . •Batch stamping area should be 20X15(mm) (LXB)and free from varnish . •Die punching & pasting 			
12	GOLD joyride 3 'S	<ul style="list-style-type: none"> • (ID) Dimensions: 65X65X 21 (LXBXH) (mm). • 5 Colour Printing. • 300 G.S.M Cyber XL (ITC) with Full UV Varnish on Metpet board with Spot UV on the blurb and dots, • Textured UV across the pack. • Joint should not be in front panel . • Batch stamping area should be free from varnish. • Die punching & pasting. 			
13	GOLD Electify 3 'S	<ul style="list-style-type: none"> • (ID) Dimensions: 65X65X 21 (LXBXH) (mm). •4 Colour Printing. •300 G.S.M Cyber XL (ITC) with Full UV Varnish on Metpet board with Spot UV on the blurb. •Textured UV across the pack.. •Joint should not be in front panel . •Batch stamping area should be 20X15(mm) (LXB)and free from varnish •Die punching & pasting. 			

14	GOLD Cool 3 'S	<ul style="list-style-type: none"> •(ID) Dimensions: 65 X 65 X 21 (LXBXH) (mm). •4 Colour Printing. •300 G.S.M Cyber XL (ITC) with Full UV Varnish on Metpet board with Spot UV on the blurb & bubbles. •Embossing on bubbles, •Textured UV across the pack. •Joint should not be in front panel . •Batch stamping area should be 20X15(mm) (LXB)and free from varnish. •Die punching & pasting 			
15	GOLD Blaze 3 'S	<ul style="list-style-type: none"> •(ID) Dimensions: 65X65X21 (LXBXH) (mm). •4 Colour Printing. •300 G.S.M Cyber XL (ITC) with Full UV Varnish on Metpet board Spot UV on the blurb & Flame. •Embossing on the flame. •Textured UV across the pack.. •Joint should not be in front panel . •Batch stamping area should be 20X15(mm) (LXB)and free from varnish •Die punching & pasting. 			
16	GOLD 1500 dots 12 'S	<ul style="list-style-type: none"> •(ID) Dimensions: 124x63x32 (LXBXH) (mm) •4 Colour Printing. •300 G.S.M Cyber XL (ITC) with Full UV Varnish on Metpet board with Spot UV on the blurb, •Embossing on the dots, •Textured UV across the pack. •Joint should not be in front panel . •Batch stamping area should be 20X15(mm) (LXB)and free from varnish. •Die punching & pasting. 			
17	GOLD joyride 12 'S	<ul style="list-style-type: none"> •(ID) Dimensions: 124x63x32 (LXBXH) (mm) •4 Colour Printing. •300 G.S.M Cyber XL (ITC) with Full UV Varnish on Metpet board with Spot UV on the blurb & dots, •Textured UV across the pack. •Joint should not be in front panel . •Batch stamping area should be 20X15(mm) (LXB)and free from varnish •Die punching & pasting. 			

18	GOLD Electify 12 'S	<ul style="list-style-type: none"> •(ID) Dimensions: 124x63x32 (LXBXH) (mm) •4 Colour Printing. •300 G.S.M Cyber XL (ITC) with Full UV Varnish on Metpet board with Spot UV on the blurb. •Textured UV across the pack. •Joint should not be in front panel . •Batch stamping area should be 20X15(mm) (LXB)and free from varnish. •Die punching & pasting. 			
19	GOLD Cool 12 'S	<ul style="list-style-type: none"> •(ID) Dimensions: 124x63x32 (LXBXH) (mm)•4 Colour Printing. •300 G.S.M Cyber XL (ITC) with Full UV Varnish on Metpet board with Spot UV on the blurb & bubbles. • Embossing on bubbles, Textured UV across the pack. •Joint should not be in front panel . •Batch stamping area should be 20X15(mm) (LXB)and free from varnish •Die punching & pasting. 			
20	GOLD Blaze 12 'S	<ul style="list-style-type: none"> •(ID) Dimensions: 124x63x32 (LXBXH) (mm)•4 Colour Printing. •300 G.S.M Cyber XL (ITC) with Full UV Varnish on Metpet board with Spot UV on the blurb & Flame. •Embossing on the flame. •Textured UV across the pack. •Joint should not be in front panel. •Batch stamping area should be 20X15(mm) (LXB)and free from varnish .•Die punching & pasting. 			
21	Silver series 1500 dot's 3's	(ID) Dimensions: 65 X65X21 (LXBXH) (mm). 4 Colour Printing. 300 G.S.M Cyber XL (ITC) with Full UV Varnish on Metpet board with Spot UV on the blurb(which fivetimes pleasure) and on the patch which says 'Scented", Embossing on the dots, Textured UV across the pack except on the spot UV areas, barcode and white box containing batch details . Joint should not be in the front panel Die punching and pasting		(ID) Dimensions: 220 X 137 X 135 (LXBXH) (mm). 4 Colour Printing. 3 Ply Micro Flute, 250 G.S.M Duplex Board with grey back, as the top layer and other inside layers are virgin craft of G.S.M 100 each. IR varnish. Die Punching and Pasting.	

22	Silver Series JOYRIDE 3's:	(ID) Dimensions: 65 X65X21 (LXBXH) (mm). 4 Colour Printing. 300 G.S.M superchromo board with Full gloss UV Varnish on Metpet board with Spot UV on the blurb(which fivetimes pleasure) and on the patch which says "Scented", Embossing on the dots, Textured UV across the pack except on the spot UV areas, barcode and white box containing batch details . Joint should not be in front panel . .Die punching & pasting		(ID) Dimensions: 220 X 137 X 135 (LXBXH) (mm). 4 Colour Printing. 3 Ply Micro Flute, 250 G.S.M Duplex Board with grey back, as the top layer and other inside layers are virgin craft of G.S.M 100 each. IR varnish. Die Punching and Pasting.	
23	Silver ELECTRIFY 3's:	(ID) Dimensions: 65X65X 21 (LXBXH) (mm). 4 Colour Printing. 300 G.S.M superchromo board with Full gloss UV Varnish on Metpet board with Spot UV on the blurb which says (Mutual Climax) . Textured UV across the pack except on the spot UV areas, barcode and white box containing batch details . No embossing on the variant name ELECTRIFY. Joint should not be in front panel . Die punching & pasting		(ID) Dimensions: 220 X 137 X 135 (LXBXH) (mm). 4 Colour Printing. 3 Ply Micro Flute, 250 G.S.M Duplex Board with grey back, as the top layer and other inside layers are virgin craft of G.S.M 100 each. IR varnish. Die Punching and Pasting.	
24	Silver Cool 3's	(ID) Dimensions: 65 X 65 X 21 (LXBXH) (mm). 4 Colour Printing. 300 G.S.M superchromo board with Full gloss UV Varnish on Metpet board with Spot UV on the blurb which says Cool and Stimulating . and on the Droplets where embossing is given (bubbles), Textured UV across the pack except on spot UV areas, barcode and white box containing batch details . Joint should not be in front panel . Die punching & pasting		(ID) Dimensions: 220 X 137 X 135 (LXBXH) (mm). 4 Colour Printing. 3 Ply Micro Flute, 250 G.S.M Duplex Board with grey back, as the top layer and other inside layers are virgin craft of G.S.M 100 each. IR varnish. Die Punching and Pasting.	
25	Silver Blaze 3's	(ID) Dimensions: 65X65X21 (LXBXH) (mm). 4 Colour Printing. 300 G.S.M superchromo board with Full gloss UV Varnish on Metpet board. Spot UV on the blurb which says Warm and Stimulating and on the Flame where embossing is given . Embossing on the flame. Textured UV across the pack . on spot UV areas, barcode and white box containing batch details. Joint should not be in front panel . Die punching & pasting		(ID) Dimensions: 220 X 137 X 135 (LXBXH) (mm). 4 Colour Printing. 3 Ply Micro Flute, 250 G.S.M Duplex Board with grey back, as the top layer and other inside layers are virgin craft of G.S.M 100 each. IR varnish. Die Punching and Pasting.	
26	Silver series 1500 dot's12's	(ID) Dimensions: 124x63x32 (LXBXH) (mm) 4 Colour Printing. 300 G.S.M superchromo board with gloss Full UV Varnish on Metpet board with Spot UV on the blurb(which fivetimes pleasure) and on the patch which says "Scented", Embossing on the dots, Textured UV across the pack except on the spot UV areas, barcode and white box containing batch details . Joint should not be in front panel . .Die punching & pasting		(ID) Dimensions: 175 x 132 x 135 mm (LXBXH) (mm). 4 Colour Printing. 3 Ply Micro Flute, 250 G.S.M Duplex Board with grey back, as the top layer and other inside layers are virgin craft of G.S.M 100 each. IR varnish. Die Punching and Pasting.	

27	Silver Series JOYRIDE 12's	(ID) Dimensions: 124x63x32 (LXBXH) (mm) 5 Colour Printing. 300 G.S.M superchromo board with gloss Full UV Varnish on Metpet board with Spot UV on the blurb which says Multiple sensations and the patch which has scented . Textured UV across the pack except on the spot UV areas, barcode and white box containing batch details . and embossing on dots, Joint should not be in front panel .. Die punching & pasting.		(ID) Dimensions: 175 x 132 x 135 mm (LXBXH) (mm). 4 Colour Printing. 3 Ply Micro Flute, 250 G.S.M Duplex Board with grey back, as the top layer and other inside layers are virgin craft of G.S.M 100 each. IR varnish. Die Punching and Pasting.	
28	Silver ELECTRIFY 12's	(ID) Dimensions: 124x63x32 (LXBXH) (mm) 4 Colour Printing. 300 G.S.M superchromo board with gloss Full UV Varnish on Metpet board with Spot UV on the blurb which says (Mutual Climax) . Textured UV across the pack except on the spot UV areas, barcode and white box containing batch details . No embossing on the variant name ELECTRIFY. Joint should not be in front panel . Die punching & pasting.		(ID) Dimensions: 175 x 132 x 135 mm (LXBXH) (mm). 4 Colour Printing. 3 Ply Micro Flute, 250 G.S.M Duplex Board with grey back, as the top layer and other inside layers are virgin craft of G.S.M 100 each. IR varnish. Die Punching and Pasting.	
29	Silver Cool 12's	(ID) Dimensions: 124x63x32 (LXBXH) (mm) 4 Colour Printing. 300 G.S.M superchromo board with Full glossUV Varnish on Metpet board with Spot UV on the blurb which says Cool and Stimulating . and on the Droplets where embossing is given (bubbles), Textured UV across the pack except on spot UV areas, barcode and white box containing batch details . Joint should not be in front panel . punching & pasting. Die punching & pasting.		(ID) Dimensions: 175 x 132 x 135 mm (LXBXH) (mm). 4 Colour Printing. 3 Ply Micro Flute, 250 G.S.M Duplex Board with grey back, as the top layer and other inside layers are virgin craft of G.S.M 100 each. IR varnish. Die Punching and Pasting.	
30	Silver Blaze 12's	(ID) Dimensions: 124x63x32 (LXBXH) (mm) 4 Colour Printing. 300 G.S.M Super Chrome board with Full gloss UV Varnish on Metpet board. Spot UV on the blurb which says Warm and Stimulating and on the Flame where embossing is given . Embossing on the flame. Textured UV across the pack . on spot UV areas, barcode and white box containing batch details. Joint should not be in front panel. Die punching & pasting.		(ID) Dimensions: 175 x 132 x 135 mm (LXBXH) (mm). 4 Colour Printing. 3 Ply Micro Flute, 250 G.S.M Duplex Board with grey back, as the top layer and other inside layers are virgin craft of G.S.M 100 each. IR varnish. Die Punching and Pasting.	
WALLETS & CARTONS (KAKKANAD FACTORY)					QUANTITY
1	FC Wallet Velvet	350 GSM CYBER XL, L-140mm,H- 90mm,W- 30 mm			17,50,000
2	FC Wallet Velvet spec L-140mm,H- 90mm,W- 25 mm	350 GSM CYBER XL, L-140mm,H- 90mm,W- 30 mm			17,50,000
3	FC carton bulk pack IDA 100's - L X W X H) : 340 X 240 X 140 mm)	3 Ply corrugated 260 GSM ITC board with grey back as top & other inside layer as virgin craft of GSM 100+100 & after print varnish coated			20000

4	carton for 3's wallet (VIP order type 48 wallets in 1 carton), LXWXH 192 x137 x135 mm)	450 GSM CBGB,4 color,Aqua Varnish,Puching and pasting	200000
5	carton for 3's wallet (PROTEC order type 40 wallets in 1 carton), LXWXH 160 x137 x135 mm	Dimension(LXBXH):160X137X135 ,400 GSM cyber excel with Matt Lamination,4 colour printing	200000
AKKULAM UNIT			QUANTITY
1	Inner white carton for Copper-T380A / Cu375 (50's pack)	<p>1) Carton Size: Outer dimension 28.2x15.5x12.8 cm (LxWxH), Tolerance: +/-0.5 cm.</p> <p>2) Number of Ply: 3 ply.</p> <p>3) Outer Colour: White</p> <p>4) Outer Paper (Printing side):250GSM, Duplex Coated (white) 20BF,</p> <p>5) Inner side paper: 150 GSM, 20 BF, Natural, Virgin Craft paper.</p> <p>6) Middle liner: 150 GSM, 20 BF, Natural, Virgin Craft paper.</p> <p>7) E Type Flute (1 layer): 150 GSM, 20 BF, Natural Brown, Virgin Craft paper.</p> <p>8) Total GSM: Not less than 600</p> <p>9) Burst Strength: Minimum 8 Kg/cm2.</p> <p>10) Printing Colour: Black and Red - as per HLL artwork.</p> <p>11) Joint: Single / Double joint-Sticking (good quality adhesive shall be used. The adhesive used should not promote any kind of Fungus or mold growth. Do not use clips.</p> <p>12) Overlapping of Joints: 20-25 mm</p> <p>13) Packing: 25 cartons/bundle.</p> <p><u>14) Finish: Cutting & Folding must be free from burrs & level difference</u></p>	100000
2	Inner white carton for Tubal Ring	<p>1) Carton Size: Outer dimension – 17.5x8.5x8 cm (LxWxH), Tolerance:+0.0/-0.2 cm.</p> <p>2) Number of Ply: 3 ply.</p> <p>3) Outer Colour: White</p> <p>4) Outer Paper (Printing side): 250GSM, Duplex Coated (white colour)20 BF.</p> <p>5) Inner side paper: 150 GSM, 20 BF, Natural, Virgin Craft paper.</p> <p>6) Middle liner: 150 GSM, 20 BF, Natural, Virgin Craft paper.</p> <p>7) E Type Flute (1 layer): 150 GSM, 20 BF, Natural Brown, Virgin Craft paper.</p> <p>8) Total GSM: Not less than 600</p> <p>9) Burst Strength: Minimum 8 Kg/cm2.</p> <p>10) Printing Colour: Black and Red (as per HLL artwork).</p> <p>11) Construction: Single piece construction as per HLL design.</p> <p>12) Overlapping of Joints: 20-25 mm 13) Packing: 25 cartons/bundle.</p> <p>14) Finish: Cutting & Folding must be free from burrs & level difference.</p>	25000

3	Dispensor carton for Mcare Cu375 / MCare 250	<p>1) Carton Size: Outer dimension 31x11x10 cm (LxWxH), Tolerance: +/-0.3 cm. 2) Number of Ply: 3 ply. 3) Outer Colour: 4) Outer Paper (Printing side):250 GSM, Duplex Coated (white colour) 20BF, 5) Inner side paper: 150 GSM, 20 BF, Natural, Virgin Craft paper. 6) Middle liner: 150 GSM, 20 BF, Natural, Virgin Craft paper. 7) E Type Flute (1 layer): 150 GSM, 20 BF, Natural Brown, Virgin Craft paper. 8) Total GSM: Not less than 600 9) Burst Strength: Minimum 8 Kg/cm2. 10) Printing Colour: 4 colour (as per HLL artwork) 11) Joint: Single / Double joint-Sticking (good quality adhesive shall be used).The adhesive used should not promote any kind of Fungus or mold growth. Do not use clips. 12) Overlapping of Joints: 20-25 mm 13) Packing: 25 cartons/bundle. 14) Finish: Cutting & Folding must be free from burrs & level difference</p>	20000
4	Dispensor carton for T care 380A	<p>1) Carton Size: Outer dimension 31x11x10 cm (LxWxH), Tolerance: +/-0.3 cm. 2) Number of Ply: 3 ply. 3) Outer Colour: 4) Outer Paper (Printing side):250GSM, Duplex Coated (white colour) 20BF, 5) Inner side paper: 150 GSM, 20 BF, Natural, Virgin Craft paper. 6) Middle liner: 150 GSM, 20 BF, Natural, Virgin Craft paper. 7) E Type Flute (1 layer): 150 GSM, 20 BF, Natural Brown, Virgin Craft paper. 8) Total GSM: Not less than 600 9) Burst Strength: Minimum 8 Kg/cm2. 10) Printing Colour: Green-as per HLL artwork (base paper colour white). 11) Joint: Single/double joint-Sticking (good quality adhesive shall be used) the adhesive used should not promote any kind of Fungus or mold growth. Do not use clips. 12) Overlapping of Joints: 20-25 mm13) Packing: 25 cartons/bundle.</p>	5000
5	Dispensor carton (UNFPA)	<p>1) Dimensions in MM: Outer dimensions: 282 x 155 x 128mm and Inner dimension 278 x 151 x 124mm. (Tolerance ± 5 mm for outer dimension) 2) Ply: 3 Ply, B Flute 3) GSM: Top: 250 GSM DUPLEX Coated 18 BF Inner Most: 200 GSM Natural Virgin Kraft Paper, 18 BF Centre: 150 GSM Natural virgin Kraft paper, 18 BF Total GSM: 5254) Burst Strength: Not less than 8.00 kg/ cm25) Type: Single piece, folder6) Base colour: Green7) Printing colour: White (Reverse printing)8) Joint: Glued Joints. Overlapping of joints 20-25 mm. Glue must be synthetic fevicol or equivalent. The glue should not promote any kind of Fungus or Mold growth.9) Finish: Smooth surface finish, free from wrinkles, bends and free from burs on cutting Edges.10) Others: Use only Virgin Kraft papers11) Packaging details: Bundles of 25 Nos (unfolded inner white cartons should be kept in opposite direction so that the bund s will be flat. Each bundle should be packed in a HDPE cover of thickness at least 100 microns and tied using nylon thread crosswise).12) Printing as per approved artwork" 13) Three colour Printing as per approved artwork"</p>	10000

6	DISPENSER CARTON SURGICAL SUTURES (duplex Board)	<p>a. Material : White duplex Board Inner side of the box should also be white in colour. b. Grammage: Minimum 400 GSM c. Burst Strength: 7 ±0.5Kg/cm² d. Colour : White e. Coating: Outer side double coated and inner side single coated. f. Dimension: The cartons have two parts Inner part dimension:: 135 mm (length) x 59 mm (breadth) x 66 mm (depth).The outer part shall be tight fit with the inner part and inner part must be sliding through it. The bottom should have interlocking arrangement. The dimensions of the outer part shall be made to suit this requirement. In any case the outer dimensions of the carton should not exceed 137 x 61 x 68 mm. The thumb notch in the outer part shall be of diameter-20 mm. g. Printing : The printing must be as specified in the artwork h. Printing ink : The ink used shall be nontoxic and pyrogen free. i. Colour : Printing colour must be as per the approved artwork.</p>	400000
---	---	---	--------