ω	Ν	Ь	S.No.		*
5 5.14 Page 64	5 5.13 Page 64	5 5.8 (i) Page 64	DESCRIPTION NO.		
Vendor should provide one extra treatment control console system which will be compatible with offered HDR treatment machine for the purpose of performing intraoperative HDR brachytherapy treatment.	Provide the catalogues of the all the applicators. All the guide-tubes must be functional for 5 years.	Breast and Prostate templates – 2 sets each Biliary Applicators – 2 Each	Tender Specification  SPECIFICATION	Sch. 03	P
Elekta Medical Systems India Pvt. Ltd.	Elekta Medical Systems India Pvt. Ltd.	Elekta Medical Systems India Pvt. Ltd.	BIDDER	03 HDR Brachytherapy System (Rfx no. 30000	Prebid-Representations (Pre-Bid date: 19/12/2017)
Request you to kindly delete this clause  Reason: Because two control systems cannot be connected to our Flexitron system.	Request you to kindly delete this clause  Reason: Our transfer tubes and applicators are covered under manufacturing defects only. The life of the transfer tubes depends on how it is used, transfer tubes should be replaced every 3 years, which is purchaseble option as per safety protocols	Request you to kindly delete Reason: The above applicator is not manufactured by elekta. This 3rd party applicator is not compatible with our HDR, as they are not tested and validated.	REPRESENTATIONS RECEIVED FROM THE BIDDER	Rfx no. 3000002482)	rte: 19/12/2017)
No CHANSE clarified during pre-bid Only One console will be connected to the system at a time.	no change	Breast and Prostate templates – <b>Deleted</b> Biliary Applicators - <b>Deleted</b>	TSEC RECOMMENDATION		

Sh

Jak.

The state of the s

1

To Exammer system The system should be of latest slip-ring technology allowing acquisition of 16 slices per rotation with true isotropic volume acquisition and sub millimeter resolution of an at least O.4mm.  Wipro GE HEALTHCARE	S.No.		Bidding Document Specification/Clauses	Prebid-Repress HITES/PCD/No Sch. 04 4D CT - BIDDER	1 10 0	Prebid-Representations (Pre-Bid date: 19/12/2017)  HITES/PCD/NCI-AIIMS/08/17-18 dated 11.12.2017  Sch. 04 4D CT - Simulator (Rfx no. 3000002483)  BIDDER  REPRESENTATIONS RECEIVED FROM THE BIDDER
CT Scanner system The system should be of latest slip-ring technology allowing acquisition of 16 slices per rotation with true isotropic volume acquisition and sub millimeter resolution of an at least  O.4mm.  WiPRO GE High frequency x-ray generator with an output of at least 50 KW or more to support continous and sustained operation. Please give details.  X-ray Tube  X-ray Tube current: 30-400mA or more. The mA rating at peak generator power must be mention.  X-ray Tube  The x-ray tube should have anode heat storage capacity of 5 MHU or more.  CT scanning parameters  Extended reconstruction FOV of at least 70cm should be possible.  CT control Console A client server based advanced visualization solution with storage upto 2.5TB and to support 3 clients for CT Simulation.  Siemens HealthCare WIPRO GE HEALTHCARE WIPRO GE HEALTHCARE WIPRO GE HEALTHCARE WIPRO GE HEALTHCARE HEALTHCARE WIPRO GE HEALTHCARE HEALTHCARE HEALTHCARE HEALTHCARE WIPRO GE HEALTHCARE		Technical Terms	ns .			
2 2.1 K-ray Generator Page 70 Please give details.  X-ray Tube 3.1 Tube current: 30-400mA or more. The mA rating at peak Page 70 MHU or more. 3 X-ray Tube 3 X-ray Tube 3 X-ray Tube 3 The x-ray tube should have anode heat storage capacity of 5 Page 70 MHU or more. 5 Page 70 MHU or more. 6 CT scanning parameters 6.4 Extended reconstruction FOV of at least 70cm should be Page 71 possible.  CT Control Console 11.8 A client server based advanced visualization solution with Page 72 storage upto 2.5TB and to support 3 clients for CT Simulation.  CHEALTHCARE WIPRO GE HEALTHCARE WIPRO GE HEALTHCARE WIPRO GE HEALTHCARE HEALTHCARE HEALTHCARE WIPRO GE HEALTHCARE HEALTHCARE HEALTHCARE HEALTHCARE HEALTHCARE WIPRO GE HEALTHCARE HEALTHCARE HEALTHCARE HEALTHCARE HEALTHCARE WIPRO GE HEALTHCARE	ь	1 1.1 Page 70	CT Scanner system  The system should be of latest slip-ring technology allowing acquisition of 16 slices per rotation with true isotropic volume acquisition and sub millimeter resolution of an at least 0.4mm.	WIPRO GE HEALTHCARE	<add> Year of introduction should be ASTRO 2014 or later</add>	ASTRO 2014 or later
2 X-ray Generator High frequency x-ray generator with an output of at least 50 KW or more to support continous and sustained operation. Please give details.  3 X-ray Tube 3 X-ray Tube 3 X-ray Tube 3 X-ray Tube 3 The x-ray tube should have anode heat storage capacity of 5 HEALTHCARE Page 70 more angular dose modulation. 6 CT scanning parameters 6 CT scanning parameters 6 Extended reconstruction FOV of at least 70cm should be Page 71 possible. CT control Console 11.8 A client server based advanced visualization solution with Page 72 storage upto 2.5TB and to support 3 clients for CT Simulation.  CT control Console 11.8 A client server based advanced visualization solution with storage upto 2.5TB and to support 3 clients for CT Simulation.  CT control Console 11.8 A client server based advanced visualization solution with storage upto 2.5TB and to support 3 clients for CT Simulation.  CT control Console 11.8 A client server based advanced visualization solution with storage upto 2.5TB and to support 3 clients for CT Simulation.  CT control Console 1.8 A client server based advanced visualization solution with storage upto 2.5TB and to support 3 clients for CT Simulation.  CT control Console 1.8 A client server based advanced visualization solution with storage upto 2.5TB and to support 3 clients for CT Simulation.  CT control Console 1.9 WIPRO GE HEALTHCARE 1.1 Siemens Healthcare Private Limited 1.2 WIPRO GE HEALTHCARE 1.3 Siemens Healthcare 1.4 WIPRO GE HEALTHCARE 1.4 WIPRO GE HEALTHCARE 1.5 MEALTHCARE 1.6 WIPRO GE HEALTHCARE 1.7 WIPRO GE HEALTHCARE 1.7 WIPRO GE HEALTHCARE 1.7 WIPRO GE HEALTHCARE 1.7 WIPRO GE HEALTHCARE				WIPRO GE HEALTHCARE	High frequency x-ray generator with more to support continous and sust	an output of at least <b>80 KW or</b> ained operation. Please give details.
Please give details.  3	2	2.1	X-ray Generator High frequency x-ray generator with an output of at least 50	4	Request you to amend as "High frequences to the least 80 KW or more to support continuous and sustained operation. P	Request you to amend as "High frequency x-ray generator with an output of at least <b>80 KW</b> or more to support continuous and sustained operation. Please give details."
3 X-ray Tube 3.1 Tube current: 30-400mA or more. The mA rating at peak Page 70 generator power must be mention.  3 X-ray Tube 3.4 The x-ray tube should have anode heat storage capacity of 5 Page 70 MHU or more.  3 X-ray Tube 3.5 The anode peak heat dissipation rate should be 700 KHU/min Page 70 or more angular dose modulation.  6 CT scanning parameters Extended reconstruction FOV of at least 70cm should be Page 71 possible.  11 CT Control Console 11. CT Control Console 11. A client server based advanced visualization solution with Page 72 storage upto 2.5TB and to support 3 clients for CT Simulation.  Please quote the rates of consumables recommended as well wipro GE Please at the rates of consumables recommended as well wipro GE HEALTHCARE HEALTHCARE		Page 70	port continous and sustained operation.	Siemens Healthcare Private Limited	Justification: High capacity generator imaging in any scenario, challenging	pacity generators are required for uncompromised rio, challenging or routine and offers excellent stability
3 X-ray Tube 3 3.1 Tube current: 30-400mA or more. The mA rating at peak Page 70 generator power must be mention. 3 X-ray Tube 3 3 X-ray Tube The x-ray tube should have anode heat storage capacity of 5 Page 70 MHU or more. 3 X-ray Tube 3 S. The anode peak heat dissipation rate should be 700 KHU/min Page 70 or more angular dose modulation. 6 CT scanning parameters 6.4 Extended reconstruction FOV of at least 70cm should be Page 71 possible.  11 CT Control Console 11.8 A client server based advanced visualization solution with Page 72 storage upto 2.5TB and to support 3 clients for CT Simulation.  Please quote the rates of consumables recommended as well Please quote the rates of consumables valid for 5 years block WIPRO GE HEALTHCARE WIPRO GE HEALTHCARE HEALTHCARE HEALTHCARE WIPRO GE HEALTHCARE HEALTHCARE HEALTHCARE HEALTHCARE HEALTHCARE HEALTHCARE HEALTHCARE WIPRO GE HEALTHCARE HEALTHCARE HEALTHCARE					all the vendors .	o de la companion de la compan
Page 70  generator power must be mention.  3  X-ray Tube  1  3.4  The x-ray tube should have anode heat storage capacity of 5  Page 70  MHU or more.  3  X-ray Tube  3.5  The anode peak heat dissipation rate should be 700 KHU/min Page 70  or more angular dose modulation.  6  CT scanning parameters  6.4  Extended reconstruction FOV of at least 70cm should be Page 71  possible.  WIPRO GE HEALTHCARE  11.8  A client server based advanced visualization solution with Page 72  storage upto 2.5TB and to support 3 clients for CT Simulation.  Please quote the rates of consumables recommended as well Please quote the rates of consumables valid for 5 years block  WIPRO GE HEALTHCARE  WIPRO GE HEALTHCARE  WIPRO GE HEALTHCARE  WIPRO GE HEALTHCARE  HEALTHCARE  WIPRO GE HEALTHCARE  HEALTHCARE  HEALTHCARE  WIPRO GE HEALTHCARE  HEALTHCARE  HEALTHCARE  HEALTHCARE  WIPRO GE HEALTHCARE  HEALTHCARE  HEALTHCARE	ω	3.1	X-ray Tube Tube current: 30-400mA or more. The mA rating at peak	WIPRO GE	Tube current: 30-600mA or more. The n	nA rating at peak generator power must
3 X-ray Tube 3 3 X-ray Tube Should have anode heat storage capacity of 5 Page 70 MHU or more.  3 X-ray Tube 3 WIPRO GE 4 Extended peak heat dissipation rate should be 700 KHU/min 4 Page 70 or more angular dose modulation. 6 CT scanning parameters 6 CT scanning parameters 6 CT scanning parameters 6 CT control Console 11.8 A client server based advanced visualization solution with Page 72 Storage upto 2.5TB and to support 3 clients for CT Simulation. 9 Please quote the rates of consumables recommended as well Please quote the rates of consumables recommended as well Please quote the rates of consumables valid for 5 years block WIPRO GE HEALTHCARE WIPRO GE HEALTHCARE HEALTHCARE HEALTHCARE		Page 70	generator power must be mention.	HEALTHCARE		
Page 70 MHU or more.  3 X-ray Tube 3.5 The anode peak heat dissipation rate should be 700 KHU/min Page 70 or more angular dose modulation. 6 CT scanning parameters 6.4 Extended reconstruction FOV of at least 70cm should be Page 71 possible.  11 CT Control Console 11.8 A client server based advanced visualization solution with Page 72 Storage upto 2.5TB and to support 3 clients for CT Simulation. Please quote the rates of consumables recommended as well Please quote the rates of consumables valid for 5 years block  General Terms & Condition  HEALTHCARE WIPRO GE HEALTHCARE HEALTHCARE HEALTHCARE HEALTHCARE HEALTHCARE HEALTHCARE HEALTHCARE	4	3.4	X-ray Tube The x-ray tube should have anode heat storage capacity of 5	WIPRO GE	The x-ray tube should have anode heat	have anode heat storage capacity of 8 MHU or more.
3 X-ray Tube 3.5 The anode peak heat dissipation rate should be 700 KHU/min Page 70 or more angular dose modulation. 6 CT scanning parameters 6.4 Extended reconstruction FOV of at least 70cm should be Page 71 possible.  11 CT Control Console 11.8 A client server based advanced visualization solution with Page 72 Storage upto 2.5TB and to support 3 clients for CT Simulation. Please quote the rates of consumables recommended as well Please quote the rates of consumables valid for 5 years block  WIPRO GE HEALTHCARE WIPRO GE HEALTHCARE HEALTHCARE HEALTHCARE HEALTHCARE HEALTHCARE HEALTHCARE HEALTHCARE HEALTHCARE		Page 70	MHU or more.	DEALLICANE		
Page 70 or more angular dose modulation.  6 CT scanning parameters 6.4 Extended reconstruction FOV of at least 70cm should be Page 71 possible.  11 CT Control Console 11.8 A client server based advanced visualization solution with Page 72 Storage upto 2.5TB and to support 3 clients for CT Simulation.  Please quote the rates of consumables recommended as well as other necessary consumables valid for 5 years block  General Terms & Condition  HEALTHCARE  WIPRO GE HEALTHCARE  WIPRO GE HEALTHCARE	5	3.5	X-ray Tube The anode peak heat dissipation rate should be 700 KHU/min	WIPRO GE	The anode peak heat dissipation rate dose modulation.	The anode peak heat dissipation rate should be 2000 KHU/min or more angular dose modulation.
6 CT scanning parameters  6.4 Extended reconstruction FOV of at least 70cm should be Page 71 possible.  11 CT Control Console  11.8 A client server based advanced visualization solution with Page 72 storage upto 2.5TB and to support 3 clients for CT Simulation.  Please quote the rates of consumables recommended as well as other necessary consumables valid for 5 years block  General Terms & Condition  WIPRO GE HEALTHCARE  WIPRO GE HEALTHCARE		Page 70	or more angular dose modulation.	HEALTHCARE		
Page 71 possible.  CT Control Console  11.8 A client server based advanced visualization solution with Page 72 storage upto 2.5TB and to support 3 clients for CT Simulation.  Please quote the rates of consumables recommended as well as other necessary consumables valid for 5 years block  General Terms & Condition  WIPRO GE  WIPRO GE  HEALTHCARE  WIPRO GE  HEALTHCARE	n	n 0	CT scanning parameters	WIPRO GE	Extended reconstruction FOV of at	least 80cm should be possible.
11.8 A client server based advanced visualization solution with Page 72 Storage upto 2.5TB and to support 3 clients for CT Simulation. Please quote the rates of consumables recommended as well as other necessary consumables valid for 5 years block  General Terms & Condition  WIPRO GE HEALTHCARE  WIPRO GE HEALTHCARE	a	6,4 Page 71	Extended reconstruction FOV of at least 70cm should be possible.	HEALTHCARE		
11.8 A client server based advanced visualization solution with Page 72 storage upto 2.5TB and to support 3 clients for CT Simulation. Siemens Healthcare Please quote the rates of consumables recommended as well as other necessary consumables valid for 5 years block WIPRO GE WIPRO GE HEALTHCARE		11	CT Cantrol Console		A client server based advanced vis	A client server based advanced visualization solution with storage of 2.5TB or 3 numbers Independent workstation with fully loaded media for data storage
Page 72 storage upto 2.5TB and to support 3 clients for CT Simulation. Siemens Healthcare Private Limited  Please quote the rates of consumables recommended as well as other necessary consumables valid for 5 years block  WIPRO GE WIPRO GE HEALTHCARE	7	11.8	A client server based advanced visualization solution with		should be provided.	000
Please quote the rates of consumables recommended as well as other necessary consumables valid for 5 years block  General Terms & Condition  WIPRO GE  HEALTHCARE		Page 72			Request you to amend as "A client ser with storage upto 2.5TB and 20,000 co for CT Simulation."	Request you to amend as "A client server based advanced visualization solution with storage upto 2.5TB and 20,000 concurrent slices and to support 3 clients for CT Simulation."
WIPRO GE HEALTHCARE	00		Please quote the rates of consumables recommended as well as other necessary consumables valid for 5 years block		please clarify "consumables". Is it co maintenance?	nsumables for patient scan or system
			General Terms & Condition	E	Penalty clause: Service extension by a falling of 95% uptime guarantee.	Penalty clause: Service extension by 2 days for each day of downtime for short falling of 95% uptime guarantee.

A MICH

(3)

X

15	14	. 13	12	11	10	9	S.No.		
	FURNITURE: 2 Page 79	MISCELLANEOUS: 2 Page 79	MISCELLANEOUS: 1 Page 78, 79	WALL FINISHING & PAINTING 2 Page 78	THE ELECTRICAL WORKS: 4 Page 77	22 22.4 Page 76	Reference to Bidding Document		
Added Para	2. "Workstation/Tables for Console room & TPS room:  The Console room and TPS room should be provided with suitable workstations(s) of reputed brand, to accommodate the various Terminals in Console Room, TPS Room. The Workstation shall be providing with enough power sockets, LAN sockets etc. to enable smooth functioning of the CT SIMULATOR and TPS."	MISCELLANEOUS: Sufficient number of Open Racks of high Quality vendors should be provided to house the immobilization materials; within CT SIMULATOR room	MISCELLANEOUS: The CT SIMULATOR room shall be provided with wall- mounted storage cupboards within CT SIMULATOR room; to store: Phantoms, QA Items, CT SIMULATOR accessories.	WALL FINISHING & PAINTING Wall Tiles-High quality density Vitrified Tiles clad on the side walls up to a uniform height of 1200 mm in all rooms; except UPS & equipment rooms. Colour to be approved by institute.	THE ELECTRICAL WORKs: Earthing: Double-Earthing shall be provided with copper plate for the CT SIMULATOR and all accessories like UPS. The earthing for the AC should also be done by the suppliers. The earthing cable/wire shall be routed end-to-end through an insulated conduit.	Penalty clause: Penalty at the rate of Rs. 10, 000 per day for short falling of 95% uptime guarantee. If the machine lies non-functional for a period of more than two weeks continuously, the same penalty will be imposed even if 95% uptime clause is me with.	Bidding Document Specification/Clauses		
Siemens Healthcare Private Limited	Siemens Healthcare Private Limited	Siemens Healthcare Private Limited	Siemens Healthcare Private Limited	Siemens Healthcare Private Limited	Siemens Healthcare Private Limited	Siemens Healthcare Private Limited	BIDDER	Sch. 04 4D CT	HITES/PCD/N
Location for installation of UPS along with batteries to be added in layout plan	Request you to amend as "1 No Workstation/Tables for Console room & TPS room to be provided  The Console room and TPS room should be provided with 2 numbers of workstation tables of Godrej or eq brand, to accommodate the various Terminals in Console Room, TPS Room. The Workstation shall be providing with enough power sockets, LAN sockets etc. to enable smooth functioning of the CT SIMULATOR and TPS."	Request you to amend as "2 number of Open Racks of high Quality (approx 1100mm length; 700 mm height; 2000 mm depth) each to be provided to house the immobilization materials; within CT SIMULATOR room"	Request you to amend as "The CT SIMULATOR room shall be provided with 2 nos of wall-mounted storage cupboards (approx 1800mm length; 750 mm height; 300 mm depth) each. within CT SIMULATOR room; to store: Phantoms, QA Items, CT SIMULATOR accessories.:	Request you to amend as " Wall Tiles-High quality density Vitrified ( size: 600 x 600 mm) Tiles clad on the side walls up to a uniform height of 1200 mm in all rooms; except UPS & equipment rooms. Colour to be approved by institute. "	Request you to amend as " 4 No of Earthing shall be provided with copper plate for the CT SIMULATOR and all accessories like UPS."	Request you to amend as "During the warranty period and the period of CMC, the desired uptime of 95% of 365 days (24 hrs. basis) will have to be ensured, In case the down time exceeds the 5% limit in a year, extension of the warranty period by double the excess down time period will be carried out."	REPRESENTATIONS RECEIVED FROM THE BIDDER	Sch. 04 4D CT - Simulator (Rfx no. 3000002483)	HITES/PCD/NCI-AIIMS/08/17-18 dated 11.12.2017
No change considered	No change considered	No change considered	No change considered	No change considered	No change considered	No change considered	TSEC RECOMMENDATION		

de

The.

The state of the s

19	18	17	16		S.No.		
GCC: Warranty: Clause 15.12 Page No -33	GCC Clause: Spare Parts 12.1.b.ii Page No- 31	Point no 11.1-ii Page No 31	Point no 11.1 (A)- XVIII Page No 11	Commercial Terms	Reference to Bidding Document		
The Supplier along with its Manufacturer, Indian Agent and the CMC Provider shall always accord most favoured client status to the Purchaser vis-à-vis its other Clients/Purchasers of its equipment/machines/goods etc. and shall always give the most competitive price for its machines/equipment supplied to the Purchaser/Consignee.	Immediately following such discontinuation, providing the Purchaser/End User, free of cost, the designs, drawings, layouts and specifications of the spare parts, as and if requested by the Purchaser/End User	In case of supply of the imported goods on CIP Named port of Destination Basis, the additional extended Insurance (local transportation and storage) would be borne by the Supplier from the port of entry to the consignee site for a period including 3 months beyond date of delivery for an amount equal to 110% of the overall expenditure to be incurred by the purchaser from ware house to ware house (consignee site) on all risk basis	A self-declaration on Rs. 10/- non-judicial Stamp Paper that the rates quoted in the tender are the lowest and not quoted less than this to any Government institution (State/Central/other Institute in India).	rms	Bidding Document Specification/Clauses		
Siemens Healthcare Private Limited	Siemens Healthcare Private Limited	Siemens Healthcare Private Limited	Siemens Healthcare Private Limited		BIDDER	Sch. 04 4D CT	HITES/PCD/N
The Supplier along with its Indian Agent and the CMC Provider shall always accord most favoured client status to the Purchaser vis-à-vis its other Clients/ Purchasers in India of its equipments/ machines/ goods etc. and shall always give the most competitive price for its machines/ equipments of identical description (i.e. same nature, class, specifications prevailing exchange rate, warranty, quantity and other commercial terms & conditions) supplied to the Purchaser/Consignee. This undertaking shall be valid until installation of the equipment or 12 months from delivery of the equipment, whichever is earlier.	We request to replace this clause with requirement for the supplier to provide an undertaking to provide spare parts for specific period of time (e.g. 10 years)	In case of supply of the imported goods on CIP Named port of Destination Basis, the additional extended Insurance (local transportation and storage) would be borne by the Supplier/Indian Subsidiary/ local company/agency from the port of entry to the consignee site for a period including 3 months beyond beyond date of delivery for an amount equal to 110% of the overall expenditure to be incurred by the purchaser from ware house to ware house (consignee site) on all risk basis.	A self-declaration on Rs. 10/- non-judicial Stamp Paper that the rates quoted of identical description (i.e. same nature, class, specifications prevailing exchange rate, warranty, quantity and other commercial terms & conditions in the tender are the lowest and not quoted less than this to any Government Institution (State/Central/other Institute in India).		REPRESENTATIONS RECEIVED FROM THE BIDDER	Sch. 04 4D CT - Simulator (Rfx no. 3000002483)	Prebid-Representations (Pre-Bid date: 19/12/2017) HITES/PCD/NCI-AIIMS/08/17-18 dated 11.12.2017
No change considered	No change considered	No change considered	Such comparisons are always done on equitable basis and therefore no change considered		TSEC RECOMMENDATION		

SK

A 8-7

	Z T	7 P	7.7	2 79	20 P. P. C.	S.No.		
	Page no. 32, Point No. 15.4	Page no. 32, Point No. 15	Page no. 22, Point No. 39,2	Page no. 16, Point No. 20.1	GCC –Clause No -33 Fall Clause Page No -40	Reference to Bidding Document		
	Warranty as well as Comprehensive Annual Maintenance Contract will be inclusive of all accessories and turnkey work and it will also cover the following, wherever applicable:-	The supplier warrants comprehensively that the goods supplied under the contract is new, unused and incorporate all recent improvements in design and materials unless prescribed otherwise by the purchaser in the contract. The supplier further warrants that the goods supplied under the contract shall have no defect arising from design, materials (except when the design adopted and/or the material used are as per the Purchaser's/Consignee's specifications) or workmanship or from any act or omission of the supplier, that may develop under normal use of the supplied goods under the conditions prevailing in India.	If the quantity has not been increased at the time of the awarding the contract, the purchaser reserves the right to increase by up to twenty five (25) per cent, the quantity of goods and services mentioned in the contract (rounded off to next whole number) without any change in the unit price and other terms & conditions mentioned in the contract, during the currency of the contract.	20. Tender Validity  20.1 If not mentioned otherwise in the SIB, the bid shall remain valid for acceptance for a period of 270 days (Two hundred and Seventy days) after the date of bid opening prescribed in the Bidding Document. Any bid valid for a shorter period shall be treated as unresponsive and rejected.	Fall clause is a price safety mechanism. The fall clause provides that if the contract holder reduces its price or sells or even offers to sell the contracted goods of identical specification and terms & conditions to that of the contract, at a price lower than the contract price, to any person or organization during the currency of the Contract, the Contract price will be automatically reduced with effect from that date for all the subsequent supplies under the Contract and the contract amended accordingly	Bidding Document Specification/Clauses		
10	WIPRO GE HEALTHCARE	WIPRO GE HEALTHCARE	WIPRO GE HEALTHCARE	WIPRO GE HEALTHCARE	Siemens Healthcare Private Limited	BIDDER	Sch. 04 4D CT	HITES/PCD/NO
	We agree to give the warranty against defects of manufacture, workmanship and any replacement/repairs of parts or equipment and other items as per tender requirement, if required, will be done free of charge except for accessories, consumables, rubber goods, glass items and other perishable items	Only software Updates as part of our FMI program will be provided free of charge during warranty period. Any Upgrade will be made available to the purchaser at prices to be agreed separately. But software Update will be given free of charge as long as its compatible to the supplied hardware, during the warranty period	We humbly request to specify the timeline during which the repeat order can be placed. Currently this is open-ended and you would agree that in case of site not ready/pre requisites not available the project execution for few sites extends by significantly longer duration. In such a scenario it not possible for the contract awarded firm to accept the repeat order on the same quoted prices. Hence request to kindly specify the timeline during which the repeat order can be placed.	We humbly request to kindly mention the NOA validity also. You would agree that in case of site not ready/pre requisites not available the project execution for few sites extends by significantly longer duration. In such a scenario it not possible for the contract awarded firm to hold the same quoted prices. Hence request to kindly have the NOA validity also.	Fall clause is a price safety mechanism. The fall clause provides that if the contract holder reduces its price or sells or even offers to sell the contracted goods of identical specification and terms & conditions to that of the contract, at a price lower than the contract price, to any person or organization in India during the currency of the Contract, the Contract price will be automatically reduced with effect from that date for all the subsequent supplies under the Contract and the contract amended accordingly. This undertaking shall be valid until installation of the equipment but not later than 12 months from delivery of the equipment.	REPRESENTATIONS RECEIVED FROM THE BIDDER	Sch. 04 4D CT - Simulator (Rfx no. 3000002483)	HITES/PCD/NCI-AIIMS/08/17-18 dated 11.12.2017
	No change considered	There is no relevance in the request wrt the referred clause.	The sentence in the bidding document is self-explanatory	All Contractual obligations have been mentioned in the Bidding Document	No change considered	TSEC RECOMMENDATION		

W W

					S.No.		
Page no. 38, Point No. 23.1	Page no. 34, Point No. 21	Page no. 33, Point No. 15.8	Page no. 33, Point No. 15.7	Page no. 33, Point No. 15.6	Reference to Bidding Document		
Purchaser under the contract, deduct from the contract price, as liquidated damages, a sum equivalent to 0.5% per week of delay or part thereof on delayed supply of goods, installation, commissioning and/or services until actual delivery or performance subject to a maximum of 10% of the contract price. Once the maximum is reached Purchaser may consider termination of the contract as per GCC 24.	TERMS AND MODE OF PAYMENT	If the supplier, having been notified, fails to respond to take action to repair or replace the defect(s) within 8 hours on a 24(hrs) X 7 (days) X 365 (days) basis, the purchaser may proceed to take such remedial action(s) as deemed fit by the purchaser, at the risk and expense of the supplier and without prejudice to other contractual rights and remedies, which the purchaser may have against the supplier.	In the event of any rectification of a defect or replacement of any defective goods during the warranty period, the warranty for the rectified/replaced goods shall be up to the completion of the original warranty period of the main equipment.	Upon receipt of such notice, the supplier shall, within 8 hours on a 24(hrs) X 7 (days) X 365 (days) basis respond to take action to repair or replace the defective goods or parts thereof, free of cost, at the ultimate destination. The supplier shall take over the replaced parts/goods after providing their replacements and no claim, whatsoever shall lie on the purchaser for such replaced parts/goods thereafter. The penalty clause for non rectification will be applicable as per conditions laid down in the Bidding Document.	Bidding Document Specification/Clauses		
WIPRO GE HEALTHCARE	WIPRO GE HEALTHCARE	WIPRO GE HEALTHCARE	WIPRO GE HEALTHCARE	WIPRO GE HEALTHCARE	BIDDER	Sch. 04 4D CT	HITES/PCD/N
Purchaser/Consignee under the contract, deduct from the contract price, as liquidated damages, a sum equivalent to 0.5% per week of delay or part thereof on delayed supply of goods, installation, commissioning and/or services until actual delivery or performance subject to a maximum of 5% of the contract price.	Please specify the timeline within which HLL would release the payment post receipt of complete payment related required documents	We can't accept this point "the purchaser may proceed to take such remedial action(s) as deemed fit by the purchaser.	Please clarify this point whether the warranty extension would be upto the original equipment warranty or will be extended by the original warranty duration	Upon receipt of notice, within 8 hrs we shall initiate the action to repair/replace the defective part. Completion of repair will depend on nature of repair required.  You would agree, that considering the Custom holidays & Govt. holidays it's not practical to have 24(hrs) X 7 (days) X 365 (days) as Service Criteria . Hence, we request you to kindly amend it as "Working days of the respective institute".	REPRESENTATIONS RECEIVED FROM THE BIDDER	Sch. 04 4D CT - Simulator (Rfx no. 3000002483)	HITES/PCD/NCI-AIIMS/08/17-18 dated 11.12.2017
No change considered	Generally payments against proper submission of bills do not take more than 7 working days subject to availability of fund.	No change considered	The sentence in the bidding document is self-explanatory and very clear.	No change considered	TSEC RECOMMENDATION		

Brishore 21 NOH

DR. KTAY CUPTA) CHIME (BIME)