# **TENDER DOCUMENT**

# CIVIL AND ELECTRICAL WORKS FOR SETTING-UP OF AMRIT PHARMACY STORE AT PONDICHERRY

PROJECTS DIVISION, HLL LIFECARE LTD, CORPORATE HEAD OFFICE, POOJAPPURA, THIRUVANANTHAPURAM – 695 012, KERALA, INDIA PHN: ++91 471 2354949, 2775588

**JUNE 2017** 

# HLL LIFECARE LIMITED

(A Government of India Enterprise) Projects Division Corporate Head Office, Poojappura.P.O, Thiruvananthapuram – 695012, Kerala, India Phn: 0471- 2354949, 2775588

### **INVITATION FOR BIDS (IFB)**

#### IFB No : HLL/CHO/PROJ/RBD/AMRIT- STORE/PCY/2017-18

#### Date : 15-06-2017

HLL Lifecare Limited (HLL), a Government of India Enterprise is in the process of setting up AMRIT Pharmacy store at Pondicherry. For the said project, sealed and super scribed bids are invited from competent and experienced Suppliers/Contractors who are capable to do the following work meeting their requirements as per our tender.

SI. No	Brief Description of Item/Work	Qty	EMD in Rs
1	Civil and Electrical Works for Setting-Up of AMRIT Pharmacy Store at Pondicherry as per <u>Schedule of Work</u> enclosed.	As per Schedule III	Rs.39,000/-

- 2. The bid documents will be available up to 15.00 Hrs. on the previous working day of the opening of the bids. The scheduled date for issue, receipt and opening of bids is as follows.
  - a) Date of issue of tender document 15-06-2017 onwards
  - b) Last date and time for receipt of bids 28-06-2017 up to 15.00 Hrs.
  - c) Date and time of opening of bids 28-06-2017, 15.30 Hrs.
  - d) Address for communication, receipt and place of opening of bids:

#### ASSOCIATE VICE PRESIDENT (PROJECTS),

PROJECTS DIVISION, HLL LIFECARE LIMITED (A Government of IndiaEnterprise) Corporate Head Office, Poojappura.P.O, Thiruvananthapuram – 695012, Kerala, India Phn: 0471- 2354949, 2775588 E-mail: sreekumar@lifecarehll.com, <u>harikrishnankp@lifecarehll.com</u>

3. The completed and sealed bid documents should be submitted to Associate Vice President (Projects), in the above address along with the EMD. The outer cover should bear the Enquiry No, closing date and General description of item tendered, and the words "DO NOT OPEN BEFORE" 15.30 Hrs (IST) on ------ (Indicate the Closing Date). EMD shall be submitted in the form of demand draft drawn from a nationalized bank in favor of HLL Lifecare Limited payable at Thiruvananthapuram.

Bids received after due date and time will be rejected. Any bid not accompanied by EMD will be rejected.

- Bids will be opened in the presence of Bidders representative(s) who choose to attend on the specified date and time, at the office of HLL at the address given in Clause 2 (d) above.
- 5. In the event of the date specified for bid receipt and opening being declared as a closed holiday for the above purchaser's office, the due date for submission of bids and opening of bids will be the following working day at the appointed times.
- 6. HLL may, at its discretion, extend this deadline for submission of bids by amending the Bid Documents or any other reasons, in which case all rights and obligations of HLL and Bidders previously subject to the deadline will thereafter be subject to the deadline as extended.
- 7. HLL will not be held responsible for the postal delay, if any, in the delivery of the bidding document or the non-receipt of the same. Bids sent by Telex/Fax/Telegraph will not be accepted.
- 8. The EMD should be enclosed in a separate envelope and super scribed as "EMD" and to be attached in the main cover.
- 9. SSI units interested in availing exemption from payment of EMD should submit a valid copy of their registration certificate issued by the concerned DIC or NSIC.
- 10. The company reserves the right to club or split the items of works, change the qualifying criteria at their discretion and to reject or cancel the Invitation for bids without assigning any reason thereof.
- 11. The Bid must include the following information;
  - a. Enquiry No.
  - b. EMD
  - c. Promised Delivery/Completion Schedule
  - d. Price Schedule in Format For Quoting (Schedule III)
  - e. All other documents/certificate/information as specified in the bid document.
- 12. In addition to the invitation for bids, the bidding documents include the following schedules.

Schedule I	-	Conditions of Contract
Schedule II	-	Acceptance Form
Schedule III	-	Schedule of Work

#### ASSOCIATE VICE PRESIDENT (PROJECTS)

## SCHEDULE I

## CONDITIONS OF CONTRACT

#### 1) PRICE

The price quoted should be inclusive of all material cost, loading and unloading charges, all applicable taxes and other levies, labor charges, insurance etc. The **Schedule of Work** is enclosed as **Schedule III.** 

Price quoted should be firm without any escalation till the order is completely executed.

#### 2) TAXES/DUTIES/LEVIES

The contractor shall be entirely responsible for all applicable taxes including sales tax, work contract tax, service tax, entry tax, duties, license fees etc. incurred until successful completion of contract.

#### 3) ESCALATION

The rates quoted by the Contractor in the contract documents shall be final and shall not be subjected to any change due to the increase in labour wages or inflation in the cost of materials or any other price variations due to any reason during the stipulated time period of the contract or during the extended time period of completion.

Rates quoted should be inclusive of all cost of materials, Tools/Equipments labor charges, conveyance to site, handling charges, loading and unloading charges, hiring charges, clearing of debris, statutory payments etc.

#### 4) COMPLETION TIME

Work should be completed within **4 WEEKS** from the date of issuing the Letter Of Intent or Work Order.

#### 5) PAYMENT TERMS

The contractor can submit two running account bills during the work period and payment made as below:

- a) 80% of the bill value will be paid on each running account bill submitted by the contractor.
- b) Balance 20% will be paid along with the final bill only after issue of Work Completion certificate by Engineer In Charge/Officer In Charge of HLL Lifecare Ltd.

5% amount of the Bill will be retained as retention money and will be released only after the Defect liability period of 12 months.

The running account bills are to be submitted detailing the work description, quantity and rate as per the Work Order. Payment will be made against actual measurements recorded and certified jointly by HLL Engineer in charge and the Contractor's representative.

Tax Deduction: All statutory deductions like Income Tax, Works Contract Tax, E.S.I., P.F. or any other government-imposed liabilities shall be borne by the Contractor (as applicable at the time of execution of job) and shall be deducted from each bill submitted by the Contractor.

### 6) SECURITY DEPOSIT

- 6.1 Simultaneously with the execution of the contract successful bidder shall furnish a Security deposit in the form of a Demand Draft from a nationalised bank drawn in of HLL Lifecare Limited. Thiruvananthapuram favour pavable at Thiruvananthapuram or a Bank Guarantee from a nationalised bank, for an amount equal to 5% of the total contract value as Security Deposit for his faithful execution of contract. The Security deposit should be valid until successful completion of the contract and acceptance of the Equipment/works by the Purchaser/Owner and will be released after acceptance of the Equipment/works by the Purchaser/Owner. In case of a delay in the works the validity of security deposit shall be extended.
- 6.2 Within 10 days of the receipt of notification of award from the Purchaser/Owner; the successful Bidder shall furnish the security deposit in the form of a Demand Draft or Bank Guarantee in the security deposit form to be sent along with the Notification Of Award.
- 6.3 Failure of the successful Bidder to accept the notification of award or submission of security deposit within the timeframe shall constitute sufficient grounds for the annulment of the award and forfeiture of the EMD, in which even the Purchaser/Owner may make the award to the next lowest evaluated bidder or call for new bids.

#### 7) EARNEST MONEY

- 7.1 Each bid must be accompanied by E.M.D.
- 7.2 The EMD is required to protect the Purchaser/Owner against risk of Bidder's conduct, which would warrant the security's forfeiture.
  - a. The EMD shall be in the form of cash deposit or demand draft from a nationalized bank drawn in favour of HLL Lifecare Limited, Thiruvananthapuram payable at Thiruvananthapuram.
  - b. E.M.D. from unsuccessful bidders will be returned after the acceptance of order by the L1 party.
  - c. In the case of successful bidder, the Earnest Money will be returned after signing the contract, and submission of Security Deposit, which they will have to offer for the faithful execution of the contract.

7.3 The EMD may be forfeited:

(b)

- (a) If a Bidder withdraws its bid during the period of bid validity specified by the Bidder on the Bidding Document; or
  - In case of the successful Bidder, if the Bidder fails:
    - (i) to sign the Contract
    - (ii) to furnish security deposit

#### 8) DEFECT LIABILITY PERIOD:

The defect liability period of the work shall be 12 months from the date of completion of the work and this date will start from successful completion and handing over. If any damage or defect occurs in the work during this period then the Contractor shall rectify the damage or defect at his own expense to the satisfaction of the Purchaser/Owner. If the Contractor fails to do so, then the Purchaser/Owner shall have the authority to get the work done by other means and the expenditure incurred shall be recovered from the Contractor.

Even if Inspection and/or tests are fully carried out by Purchaser/Owner or their representatives, the Contractor is not absolved to any degree of his responsibility to ensure that all equipment fabricated comply strictly with the requirements as per specifications given in the order, and the Purchaser/Owner shall be free to point out any defect till the defect liability period is over.

#### 9) FORCE MAJEURE

- a. Neither the Contractor nor the Purchaser/Owner shall be considered in default in the performance of their obligations as per the Contract so long as such performance is prevented or delayed because of strikes, war, hostilities, revolution, civil commotion, epidemics, accidents, fire, cyclone, flood or because of any law and order proclamation, regulation or ordinance of Government or subdivision thereof or because of any act of God. The proof of existence of force majeure shall be provided by the party claiming it to the satisfaction of the other.
- b. The Contractor shall advise Purchaser/Owner initially by a Fax, followed by post, the beginning and end of any of the above causes of delay, failing which Purchaser/Owner shall not be liable to consider delays due to the above reasons. Notice as stated above should be given even in case where only the Contractor's bids are under the consideration of the Purchaser/Owner and no acceptance of the same has been given and detailed order issued.
- c. In the event of definite delay even if arising out of reasons due to force majeure, Purchaser/Owner shall have the right at their discretion to cancel the Order or part of the Order without any liability on their part to make any payment to the Contractor while reserving the right to claim refund of and any payment if advanced or paid to Contractor.

# 10) DELAY IN WORK EXECUTION DUE TO REASONS BEYOND CONTRACTOR'S CONTROL

- 10.1) Force majeure: If the execution of work is delayed due to force majeure, then Purchaser/Owner as per the affected period may extend the time period.
- 10.2) In case work is delayed due to non-availability of stores supplied by Owner or any decision by Owner holding the progress of work, the contractor then upon any such happening causing delay shall immediately but not later than 10 days, give notice thereof in writing to the Owner, but nevertheless use constantly his best effort to prevent or make good delay. The Owner may in his discretion grant such extension of time as may appear reasonable to him and the same shall be communicated to the contractor in writing and shall be final and binding on him and the contractor shall be bound to complete the work within such extended time.

#### 11) LIQUIDATED DAMAGES FOR DELAYS

If the work is not completed and handed over to the Purchaser/Owner within the time stipulated in the Order, Purchaser/Owner may at their option, either (1) recover from the Contractor liquidated damages at the rate of 0.5 % of the total contract value for every week of delay, subject to a maximum of 7.5 % of the total contract value, or (2) at the risk and cost of the Contractor and without prejudice to the other remedies/rights as per the Contract, terminate the order wholly or partially and complete it themselves or reassign it to other contractors.

#### **12) SPECIAL INSTRUCTIONS**

- a) The bidder shall visit the site before quoting for the work and also take their own assessments before quoting of bids.
- b) The work should be carried out without causing any inconvenience to the public and shall ensure that no damages are caused to the existing site premises.
- c) During the execution of work, the contractor or authorized representative should be present at site.
- d) All Materials, Equipment's/ Tools required for the work should be arranged by the contractor and brought to site for the timely completion of the work.
- e) The materials used shall be as per specification and of good quality.
- f) The Contractor has to arrange necessary insurance coverage for the machine, workmen etc. deployed by him. He shall arrange all safety measures to protect his workmen and also the properties of HLL/Hospital. The work site safety of all employees, their ESI, PF etc will have to be borne by the contractor.
- g) The work should be carried out in truly professional manner, neatly finished with proper line, level and plumb. Cleanliness and finishing of the job is of utmost importance. Hence the job should be done most carefully with best workmanship.

For all finishing jobs samples should be approved from the Purchaser/Owner before completely executing the work.

- h) The Purchaser/Owner should be immediately informed for any discrepancy in drawings, specifications and instructions in the execution of job before actual execution of particular item having discrepancy.
- i) Any item found to be having been executed with poor workmanship then the Contractor shall have to rectify /reconstruct the work as specified by Purchaser/Owner. No extra charge will be admissible in such case. If CONTRACTORS fails to do so, the Purchaser/Owner reserved the right to rectify/reconstruct the work through some other agency at the expenses of Contractor.
- j) The schedule of activities as submitted by the Contractor shall have to be strictly adhered to. Regular progress reports shall have to be submitted by the Contractor giving all details for monitoring of the schedule.
- k) Special care is to be taken for cleanliness of the site. After the end of day's work, the site should be cleaned immediately.
- I) The Contractor shall have to co-operate with the agencies executing other works in the same area.
- m) While executing the work, the Contractor shall ensure safety and security of the property of the Purchaser/Owner so as to avoid theft etc.
- n) Measurement & Payment terms:

The method of measurement of completed work shall be in accordance with the standard measurement. Payment will be made on satisfactorily completion of work as per the order. Interim or running account bills shall be submitted by the contractor for the work executed on the basis of such recorded measurements in the format of HLL. All such interim payments shall be regarded as payment by way of advances against final payment only, and shall not preclude the requiring of bad, unsound and imperfect or unskilled work to be rejected, removed, taken away and reconstructed or re erected. Any certificate given by the officer relating to the work done or materials delivered forming part of such payment, may be modified, or corrected by any subsequent such certificate(s) or by the final certificate and shall not by itself be conclusive evident that any work or material so which it relates is /are in accordance with the contract and certificate. Any such interim payment,/any part there of shall not in any respect conclude, determine or affect in any way powers of the engineer in charge under the contract or any of such payment s be treated as final settlement and adjustment of accounts or in any way vary or affect the contract.

 o) If contractor is executing any extra items as per direction of Engineer in charge / Officer in charge, the rates shall be worked out as per the latest CPWD Schedule of Rates and in case, the item is not included in the CPWD schedule, the rate shall be arrived as per prevailing Market rates.

- p) The Quantity shown in the schedule is an approximate estimated quantity. No rate revision will be entertained if the quantity increases/decreases due to the site condition while executing the work.
- q) Water and Electricity: The contractor shall make his own arrangement for water and electricity required for the works. HLL will not be responsible for the supply of either electricity or water.
- r) During the execution of work, the contractor or authorized representative/s at least one person having technical qualification should be present at site.
- s) **Final payment** shall be paid only after clearing the site as per direction of Engineerin-charge/ Officer in charge.

#### 13) CORRESPONDENCE

All correspondence relating to this Order shall be in English, to:

#### ASSOCIATE VICE PRESIDENT (PROJECTS),

PROJECTS DIVISION, HLL LIFECARE LIMITED (A Government of India Enterprise) Corporate Head Office, Poojappura.P.O, Thiruvananthapuram – 695012, Kerala, India Phn: 0471- 2354949, 2775588 E-mail: sreekumar@lifecarehll.com, harikrishnankp@lifecarehll.com

#### 14) SETTLEMENT OF DISPUTES

Arbitration shall not be a means of settlement of any dispute or claim arising out of the contract relating to the work. Any disputes or difference arising between the parties with respect to the performance of any part of this agreement or any thing connected therewith, etc shall as far as possible be mutually settled by the process of dialog and negotiation.

The Courts at Thiruvananthapuram alone shall have jurisdiction in respect of settlement of any matter arising out or in connection with the contract.

# SCHEDULE II

# ACCEPTANCE FORM

(To be submitted in the letter pad of the firm indicating full name and address, telephone & fax numbers etc.)

From

То

ASSOCIATE VICE PRESIDENT (PROJECTS), PROJECTS DIVISION, HLL LIFECARE LIMITED (A Government of India Enterprise) Corporate Head Office, Poojappura.P.O, Thiruvananthapuram – 695012, Kerala, India Phn: 0471- 2354949, 2775588 E-mail: sreekumar@lifecarehll.com, harikrishnankp@lifecarehll.com

Dear Sir,

I / We, hereby offer to supply/construct/erect/install/commission the work as detailed in schedules/drawings hereto or such portion thereof as you may specify in the acceptance of Bid at the price given in the price bid and agree to hold this offer open till 90 days after the date of bid opening prescribed by the purchaser/Owner. I/We have understood the terms and conditions mentioned in the invitation for bid and Conditions of Contract furnished by you and have thoroughly examined the specifications quoted in the bid document/drawings hereto and are fully aware of the nature of the scope of work required and my/our offer is to comply strictly in accordance with the requirement and the terms and conditions mentioned above.

Yours faithfully,

SIGNATURE OF THE BIDDER

SCHEDULE III					
	Civil and Electrical Works for Setting-Up of AMRIT	Pharmac	y Store at Po	ondicherry	
Item No	Details of items	Unit	Quantity	Rate	Amount
Α	CIVIL WORK				
1	Removing white or colour wash by scrapping and sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete	Sqm	60		
2	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete	sqm	60		
3	Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surface :	Sqm	60		
4	Wall painting two coat with premium acrylic emulsion paint of interior grade, having VOC (Volatile Organic Compound) content less than 50 grams/ litre. of approved brand and manufacture, including applying additional coatswherever required to achieve even shade and colour.	Sqm	60		
5	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular and other section of approved make conforming to IS : 733 and IS : 1285, fixed with rawl plugs and screws or with fixing clips, or with expansion hold fastners including necessary filling up of gaps at junctions, at top, bottom and sides with required P.V.C/neoprene felt etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically whereverrequired including cleat angle, Aluminium snap beading for glazing / panelling, C.P brass/ stainless steel screws, all complete as per Architectural drawings and the direction of Engineer-incharge (glazing and panelling to be paid for separately) :- Anodized aluminium sections				
	a) For fixed portion .	Kg	250		
6	b) For shutters of doors, windows and ventilators including providing and fixing hinges /pivots and making provision for fixing of fittings wherever required including the cost of P.V.C / neoprene gasket required (Fittings shall be paid for separately). Anodized aluminium sections		30		
7	providing and fixing 12 mm thick flat pressed decorative twin finished pre laminated board (both sides decorative super particle board exterior grade) approved variety of fire and moisture ressistant, quality as directed by Engineer - charge (The pre laminated particle board conform to IS:12823) for partition instead of 5mm sheet glass in (Item No 1&2) above. Full area of panels will be measured for payments	m?	180		
8	Providing and fixing glazing in aluminium doors windows, ventilator shutters and partitions etc. with P.V.C/neoprene gasket etc. complete. as per the Architectural drawings and the directions of Engineer-in- charge. (Cost of aluminium snap beading shall be paid in basic item.)(weight not less than 13.75 Kg/Square metre ). With float glass/ tinted glass panes of 5.50 mm thickness	Sqm	80		

	SCHEDULE III						
	Civil and Electrical Works for Setting-Up of AMRIT	Pharmac	y Store at P	ondicherry			
Item No	Details of items	Unit	Quantity	Rate	Amount		
9	Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade, with necessary screws Twin rubber stopper	Each	8				
10	Providing and fixing aluminium tower bolts ISI marked anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with nuts and screws etc. complete-						
	150 X 10 mm	Each	4				
	250X 10 mm	Each	4				
	300X 10 mm	Each	4				
11	Providing and fixing aluminium round shape handle of outer dia 100 mm with SS screws etc. complete as per direction of Engineerin-charge						
	Powder coated minimum thickness 50 micron aluminium	Each	10				
12	Providing and fixing aluminium die cast body tubular type universal hydraulic door closer (having brand logo with ISI, IS : 3564, embossed on the body, door weight upto 35 kg and door width upto 700 mm), with necessary accessories and screws etc. complete	Each	3				
13	Providing and fixing 100mm brass locks (best make of approved quality) for aluminium doors including necessary cutting and making good etc. complete	Sqm	4				
14	Providing and laying vitrified floor tiles 600 x 600 mm size in different sizes (thickness to be specified by the manufacturer) with water absorption's less than 0.08% and conforming to IS : 15622 of approved make in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand) including grouting the joints with white cement and matching pigments etc., complete.	Sqm	140				
15	Providing and laying Vitrified tiles in different sizes (thickness to be specified by manufacturer), with water absorption less than 0.08 % and conforming to I.S. 15622, of approved make, in all colours & shade, in skirting, riser of steps, over 12 mm thick bed of cement mortar 1:3 (1 cement: 3 coarse sand), including grouting the joint with white cement & matching pigments etc. complete.	Sqm	15				
16	Slotted angle metalic rack made up of 40 X 40 X 3 mm size rolled steel Angle posts shall have 8-mm diameter holes provided at 50-mm centres. The holes shall start at 12.5 mm centres from each end. Metal shelves shall be made from mild steel sheets not less than 1.0 mm in thickness. Shelves shall have lipped flanges width of flange being 30 mm and depth of lip 15 mm and having 5 shelves.The center to center distance of posts shall not exeed 750mm in both directions.						
	Of Size 1.3bX4lX8h (Feet)	Each	100				
17	Extra for covering open space in rack by providing and fixing perforated metal mesh of 1 mm thick cost of necessary fixing arrangement and screws etc. complete	Sqm	200				
18	Providing and sticking Frosted Crystal Glass Film on glass panes in partition, doors etc.Complete	Sqm	40				

	SCHEDULE III				
	Civil and Electrical Works for Setting-Up of AMRIT	' Pharmac	y Store at Po	ondicherry	
Item No	Details of items	Unit	Quantity	Rate	Amount
В	ELECTRICAL WORK				
1	Point wiring in PVC conduit, with Modular type switch: Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as required		20.00		
2	Power plug wiring in PVC conduit (2x4 sq mm) : Wiring for light/ power plug with 2x4 sq. mm FR PVC insulated copper conductor single core cable in surface/ recessed medium class PVC conduit along with 1 No 4 sq. mm FR PVC insulated copper conductor single core cable for loop earthing as required	m	70.00		
3	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required.				
3.1	$2 \times 1.5$ sq. mm + 1 X 1.5 sq. mm earth wire	m	110.00		
3.2	2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire	m	30.00		
4	S/F PVC conduit : Supplying and fixing of 25MM size medium class PVC conduit along with accessaries in surface/recess including cutting the wall and making good the same in case of recessed conduit as required.		10.00		
5	S/F Modular boxes, base & cover plate : Supplying and fixing 1 or 2 module (75 mmx75 mm),GI box along with modular base, cover plate for modular switches in recess etc as required.		4.00		
6	S/F light plug point modular type accessaries : Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 1 No. x 3 pin 5/6 amps modular socket outlet and 5/6 amps modular switch, connection, painting etc as required,	Each	6.00		
7	S/F Power plug point with modular type switch : Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 6 pin 15/16& 5/6 amps modular socket outlet and 15/16 amps modular switch, connection, painting etc as required.		5.00	_	
8	Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providng and fixing 2 Nos. 3 pin 5/6 A modular socket outlet and 2 Nos. 5/ 6 A modular switch, connections etc. as required.	Each	3.00		
9	Supplying and drawing of UTP 4 pair CAT 6 LAN Cable in the existing surface/ recessed steel/ PVC conduit as required.	m	10.00		
10	Supply and Fixing of RJ 45 data outlet in existing modular box with connections complete.	Nos.	3.00		

	SCHEDULE III				
	Civil and Electrical Works for Setting-Up of AMRIT	Pharmac	y Store at Po	ondicherry	-
Item No	Details of items	Unit	Quantity	Rate	Amount
11	6 way (4 + 18), Double door TPN DB Supplying and fixing following way, horizontal type three pole and neutral, sheet steel, MCB distribution board, 415 V, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/ Isolator)		1.00		
12	UPS DB: Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 V, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator) 6 way, Double door	Each	1.00		
13	S/F 'C' series, MCB : Supplying and fixing 5 amps to 32 amps rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required.				
13.1	Single pole	Each	16.00		
13.2	Single pole and neutral	Each	2.00		
14	Supplying and fixing following rating, four pole, (three phase and neutral), 415 V, residual current circuit breaker (RCCB), having a sensitivity current 30 mA in the existing MCB DB complete with connections, testing and commissioning etc. as required.	Each	1.00		
15	S/F 20A SPN MCB industrial socket outlet : Supplying and fixing 20 A, 240 V, SPN Industrial type socket outlet, with 2 pole and earth, metal enclosed plug top alongwith 20 A, "C" curve, SP, MCB, in sheet steel enclosure, on surface or in recess, with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. as required.		4.00		
16	Supply conveyance, installation, testing and commissioning the following types of light fittings with all accessories on false ceiling, true ceiling or wall as directed and giving connections with 16/0.20 mm 3 core PVC insulated and sheathed round copper conductor flex wire or extending the original wiring and giving connections as required. All recessed type fixtures are to be supported independently with chains or GI wire anchored to the ceiling with anchoring bolt of necessary size. All loose wires above the false ceiling are to be neatly concealed by flexible conduits.				
	1 x 36 W CFL fitting : surface mounting type CRCA precoated electronic box type luminaires with decorative end caps : Bajaj BCIR 136 or equivalent		15.00		

	SCHEDULE III				
	Civil and Electrical Works for Setting-Up of AMRIT				
Item No	Details of items	Unit	Quantity	Rate	Amount
17	Supply, Installation, testing and commissioning of ceiling fan (1200mm sweep), including wiring the down rods of standard length (upto 30 cm) with 1.5 sq. mm FRLS PVC insulated, copper conductor, single core cable etc. as required. The Ceiling fan shall be double ball bearning type. (Make : USHA, Cromption High breeze )	Nos.	1.00		
18	Supply, installation, testing and commissioning of Air Cooled High Wall mounted Split Air Conditioner of following capacity consisting of high wall mounted type room unit (fan coil) with cordless remote control and one number outdoor condensing unit comprising of enegy efficient suitable rotary compressor for operation on single phase, 230 V, 50Hz supply, fixing the outdoor unit on a raised platform as per manufacturers recommendation and fixing of room (fan coil) unit on wall, standard 4 m distance refrigerant copper piping with 13mm nitrile rubber insulation, providing and making interconnection between room & condenser as per site conditions, comprising of 1" dia drain PVC pipe with insulation 4m, canvas connections, full electrical cabling from power plug near indoor unit and to outdoor unit, ODU MS stand, first charge refrigarant gas, suitable stabilizer etc complete as required. (Make : Voltas , Blue Star, Hitachi, Carrier) [ Coil : Copper ]				
	2 TR 5 star rated as per BEE	Nos	4.00		
19	Supply and laying of following size 1.1 KV grade XLPE insulated, PVC sheathed, armoured Aluminium conductor power cable conforming to IS 7098 (Part 1) amended upto date.( including termination on both ends) 4C x 16 Sq.mm	m	50.00		
20	Supply, Installation, testing & commissioning of 3 phase 4 wire electronic type energy meter with LCD display with battery back up, class 1.00 CT with inbuilt CT. The whole unit to be mounted on suitable metal enclocure (powder coated with locking arrangement, seperate enclosure for incoming and outgoing) with 3 Nos. HRC fuses, Neutral Link and all connections complete.	job	1.00		
21	Earthing with G.I. earth pipe 4.5 meter long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required.	set	1.00		
22	Providing and fixing 4.00 mm dia copper wire on surface or in recess for loop earthing as required.	m	120.00		
С	FIRE SAFETY :				
1	Supply and installation of Conventional 2 Zone Fire Alarm Panel , batteries etc HONEYWELL/ RAVEL OR Equivalent - (Model - RE-102 OR Equivalent)	No.	1		
2	Supply and installation of Conevntional photoelectric /Optical type smoke detectors with base. Make HONEYWELL /System Sensor OR Equivalent - (Model - 2351E OR equivalant)	Nos.	6		
3	Supply and installation of Manual call Points with base. Make Agni/PCD OR Equivalent - (Model - AD101/MC-AB-G)	Nos.	1		

	SCHEDULE III				
	Civil and Electrical Works for Setting-Up of AMRIT	Pharmac	y Store at Po	ondicherry	
Item No	Details of items	Unit	Quantity	Rate	Amount
4	Supply and installation of Conventional Electronics Hooter cum Strobe Make HONEYWELL/System Sensor OR Equivalent - (Model - P2R OR Equivalent)	Nos.	1		
5	Supply and installation of 2 core 1.5Sq.mm Armoured FRLS cable including clamping the cables, provding cable terminations with cable glands, etc. complete. make Finolex, Technoflex or equivalent	m	60		
6	Supply of CO2 type fire extinguisher of 4.5 kgs. Make SAFEX / MINIMAX / CEASEFIRE or equivalent	Nos.	2		
7	Supply of ABC Type fire extinguisher of 2 Kgs. Make SAFEX / MINIMAX / CEASEFIRE or equivalent	Nos.	2		
8	Supply, fabrication and fixing 3 nos MS Fire buckets on suitable fabricated MS angle iron stand with hook, painting with red paint & filled with dry sand as required with all required accessories complete.	Set	1		
D	CCTV-SECURITY SYSTEM				
	Supply ,Installation ,Testing & commissioning of the following items :				
1	Indoor IR Dome camera : 1/3" CCD or equivalent, 1MP, 1.0 lux,AWB / BLC / AGC , min 20m range, Built-in IR illumination, white color case, PAL-CE/FCC approved., make CP PLUS, HIKVISION or equivalent	Nos.	4.00		
2	Outdoor IR Bullet camera : 1/3" CCD or equivalent, 1MP ,1.0 lux,AWB / BLC / AGC , ,min 20m range,Built-in IR illumination, white color case, DC12V, PAL-CE/FCC approved., make CP Plus, HIKVISION or equivalent	Nos.	2.00		
3	Power supply unit for above camera as speficied by camera manufacturer -12VDC 10A	Nos.	1.00		
4	Digital Video Recorder : 8-Channel Embedded HD DVR, 400fps, Real-time, with 2 TB HDD and English OSD, 230VAC. Rate shall be inclusive of all accessories, BNC Connectors, cable terminations etc complete.	Nos.	1.00		
5	21" LED Color Monitors. make (LG/Samsung)	Nos.	1.00		
6	Supply and Laying of RG-6 Coaxial video cable with ISI marked PVC conduit including terminations with suitable BNC, etc complete. Make Technoflex/Neolex/Finolex	m	90.00		
7	Supply and fixing 6U wall mountable powder coted Rack with 3x5A Power Manager, Front door with toughened glass.	Set	1.00		

	SCHEDULE III				
	Civil and Electrical Works for Setting-Up of AMRIT			ndicherry	
Item No	Details of items	Unit	Quantity	Rate	Amount
<b>D</b>	CAPITAL ITEMS SIT of 2 KVA Online UPS Systems of the following specifications :- True on - line 3 KVA UPS system. Inversion shall be Microprocessor controlled with instantaneous sine wave Control using IGBT. UPS shall have standard display features, alarms, safeties, etc Input Voltage range : A.C 235 V (+15% to -20%), 1 phase Input Frequency : 50 HZ (+/- 3HZ) Power Factor : 0.9 or above. THD : less than 5% ; Ripple Voltage in battery terminal : less than 2% DC Voltage Minimum Back up time : Continuous 60 Mins at full load Rectifier shall be Full wave Type (Shall fully meet the specified input power requirements) Battery Type : SMF	Job	1.00		
2	8 Port Network Switch : Supply and Installation at site : 10/100 Mbps 8-Ports Gigabit Switch . ( Make : D-Link DGS-1008A)	Nos.	1		
3	<b>Desktop Computers (Server type) :</b> Supply and Installation at site ,all in one Desktop Computer (Business PC)- Core i3, 4GB RAM, 1 TB, DVD RW, 19.5" Screen,10/100/1000 Gigabyte LAN, Win 10 PRO down gradable to Windows 8.1, Wired keyboard and mouse , 3 Years Warranty with WPS Office Version 10 or higher/Open Office preloaded. Recommended Make: HP, ASUS, DELL, ACER, LENOVO	Set	2.00		
4	Monochrome Laser Printer: Supply and Installation at site Monochrome Laser Printer as per the following specifications: Print Resolution: 600 x 600 dpi, Print Speed: Up to 14 ppm (mono), Print Cartridge: HP LaserJet Print Cartridge Print Technology: Laserjet, Connectivity: Hi-speed USB 2.0 Supported Media Types: Paper, envelopes, labels, cardstock, transparencies, postcards, Functionality: Print Power Consumption: Maximum 250 Watts Model : HP 1020Plus or equivalent	No.	1.00		
5	Ink tank Multi functional Printer Supply and Installation at siteMulti functional Printer as per the following specifications: Ink tank Multi functional Printer, for Bill Printing cum Office use with Warranty period of one year. Print Technology: Inkjet, Connectivity: Hi-speed USB 2.0 Supported Media Types: Paper, envelopes, labels, cardstock, transparencies, postcards, Functionality: Print, Scan/Copy. Power Consumption: Maximum 250 Watts Recommended Make: EPSON M200/HP GT5810/Canon G2000	Set	1.00		

	Civil and Electrical Works for Setting-Up of AMRIT	Pharmac	y Store at Po	ndicherry	
Item No	Details of items	Unit	Quantity	Rate	Amount
6 7	Computer/office table made up of Prelaminated board 19mm thick with wood base material both side laminated with lockable drawer and cabinet on side , retractable keyboard tray, fornt and sides fully covered. Dimensions : 92 x 46 x 77 cm or nearest Revolving adjustable type Medium height Back Office Chair	Set	2.00		
	with arm rest with back tilt and swivel mechanism constructed out of mild steel and high quality plastic.	Set	3.00		
			ΤΟΤΑ	L AMOUNT	
				TAXES	
	GRAND TOTAL (INCLUSIVE OF TAXES)				
	I agree to complete the work as per the schedule at the	e rates o	uoted by m	e as above.	
			E	BIDDER	