TENDER ENQUIRY DOCUMENT

FOR PURCHASE OF MEDICAL EQUIPMENT FOR INSTITUTIONS GETTING UPGRADED UNDER PMSSY PHASE III

On behalf of **GOVT. OF INDIA**

MINISTRY OF HEALTH & FAMILY WELFARE HITES/PCD/PMSSY-III/31/NRSG/18-19

Through



HLL INFRA TECH SERVICES LIMITED

(Subsidiary of HLL Lifecare Ltd., a Govt. of India Enterprise) B-14 A, Sector-62, Noida - 201 307

Phone: 0120-4071500; Fax: 0120-4071513

URL: www.hllhites.com Email: pcd@hllhites.com

INDEX

Section	Topic		Page No.	
Section I		Notice inviting e-Tender (e-NIT)		
Section II		General Instructions to Tenderers (GIT)		
Section III	_	Special Instructions to Tenderers (SIT)	26	
Section IV	_	General Conditions of Contract (GCC)	27	
Section V	_	Special Conditions of Contract (SCC)	42	
Section VI	_	List of Requirements	43	
Section VII	_	Technical Specifications	45	
Section VIII	_	Quality Control Requirements	77	
Section IX		Qualification Criteria		
Section X	_	Tender Form	80	
Section XI	_	Price Schedules	81	
Section XII	_	Questionnaire	82	
Section XIII	_	Bank Guarantee Form for EMD	83	
Section XIV	_	Manufacturer's Authorisation Form	84	
Section XV	_	Bank Guarantee Form for Performance Security /CMC Security	85	
Section XVI	_	Contract Form (A & B)	86	
Section XVII	_	Proforma of Consignee Receipt Certificate	90	
Section XVIII		Proforma of Final Acceptance Certificate by the Consignee		
Section XIX		Consignee List		
Appendix A		Public Procurement (Preference to Make in India), Order, 2017		
Appendix B		Integrity Pact		

SECTION I

NOTICE INVITING TENDER (NIT)

Tender Enquiry No.: HITES/PCD/PMSSY-III/31/NRSG/18-19

(1) Procurement & Consultancy Services Division of **HLL Infra Tech Services Limited (HITES)**, a fully owned subsidiary of HLL Lifecare Ltd. (HLL), for and on behalf of Govt. of India, Ministry of Health & Family Welfare, invites sealed tenders, from eligible and qualified tenderers for supply of Medical Equipment for department of **Neurosurgery** to various Medical Colleges/ Institutes mentioned in this Tender Enquiry Document which are getting upgraded to super-specialities under Pradhan Mantri Swasthya Suraksha Yojna (PMSSY) Phase III:

Sl. No.	Event Number (Rfx)	Item Name	Qty.	Proc in	Cender essing Fee cl. GST 18.00%		nest Money Deposit
1	3000002896	OT Table Electro Hydraulic	27	₹	5,900	₹	21,60,000
2	3000002897	LED Head Light	3	₹	590	₹	12,000
3	3000002898	Microvascular/Aneurism Surgery Instruments Set	7	₹	2,360	₹	2,80,000
4	3000002899	Cranial Surgery Set	16	₹	2,360	₹	6,40,000
5	3000002900	General Neurosurgery Instrument Set	37	₹	2,360	₹	3,70,000
6	3000002901	Pneumatic Drill System	4	₹	2,360	₹	2,40,000
7	3000002902	ICP Monitor	38	₹	2,360	₹	6,08,000
8	3000002903	Spine Surgery Set	15	₹	2,360	₹	6,00,000
9	3000002904	Basic Neuro Navigation System	6	₹	5,900	₹	12,00,000
10	3000002905	Stereotactic Frame & Instruments	4	₹	5,900	₹	12,00,000
11	3000002906	Universal Oximetry Monitor	12	₹	1,180	₹	1,92,000
12	3000002907	Endonasal Skullbase Endoscope with Instruments	12	₹	5,900	₹	10,80,000
13	3000002908	Transventricular Endoscope and instruments	12	₹	2,360	₹	3,60,000
14	3000002909	Endoscope HD camera System with Accessories	12	₹	2,360	₹	4,80,000
15	3000002910	Intraoperative ultrasound	1	₹	590	₹	60,000
16	3000002911	Mobile C-Arm Image Intensified With DSA	32	₹	5,900	₹	32,00,000
17	3000002912	Basic Microsurgical Instruments	9	₹	590	₹	90,000
18	3000002913	Intra-Operative Facial Nerve Monitoring System	1	₹	590	₹	10,000

Note:* Tender processing Fee is inclusive of GST @18% (Our GSTIN: 09AADCH4882R1ZP)

(2) Tender timeline:

Sl. No.	Description	Schedule
a.	Last date for receipt of Pre-bid queries	26.06.2018, 06:00 PM
b.	Pre-bid meeting date, time	28.06.2018, 11:00 AM
d.	Closing date & time for submission of online bids	28.07.2018, 01:00 PM
c.	Closing date & time for submission of tender processing fee and EMD in physical form*	28.07.2018, 02:00 PM
e.	Time and date of opening of online bids	28.07.2018, 02:30 PM

Dated: 20.06.2018

Sl. No.	Description	Schedule
	Venue for :-	HLL Infra Tech Services Limited,
f.	• Submission of tender processing fee, EMD in	Procurement & Consultancy Services
	physical form.	Division, B-14 A, Sector-62,
	• Tender Opening-Tech Bid	Noida-201307

^{*} Bidders have to submit Original Bank Instruments for tender processing fee and EMD/ documentary proof for EMD exemption within the above mentioned date and time

SPECIFIC Instructions for e-Tender Participation:

- 3. Bidders should have valid Class 3-B Digital Signature Certificate with encryption.
- 4. Bidders are requested to read the bidders help document on e-tender web site link before proceeding for bidding.
- 5. The prospective bidders have to register with the E-procurement system of HLL at https://etender.lifecarehll.com/irj/portal. On completion of the registration process, the bidders will be provided user ID and password within 48 hours (excluding non-working days). In order to submit the bids electronically, bidders are required to have a valid Class 3-B Digital Signature Certificate (signing and encryption/ decryption certificates).
- 6. Post receipt of User ID & Password, Bidders can log on for downloading & uploading tender document.
- 7. The tenderers shall submit Tender Processing Fee and EMD in physical form at the scheduled time and venue.
- 8. Tenderer may download the tender enquiry documents from the web site www.hllhites.com or www.lifecarehll.com or www.eprocure.gov.in/cppp or https://etender.lifecarehll.com/irj/portal.
- 9. The bidders shall submit the required Tender Processing Fee (in form of Demand Draft or Banker's Cheque) and EMD (as per GIT clause no. 19.3) in physical form in favour of 'HLL Infra Tech Services Limited' at the scheduled time and venue. **Tender processing Fee is required from all the bidders irrespective of their registration with NSIC or any other Govt. Organisation**.
- 10. All the tender related documents to be scanned in .pdf format with lower resolution and 100% readability and submitted online. The bidders shall not submit any other documents in physical form other than the documents mentioned at point no 9 above.
- 11. Prospective bidders may send their queries 02 (two) days before the pre-bid meeting so that they can be studied and addressed during pre-bid meeting. Query can also be raised during pre-bid meeting. No queries/ representations will be entertained after pre-bid meeting
- 12. All prospective tenderers may attend the Pre Tender meeting. The venue, date and time indicated above.
- 13. Bidders shall ensure that their bids complete in all respects, are submitted **online through HLL's e-portal** (as described above) ONLY. No DEVIATION is acceptable.
- 14. Bidders may simulate bid submission (technical & financial) at least one week in advance of the bid submission deadline. No clarifications/troubleshooting regarding any problems being faced during online bid submission shall be entertained in the last week of bid submission

IMPORTANT NOTE:-

Tender Processing Fee and EMD (as applicable) should be deposited within the scheduled date & time in the Tender Box located at:

HLL Infra Tech Services Limited, Procurement and Consultancy Division, B-14 A, Sector-62, Noida-201307, Uttar Pradesh

CEO HLL Infra Tech Services Limited

SECTION - II

GENERAL INSTRUCTIONS TO TENDERERS (GIT)

CONTENTS

Sl. No.	Торіс	Page No.
A	PREAMBLE	·
1	Definitions and Abbreviations	7
2	Introduction	8
3	Availability of Funds	8
4	Language of Tender	9
5	Eligible Tenderers	9
6	Eligible Goods and Services	9
7	Tendering Expense	9
В	TENDER ENQUIRY DOCUMENTS	•
8	Contents of Tender Enquiry Documents	9
9	Amendments to Tender Enquiry Documents	10
10	Clarification of e-Tender Enquiry Documents	10
C	PREPARATION OF TENDER	•
11	Documents Comprising the Tender	10
12	Tender Currencies	12
13	Tender Prices	12
14	Indian Agent	14
15	Firm Price	15
16	Alternative Tenders	15
17	Documents Establishing Tenderer's Eligibility and Qualifications	15
18	Documents Establishing Good's Conformity to Tender Enquiry Document	15
19	Earnest Money Deposit (EMD)	16
20	Tender Validity	16
21	Digital Signing of Tender	17
D	SUBMISSION OF TENDERS	·
22	Submission of e-Tenders	17
23	Late Tender	18
24	Alteration and Withdrawal of e-Tender	18
E	TENDER OPENING	·
25	Opening of e-Tenders	18
F	SCRUTINY AND EVALUATION OF TENDERS	
26	Basic Principle	19
27	Scrutiny of Tenders	19
28	Minor Infirmity/Irregularity/Non-Conformity	20

Sl. No.	Торіс	Page No.
29	Discrepancy in Prices	20
30	Discrepancy between original and copies of Tender	20
31	Qualification Criteria	20
32	Conversion of Tender Currencies to Indian Rupees	21
33	Schedule-wise Evaluation	21
34	Comparison of Tenders	21
35	Additional Factors and Parameters for Evaluation and Ranking of Responsive Tenders	21
36	Tenderer's capability to perform the contract	23
37	Contacting the Purchaser	24
G	AWARD OF CONTRACT	
38	Purchaser's Right to Accept any Tender and to Reject any or All Tenders	24
39	Award Criteria	24
40	Variation of Quantities at the Time of Award	24
41	Notification of Award	24
42	Issue of Contract	25
43	Non-receipt of Performance Security and Contract by the Purchaser/Consignee	25
44	Return of EMD	25
45	Publication of Tender Result	25
46	Corrupt or Fraudulent Practices	25

A. PREAMBLE

1. Definitions and Abbreviations

1.1 The following definitions and abbreviations, which have been used in these documents shall have the meanings as indicated below:

1.2. **Definitions:**

- (i) "Purchaser" means Ministry of Health & Family Welfare Govt. of India.
- (ii) "e-Tender" means Bids / Quotation / Tender received from a Firm / Tenderer / Bidder online.
- (iii) "Tenderer" means Bidder/the Individual or Firm submitting Bids/Quotation/e-Tenders.
- (iv) **"Supplier"** means the individual or the firm supplying the goods and services as incorporated in the contract.
- (v) "Goods" means the articles, material, commodities, livestock, furniture, fixtures, raw material, spares, instruments, machinery, equipment, medical equipment, industrial plant etc. which the supplier is required to supply to the purchaser under the contract.
- (vi) "Services" means services allied and incidental to the supply of goods, such as transportation, installation, commissioning, provision of technical assistance, training, after sales service, maintenance service and other such obligations of the supplier covered under the contract.
- (vii) "Earnest Money Deposit" (EMD) means Bid Security/ monetary or financial guarantee to be furnished by a tenderer along with its tender.
- (viii) "Contract" means the written agreement entered into between the purchaser and/or consignee and the supplier, together with all the documents mentioned therein and including all attachments, annexure etc. therein.
 - (ix) "Performance Security" means monetary or financial guarantee to be furnished by the successful tenderer for due performance of the contract placed on it. Performance Security is also known as Security Deposit.
 - (x) "Consignee" means the Hospital/Institute/Medical College/ person to whom the goods are required to be delivered as specified in the Contract. If the goods are required to be delivered to a person as an interim consignee for the purpose of despatch to another person as provided in the Contract then that "another" person is the consignee, also known as ultimate consignee.
 - (xi) "Specification" means the document/standard that prescribes the requirement with which goods or service has to conform.
- (xii) "Inspection" means activities such as measuring, examining, testing, gauging one or more characteristics of the product or service and comparing the same with the specified requirement to determine conformity.
- (xiii) "Day" means calendar day.
- (xiv) "Local supplier" means a supplier or service provider whose product or service offered for procurement meets the minimum local content as prescribed under this Order or by the competent Ministries/ Departments in pursuance of this order.
- (xv) "Local content" means the amount of value added in India which shall, unless otherwise prescribed by the Nodal Ministry, be the total value of the item procured excluding net domestic indirect taxes) minus the value of imported content in the item (including all customs duties) as a proportion of the total value in percent.
- (xvi) Margin of purchase preference' means the maximum extent to which the price quoted by a local supplier may be above the L1 for the purpose of purchase preference.

1.3 Abbreviations:

- (i) "TE Document" means Tender Enquiry Document
- (ii) "NIT" means Notice Inviting Tenders.
- (iii) "GIT" means General Instructions to Tenderers

- (iv) "SIT" means Special Instructions to Tenderers
- (v) "GCC" means General Conditions of Contract
- (vi) "SCC" means Special Conditions of Contract
- (vii) "DGS&D" means Directorate General of Supplies and Disposals
- (viii) "NSIC" means National Small Industries Corporation
 - (ix) "PSU" means Public Sector Undertaking
 - (x) "CPSU" means Central Public Sector Undertaking
 - (xi) "LSI" means Large Scale Industry
- (xii) "SSI" means Small Scale Industry
- (xiii) "LC" means Letter of Credit
- (xiv) "DP" means Delivery Period
- (xv) "BG" means Bank Guarantee
- (xvi) "CD" means Custom Duty
- (xvii) "RR" means Railway Receipt
- (xviii) "BL" means Bill of Lading
- (xix) "FOB" means Free on Board
- (xx) "FCA" means Free Carrier
- (xxi) "FOR" means Free On Rail
- (xxii) "CIF" means Cost, Insurance and Freight
- (xxiii) "CIP (Destinations)" means Carriage and Insurance Paid up to named port of destination. Additionally the Insurance (local transportation and storage) would be extended and borne by the Supplier from ware house to the consignee site for a period including 3 months beyond date of delivery.
- (xxiv) "DDP" means Delivery Duty Paid named place of destination (consignee site)
- (xxv) "INCOTERMS" means International Commercial Terms as on the date of Tender Opening
- (xxvi) "MOH&FW" means Ministry of Health & Family Welfare, Government of India
- (xxvii) "Dte. GHS" means Directorate General and Health Services, MOH&FW.
- (xxviii) "CMC" means Comprehensive maintenance Contract (labour, spare and preventive maintenance)
 - (xxix) "RT" means Re-Tender.
 - (xxx) "GST" means Goods and Services Tax

2. Introduction

- 2.1 The Purchaser has issued these TE documents for purchase of goods and related services on behalf of MoHFW, Govt of India as mentioned in Section VI "List of Requirements", which also indicates, *interalia*, the required delivery schedule, terms and place of delivery.
- 2.2 This section (Section II "General Instruction Tenderers") provides the relevant information as well as instructions to assist the prospective bidders in preparation and submission of bids. It also includes the mode and procedure to be adopted by the purchaser for receipt and opening as well as scrutiny and evaluation of tenders and subsequent placement of contract.
- 2.3 The tenderers shall also read the Special Instructions to Tenderers (SIT) related to this purchase, as contained in Section III of these documents and follow the same accordingly. Whenever there is a conflict between the GIT and the SIT, the provisions contained in the SIT shall prevail over those in the GIT.
- 2.4 Before formulating the tender and submitting the same to the purchaser, the tenderer should read and examine all the terms, conditions, instructions, etc. contained in the TE documents. Failure to provide and/or comply with the required information, instructions etc. incorporated in these TE documents may result in rejection of its tender.

3. Availability of Funds

3.1 Expenditure to be incurred for the proposed purchase will be met from the funds available with the purchaser/ consignee.

4. Language of Tender

- 4.1 The tender submitted by the tenderer and all subsequent correspondence and documents relating to the tender exchanged between the tenderer and the purchaser, shall be written in the English language, unless otherwise specified in the Tender Enquiry. However, the language of any printed literature furnished by the tenderer in connection with its tender may be written in any other language provided the same is accompanied by an English translation and, for purposes of interpretation of the tender, the English translation shall prevail.
- 4.2 The tender submitted by the tenderer and all subsequent correspondence and documents relating to the tender exchanged between the tenderer and the purchaser, may also be written in the Hindi language, provided that the same are accompanied by English translation, in which case, for purpose of interpretation of the tender etc., the English translations shall prevail.

5. Eligible Tenderers

5.1 This invitation for tenders is open to all suppliers who fulfil the eligibility criteria specified in these documents.

6. Eligible Goods and Services

6.1 All goods and related services to be supplied under the contract shall have their origin in India or any other country with which India has not banned trade relations. The term "origin" used in this clause means the place where the goods are mined, grown, produced, or manufactured or from where the related services are arranged and supplied.

7. Tendering Expense

7.1 The tenderer shall bear all costs and expenditure incurred and/or to be incurred by it in connection with its tender including preparation, mailing and submission of its tender and for subsequent processing the same. The purchaser will, in no case be responsible or liable for any such cost, expenditure etc. regardless of the conduct or outcome of the tendering process.

B. e-TENDER ENQUIRY DOCUMENTS

8. Content of Tender Enquiry Documents

8.1 In addition to Section I – "Notice inviting e-Tender" (NIT), the TE documents include:

Section II - General Instructions to Tenderers (GIT)
Section IV - Special Instructions to Tenderers (SIT)
- General Conditions of Contract (GCC)
Section V - Special Conditions of Contract (SCC)

Section VI – List of Requirements
Section VII – Technical Specifications
Section VIII – Quality Control Requirements

Section IX — Qualification Criteria

Section X — Tender Form
Section XI — Price Schedules
Section XII — Questionnaire

Section XIII - Bank Guarantee Form for EMD Section XIV - Manufacturer's Authorisation Form

Section XV — Bank Guarantee Form for Performance Security/CMC Security

Section XVI – Contract Forms A & B

Section XVII - Proforma of Consignee Receipt Certificate

Section XVIII – Proforma of Final Acceptance Certificate by the consignee

Section XIX – Consignee List

Appendix A - DIPP - Public Procurement (Preference to Make in India), Order 2017

Appendix B – Integrity pact

8.2 The relevant details of the required goods and services, the terms, conditions and procedure for tendering, tender evaluation, placement of contract, the applicable contract terms and, also, the standard formats to be used for this purpose are incorporated in the above-mentioned documents. The interested tenderers are expected to examine all such details etc. to proceed further.

9. Amendments to TE documents

- 9.1 At any time prior to the deadline for submission of tenders, the purchaser may, for any reason deemed fit by it, modify the TE documents by issuing suitable amendment(s) to it.
- 9.2 Such an amendment will be notified in writing by registered/speed post or by fax/telex/e-mail, to all prospective tenderers, who have received the TE documents and will be binding on them.
- 9.3 In order to provide reasonable time to the prospective tenderers to take necessary action in preparing their tenders as per the amendment, the purchaser may, at its discretion extend the deadline for the submission of tenders and other allied time frames, which are linked with that deadline.

10. Clarification of TE documents

10.1 A tenderer requiring any clarification or elucidation on any issue of the TE documents may take up the same with the purchaser in writing on their letter head duly signed and scanned through email to pcd@hllhites.com and bmenoida@hllhites.com. The purchaser will respond to such request provided the same is received by the purchaser within the due date mentioned in the NIT. Any queries/ representations received later shall not be taken into cognizance.

C. PREPARATION OF e-TENDERS

11. Documents comprising the e-Tender

- 11.1 The tender(s) shall only be submitted online as mentioned below:
 - (i) Technical Bid (Consisting of Techno-Commercial bids in excel format provided with the tender enquiry along with the supporting documents i.e. scanned copies of Tender Processing Fee, EMD, Eligibility Criteria & Technical Specifications viz. Product Specification Sheets/ Brochures, OEM Certificate, etc.) has to be attached in the C-folder of e-tendering module. Bidders have to ensure that the documents uploaded in pdf format are legible.
 - (ii) Price Bid has to be submitted in the prescribed excel format provided with the tender enquiry.

Note:

- (i) The Tender Processing Fee and EMD, in favor of HLL Infra Tech Services Ltd, are to be submitted in physical form as per Section I, Notice Inviting Tender, of this tender enquiry.
- (ii) The bidders have to follow the steps listed in *Bidding Manual Attachment Mode* available in the *Bidder Help Documents* of e-tender portal login screen for uploading the Techno-Commercial Bid.

A) Details of Technical Tender (Un priced Tender)

Bidders shall furnish the following information along with technical tender:.

- i) Techno-Commercial Bid in excel format provided with the tender enquiry
- ii) Earnest money Deposit (EMD) furnished in accordance with GIT clause 19.1 alternatively, documentary evidence as per GIT clause 19.2 for claiming exemption from payment of earnest money.

- iii) Tender Form as per Section X (without indicating any prices).
- iv) Documentary evidence, as necessary in terms of clauses 5 and 17 establishing that the tenderer is eligible to submit the tender and, also, qualified to perform the contract if its tender is accepted.
- v) Tenderer/Agent who quotes for goods manufactured by other manufacturer shall furnish Manufacturer's Authorization strictly as per the prescribed format (Section XIV).
- vi) Power of Attorney issued by Competent Authority in favour of the person who is digitally signing/uploading the tender(s).
- vii) Documents and relevant details to establish in accordance with GIT clause 18 that the goods and the allied services to be supplied by the tenderer conform to the requirement of the TE documents.
- viii) Performance Statement as per section IX along with relevant copies of orders and end users' satisfaction certificate.
- ix) Price Schedule(s) as per Section XI filled up with all the details including Make, Model etc. of the goods offered with prices blank (without indicating any prices).
- x) Certificate of Incorporation.
- xi) Self-Attested copies of GST registration certificate and PAN Card.
- xii) Non conviction /no pending conviction certification issued by Notary on judicial stamp paper for preceding three years.
- xiii) Self-Attested copies of quality certificates i.e. US FDA /CE/ BIS Certificate issued by competent authority, if applicable.
- xiv) Documentary evidence stating the status of bidder.
- xv) List of procurement agencies of repute to which the tendered product have been supplied during last 12 months.
- xvi) Self-attested copies of annual report, audited balance sheet and profit & loss account for preceding three years from the date of tender opening.
- xvii) Notarized affidavit that tenderer does not have any relation with the person authorized to evaluate technically or involve in finalizing the tender or will decide the use of tendered items.
- xviii) A self-declaration on Rs. 10/- non-judicial Stamp Paper that the rates quoted in the tender are the lowest and not quoted less than this to any Government Institution (State/Central/ other Institute in India).
 - xix) Copies of original product catalogues/ data sheet must be enclosed of all quoted items.
 - xx) A tenderer quoting imported goods located within India shall produce documentary evidence of the goods having been imported and already located within India (i.e. Bills of Entry for the quoted items and a self-declaration confirming that the quoted items were imported for the purpose of storage in bidder warehouse and for further sale), along with their techno-commercial bid.
 - xxi) The Integrity pact (At Appendix-B) shall be a part and parcel of this document and has to be signed by bidder(s) at the pre-tendering stage itself, as a pre-bid obligation and should be submitted along with the Techno-Commercial Bids. All bidders are bound to comply with the integrity pact clauses. Bids submitted without signing the integrity pact will be ab initio rejected without assigning any reason.

B) Price Bid:

Prices are to be quoted in the prescribed Price Bid format in excel provided along with the tender enquiry in the e-tender portal. The price should be quoted for the accounting unit indicated in the e-tender document.

Note:

(i) The bidder has to be diligent while filling up the Techno-Commercial Bid and Price Bid provided in excel formats and must not tamper with the contents of the sheets.

- (ii) It is the responsibility of bidder to go through the TE document to ensure furnishing all required documents in addition to above, if any.
- (iii) The bidders have to follow the steps listed in *Bidding Manual Attachment Mode* available in the *Bidder Help Documents* of e-tender portal login screen for uploading the Price Bid.
- 11.2 A person signing (manually or digitally) the tender form or any documents forming part of the contract on behalf of another shall be deemed to warrant that he has authority to bind such other persons and if, on enquiry, it appears that the persons so signing had no authority to do so, the purchaser may, without prejudice to other civil and criminal remedies, cancel the contract and hold the signatory liable for all cost and damages.
- 11.3 A bid, which does not fulfill any of the above requirements and/ or give evasive information/reply against any such requirement, shall be liable to be ignored.
- 11.4 Tender sent by fax/telex/cable shall be ignored.

12. Tender currencies

- 12.1 The tenderer supplying indigenous goods or already imported goods shall quote only in Indian Rupees (INR).
- 12.2 For imported goods if supplied directly from abroad, prices shall be quoted in any freely convertible currency say US Dollar, Euro, GBP or Japanese Yen. As regards price(s) for allied services, if any required with the goods, the same shall be quoted in Indian Rupees only (INR), if such services are to be performed /undertaken in India. Commission for Indian Agent, if any and if payable shall be indicated in the space provided for in the price schedule and will be payable in Indian Rupees only.
- 12.3 <u>Tenders, where prices are quoted in any other currency may not be accepted and are liable to be ignored.</u>
- 12.4 A tenderer quoting imported goods located within India shall produce documentary evidence of the goods having been imported and already located within India (i.e. Bills of Entry for the quoted items and a self-declaration confirming that the quoted items were imported for the purpose of storage in bidder warehouse and for further sale), along with their technocommercial bid.

13 Tender Prices

- 13.1 The Tenderer shall indicate on the Price Schedule provided under Section XI all the specified components of prices shown therein including the unit prices and total tender prices of the goods and services it proposes to supply against the requirement. All the columns shown in the price schedule should be filled up as required.
- 13.2 If there is more than one schedule in the List of Requirements, the tenderer has the option to submit its quotation for any one or more schedules. However, while quoting for a schedule, the tenderer shall quote for the complete requirement of goods and services as specified in that particular schedule.
- 13.3 The quoted prices for goods offered from within India and that for goods offered from abroad are to be indicated separately in the applicable Price Schedules attached under Section XI.
- 13.4 While filling up the columns of the Price Schedule, the following aspects should be noted for compliance:
- 13.4.1 For domestic goods or goods of foreign origin located within India, the prices in the corresponding price schedule shall be entered separately in the following manner:
 - a) The price of the goods, quoted ex-factory/ ex-showroom/ ex-warehouse/ off-the-shelf, as applicable, including all taxes and duties like, Custom Duty and/or GST already paid or payable on the components and raw material used in the manufacture or assembly of

- the goods quoted ex-factory etc. or on the previously imported goods of foreign origin quoted ex-showroom etc;
- b) Any taxes and duties including Custom duty and/or GST, which will be payable on the goods in India if the contract is awarded;
- c) Charges towards Packing & Forwarding, Inland Transportation, Insurance (local transportation and storage), Loading & Unloading etc. would be borne by the Supplier from ware house to the consignee site for a period including 3 months beyond date of delivery, Loading/Unloading and other local costs incidental to delivery of the goods to their final destination as specified in the List of Requirements and Price Schedule;
- d) The price of Incidental Services, as mentioned in List of Requirements and Price Schedule;
- e) The prices of Site Modification Work (if any), as mentioned in List of Requirements, Technical Specification and Price Schedule.
- f) The price of annual CMC, as mentioned in List of Requirements, Technical Specification and Price Schedule.
- 13.4.2 For goods offered from abroad, the prices in the corresponding price schedule shall be entered separately in the following manner:
 - a) The price of goods quoted FOB/FCA port of shipment, as indicated in the List of Requirements and Price Schedule;
 - b) Price of goods quoted CIP (name port of destination) in India as indicated in the List of Requirements, Price Schedule and Consignee List
 - c) The charges for Insurance (local transportation and storage), custom cleareance, forwarding and handling would be extended and borne by the Supplier from ware house to the consignee site for a period including 3 months beyond date of delivery. Loading/Unloading and other local costs incidental to delivery of the goods to their final destination as specified in the List of Requirements and Price Schedule;
 - d) The charges for Incidental Services, as in the List of Requirements and Price Schedule;
 - e) The prices of Site Modification Work (if any), as mentioned in List of Requirements, Technical Specification and Price Schedule; and
 - f) The price of annual CMC, as mentioned in List of Requirements, Technical Specification and Price Schedule.

13.5 Additional information and instruction on Duties and Taxes:

13.5.1 If the Tenderer desires to ask for GST or any other taxes to be paid extra, the same must be specifically stated. In the absence of any such stipulation the price will be taken inclusive of such taxes and no claim for the same will be entertained later.

13.5.2 Local Duties & Taxes, if any applicable:

Normally, goods to be supplied to government departments against government contracts are exempted from levy of town duty, Octroi duty, terminal tax and other levies of local bodies. However, on some occasions, the local bodies (like town body, municipal body etc.) as per their regulations allow such exemptions only on production of certificate to this effect from the concerned government department. Keeping this in view, the supplier shall ensure that the stores to be supplied by the supplier against the contract placed by the purchaser are exempted from levy of any such duty or tax and, wherever necessary, obtain the exemption certificate from the purchaser. The purchaser should issue the certificate to the supplier within 21 days from the date of receipt of request from the supplier.

However, if a local body still insists upon payment of such local duties and taxes, the same should be paid by the supplier to the local body to avoid delay in supplies and possible demurrage charges and obtain a receipt for the same. The supplier should forward the receipt

obtained for such payment to the purchaser to enable the purchaser reimburse the supplier and take other necessary action in the matter.

13.5.3 Customs Duty:

The Purchaser will pay the Customs duty wherever applicable upon actual production of documentary evidence.

13.5.4 Goods and Services Tax (GST):

- a. If a tenderer asks for Goods and Services Tax to be paid extra, the rate and nature of Goods and Services Tax applicable should be shown separately. The Goods and Services Tax will be paid as per the rate at which it is liable to be assessed or has actually been assessed provided the transaction is legally liable to Goods and Services Tax and is payable as per the terms of the contract. If any refund of Tax is received at a later date, the Supplier must return the amount forth-with to the purchaser.
- b. In case within the delivery period stipulated in the contract, there is an increase in the statutory taxes like GST, Custom Duty, or fresh imposition of taxes which may be levied in respect of the goods and services specified in the contract, reimbursement of these statutory variation shall be allowed to the extent of actual quantum of taxes paid by the supplier. This benefit, however, cannot be availed by the supplier in case the period of delivery is extended due to unexcused delay by the supplier.
- c. But nevertheless, the Purchaser/Consignee shall be entitled to the benefit of any decrease in price on account of reduction in or remission of customs duty and/or GST or any other duty or tax or levy or on account of any other grounds. In case of downward revision in taxes/duties, the actual quantum of reduction of excise duty must be reimbursed to the purchaser by the supplier. All such adjustments shall include all reliefs, exemptions, rebates, concession etc. if any obtained by the supplier.
- 13.6 For transportation of imported goods offered from abroad, relevant instructions as incorporated under GCC Clause 10 shall be followed.
- 13.7 For insurance of goods to be supplied, relevant instructions as provided under GCC Clause 11 shall be followed.
- 13.8 Unless otherwise specifically indicated in this TE document, the terms FCA, FOB, FAS, CIF, CIP, DDP etc. for imported goods offered from abroad, shall be governed by the rules & regulations prescribed in the current edition of INCOTERMS, published by the International Chamber of Commerce, Paris
- 13.9 The need for indication of all such price components by the tenderers, as required in this clause (viz., GIT clause 13) is for the purpose of comparison of the tenders by the purchaser and will no way restrict the purchaser's right to award the contract on the selected tenderer on any of the terms offered.

14. Indian Agent

- 14.1 If a foreign tenderer has engaged an agent in India in connection with its tender, the foreign tenderer, in addition to indicating Indian agent's commission, if any, in a manner described under GIT sub clause 12.2 above, shall also furnish the following information:
 - a) As per the Compulsory Enlistment Scheme of the Department of Expenditure, Ministry of Finance, it is compulsory for Indian agents, who desire to quote directly on behalf of their foreign principals, to get themselves enlisted with the Central Purchase Organization (eg. DGS&D).
 - b) The complete name and address of the Indian Agent and its permanent income tax account number as allotted by the Indian Income Tax authority.
 - c) The details of the services to be rendered by the agent for the subject requirement.
 - d) Details of Service outlets in India, nearest to the consignee(s), to render services during Warranty and CMC period.

- e) A copy of agreement between the Agent & their principal detailing the terms & conditions as well as services and after sales services as above to be rendered by the agent and the precise relationship between them and their mutual interest in the business as laid out in section VII (Technical specifications).
- f) Principal's/Manufacturer's original Proforma Invoice with the price bid

15. Firm Price

Unless otherwise specified in the SIT, prices quoted by the tenderer shall remain firm and fixed during the currency of the contract and not subject to variation on any account. Bidders are requested to quote BOQ wise unit price (uniform unit prices must be quoted for same BOQ items across India) and total price. If a firm quotes NIL Charges/ consideration, the bid shall be treated as unresponsive and will not be considered

16. Alternative Tenders

- 16.1 Alternative Tenders are not permitted.
- 16.2 However the Tenderers can quote alternate models meeting the tender specifications of same manufacturer with single EMD.
- 16.3 If an agent submits bid on behalf of the Principal/OEM, the same agent shall not submit a bid on behalf of another Principal/OEM in the same tender for the same item/product. In a tender, either the Indian Agent on behalf of the Principal/OEM or Principal/OEM itself can bid but both cannot bid simultaneously for the same item/product in the same tender.

17 Documents Establishing Tenderer's Eligibility and Qualifications

- 17.1 Pursuant to GIT clause 11, the tenderer shall furnish, as part of its tender, relevant details and documents establishing its eligibility to quote and its qualifications to perform the contract if its tender is accepted.
- 17.2 The documentary evidence needed to establish the tenderer's qualifications shall fulfil the following requirements:
 - a) in case the tenderer offers to supply goods, which are manufactured by some other firm, the tenderer has been duly authorised by the goods manufacturer to quote for and supply the goods to the purchaser. The tenderer shall submit the manufacturer's authorization letter to this effect as per the standard form provided under Section XIV in this document.
 - b) the tenderer has the required financial, technical and production capability necessary to perform the contract and, further, it meets the qualification criteria incorporated in the Section IX in these documents.
 - c) in case the tenderer is not doing business in India, it is duly represented by an agent stationed in India fully equipped and able to carry out the required contractual functions and duties of the supplier including after sale service, maintenance & repair etc. of the goods in question, stocking of spare parts and fast moving components and other obligations, if any, specified in the conditions of contract and/or technical specifications.
 - d) Deleted.

18. Documents establishing good's Conformity to TE document.

- 18.1 The tenderer shall provide in its tender the required as well as the relevant documents like technical data, literature, drawings etc. to establish that the goods and services offered in the tender fully conform to the goods and services specified by the purchaser in the TE documents. For this purpose the tenderer shall also provide a clause-by-clause commentary on the technical specifications and other technical details incorporated by the purchaser in the TE documents to establish technical responsiveness of the goods and services offered in its tender.
- 18.2 In case there is any variation and/or deviation between the goods & services prescribed by the purchaser and that offered by the tenderer, the tenderer shall list out the same in a chart form without ambiguity and provide the same along with its tender.

18.3 If a tenderer furnishes wrong and/or misguiding data, statement(s) etc. about technical acceptability of the goods and services offered by it, its tender will be liable to be ignored and rejected in addition to other remedies available to the purchaser in this regard.

19. Earnest Money Deposit (EMD)

- 19.1 Pursuant to GIT clauses 8.1 and 11.1 A (i) the tenderer shall furnish along with its tender, earnest money for amount as shown in the List of Requirements. The earnest money is required to protect the purchaser against the risk of the tenderer's unwarranted conduct as amplified under sub-clause 19.7 below.
- 19.2 The tenderers who are currently registered and, also, will continue to remain registered during the tender validity period as Micro and Small Enterprises (MSEs) as defined in MSE Procurement Policy issued by Department of Micro, Small and Medium Enterprises (MSME) or with National Small Industries Corporation, New Delhi shall be eligible for exemption from EMD. In case the tenderer falls in this category, it should furnish copy of its valid registration details (with MSME or NSIC, as the case may be).
- 19.3 The earnest money shall be denominated in Indian Rupees or equivalent currencies as per GIT clause 12.2. The earnest money shall be furnished in one of the following forms:
 - i) Account Payee Demand Draft
 - ii) Fixed Deposit Receipt
 - iii) Banker's cheque and
 - iv) Bank Guarantee
- 19.4 The demand draft or banker's cheque or Fixed Deposit Receipt shall be drawn on any scheduled commercial bank in India or country of the tenderer, in favour of the "HLL Infra Tech Services Limited" payable at New Delhi. In case of bank guarantee, the same is to be provided from any scheduled commercial bank in India or country of the tenderer as per the format specified under Section XIII in these documents.
- 19.5 The earnest money shall be valid for a period of forty-five (45) days beyond the validity period of the tender. As validity period of Tender as per Clause 20 of GIT is 120 days, the EMD shall be valid for 165 days from Techno Commercial Tender opening date.
- 19.6 Unsuccessful tenderers' earnest money will be returned to them without any interest, after expiry of the tender validity period, but not later than thirty days after conclusion of the resultant contract. Successful tenderer's earnest money will be returned without any interest, after receipt of performance security from that tenderer.
- 19.7 Earnest Money is required to protect the purchaser against the risk of the Tenderer's conduct, which would warrant the forfeiture of the EMD. Earnest money of a tenderer will be forfeited, if the tenderer withdraws or amends its tender or impairs or derogates from the tender in any respect within the period of validity of its tender or if it comes to notice that the information/documents furnished in its tender is incorrect, false, misleading or forged without prejudice to other rights of the purchaser. The successful tenderer's earnest money will be forfeited without prejudice to other rights of Purchaser if it fails to furnish the required performance security within the specified period.
- 19.8 In the case of Bank Guarantee furnished from banks outside India (i.e. foreign Banks), it should be authenticated and countersigned by any nationalised bank in India by way of back-to-back counter guarantee and the same should be submitted along with the bid.

20. Tender Validity

- 20.1 If not mentioned otherwise in the SIT, the tenders shall remain valid for acceptance for a period of 120 days (One hundred and twenty days) after the date of tender opening prescribed in the TE document. Any tender valid for a shorter period shall be treated as unresponsive and rejected.
- 20.2 In exceptional cases, the tenderers may be requested by the purchaser to extend the validity of their tenders up to a specified period. Such request(s) and responses thereto shall be conveyed by surface mail or by fax/ telex/cable followed by surface mail. The tenderers, who agree to

- extend the tender validity, are to extend the same without any change or modification of their original tender and they are also to extend the validity period of the EMD accordingly. A tenderer, who may not agree to extend its tender validity after the expiry of the original validity period the EMD furnished by them shall not be forfeited.
- 20.3 In case the day up to which the tenders are to remain valid falls on/ subsequently declared a holiday or closed day for the purchaser, the tender validity shall automatically be extended up to the next working day.

21. Digital Signing of Tender

21.1 The tenderers shall submit their tenders as per the instructions contained in GIT Clause 11. Tenders shall be uploaded with all relevant tender documents in the prescribed format. The relevant tender documents should be uploaded by an authorised person having Class 3 digital signature certificate.

D. SUBMISSION OF TENDERS

22. Submission of e-Tenders

22.1 The tender shall be submitted online only.

(i) Pre-qualification and Technical compliance along with the Techno-Commercial Bid in excel format:

- a) Scanned copies of tender processing fee and EMD
- b) Manufacturer's authorization in case bid is submitted by an Indian agent (A declaration must be attached here in case directly quoted by a manufacturer or a document establishing the relation of the Indian office with the manufacturer in case quoted by Indian office of the manufacturer).
- c) Tender Form as per Section X.
- d) Compliance of all terms and conditions of TED like- warranty, CMC, delivery period, delivery terms, payment terms, Liquidated Damages Clause, Arbitration clause, etc
- e) Declaration regarding Fall Clause and Deregistration, debarment from any Govt Dept/ Agencies
- f) Copy of PAN.
- g) Certificate of Incorporation/ or a Declaration in case the firm is being a proprietary firm.
- h) Abridged Annual report of last 03 years (Balance sheet and Profit & Loss Account) completed till December 2017, in pdf format.
- i) Name, address and details of account with respect to bidder and/or beneficiary of L/C.
- j) Quality Control Requirements as per Section VIII
- k) Performance statement along with required PO copies and its corresponding end user's satisfactory performance certificate as per section IX.
- Technical Bid along with clause-by-clause technical compliance statement for the quoted goods vis-à-vis the Technical specifications along with product catalogue and data sheet in the tender enquiry.
- m) The bidder should submit blank proforma invoice from the foreign manufacturer along with his technical bid, duly mentioning the specifications and code number of the parts quoted.
- n) The original proforma invoices from the foreign principal will be applicable in case of 100% subsidiary companies incorporated in India also.
- o) In case the bidder quotes an equipment of a foreign manufacturer and submits the documents as per Clause 22.1 (i) 1 & m from the subsidiary company of the foreign Original Equipment Manufacturer in India, the bidder must submit the Power of Attorney given to the subsidiary company by the foreign Original Equipment Manufacturer, authorizing it to do business and perform all obligations for and on behalf of the foreign manufacturer company, in India.

- p) A tenderer quoting imported goods located within India shall produce documentary evidence of the goods having been imported and already located within India (i.e. Bills of Entry for the quoted items and a self-declaration confirming that the quoted items were imported for the purpose of storage in bidder warehouse and for further sale), along with their technocommercial bid.
- q) The Integrity pact (At Appendix-B) shall be a part and parcel of this document and has to be signed by bidder(s) at the pre-tendering stage itself, as a pre-bid obligation and should be submitted along with the Techno-Commercial Bids. All bidders are bound to comply with the integrity pact clauses. Bids submitted without signing the integrity pact will be ab initio rejected without assigning any reason.

(ii) PRICE BID (ONLY ONLINE):

- a) The tenderers must ensure that they submit the Price Bid in prescribed format uploaded along with the tender enquiry. It is the responsibility of the bidder to ensure that the contents of the format are not tampered.
- b) The tenderers must ensure that they submit the on-line tenders not later than the closing time and date specified for submission of tenders.
- c) Along with price bid recent purchase order copies for the same model and technical configuration issued by institute of National importance and/or reputed central/state government hospitals should be uploaded in pdf form for reasonability of the offered price.
- d) The bidder should submit the copy of original proforma invoice from the foreign manufacturer along with the price bid.
- e) The supplier shall justify the present quotes based on previous purchase orders for similar project executed either in India or Globally. If they quote any new model or upgraded version of earlier model, they may mention the same in their tender.
- 22.2 The tenderers must ensure that they submit the on-line tenders within the scheduled closing date & time. They shall also ensure to submit the original Tender Processing Fee and EMD within its scheduled date & time.

23. Late Tender:

23.1 There is NO PROVISION of uploading late tender beyond stipulated date & time in the etendering system. However, if the necessary Tender Processing Fee and EMD in original are not submitted within the scheduled time, the tender shall be declared as late tender and online tender shall not be opened and shall be ignored.

24. Alteration and Withdrawal of Tender

24.1 The tenderer is permitted to change, edit or withdraw its bid on or before the end date & time of bid opening.

E. TENDER OPENING

25. Opening of Tenders

- 25.1 The purchaser will open the e-tenders at the specified date and time and at the specified place as indicated in the NIT.
 - In case the specified date of tender opening falls on / is subsequently declared a holiday or closed day for the purchaser, the tenders will be opened at the appointed time and place on the next working day.
- 25.2 Authorized representatives of the tenderers, who have submitted tenders on time, may attend the tender opening provided they bring with them letters of authority from the corresponding tenderers.

- The tender opening official(s) will prepare a list of the representatives attending the tender opening. The list will contain the representatives' names & signatures and corresponding tenderers' names and addresses.
- 25.3 This being a Two Tender system, the <u>Techno Commercial Tenders</u> are to be opened in the first instance, at the prescribed time and date as indicated in NIT. These Tenders shall be scrutinized and evaluated by the competent committee/ authority with reference to parameters prescribed in the TE document. During the Techno Commercial Tender opening, the tender opening official(s) will read the salient features of the tenders like brief description of the goods offered, delivery period, Earnest Money Deposit and any other special features of the tenders, as deemed fit by the tender opening official(s). Thereafter, in the second stage, the Price Tenders of only the Techno Commercially acceptable offers (as decided in the first stage) shall be opened for further scrutiny and evaluation on a date notified after the evaluation of the Techno-Commercial tender.

F. SCRUTINY AND EVALUATION OF TENDERS

26. Basic Principle

26.1 Tenders will be evaluated on the basis of the terms & conditions already incorporated in the TE document, based on which tenders have been received and the terms, conditions etc. mentioned by the tenderers in their tenders. No new condition will be brought in while scrutinizing and evaluating the tenders.

27. Scrutiny of Tenders

- 27.1 The Purchaser will examine the Tenders to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished and, whether the documents uploaded are in legible form.
- 27.2 The Purchaser's determination of a Tender's responsiveness is to be based on the contents of the tender itself without recourse to extrinsic evidence
- 27.3 Deleted
- 27.4 The tenders will be scrutinized to determine whether they are complete and meet the essential and important requirements, conditions etc. as prescribed in the TE document. The tenders, which do not meet the basic requirements, are liable to be treated as non-responsive and will be summarily ignored.
- 27.5 The following are some of the important aspects, for which a tender shall be declared non-responsive during the evaluation and will be ignored;
 - (i) Tender validity is shorter than the required period.
 - (ii) Required EMD or its exemption documents have not been provided.
 - (iii) Tenderer has not agreed to give the required performance security of required amount in an acceptable form in terms of GCC clause 5, read with modification, if any, in Section V "Special Conditions of Contract", for due performance of the contract.
 - (iv) Poor/unsatisfactory past performance.
 - (v) Tenderers who stand deregistered/banned/blacklisted by any Govt. Authorities.
 - (vi) Tenderer is not eligible as per GIT Clauses 5.1 & 17.1.
 - (vii) Tenderer has not quoted for the entire quantity as specified in the List of Requirements/BOQ for the quoted schedule.
 - (viii) Tenderer has not agreed to other essential condition(s) specially incorporated in the tender enquiry, like delivery terms, delivery schedule, terms of payment, liquidated damages clause, warranty clause, dispute resolution mechanism applicable law.
 - (ix) A tenderer quoting imported goods located within India shall produce documentary evidence of the goods having been imported and already located within India (i.e. Bills of Entry for the quoted items and a self-declaration confirming that the quoted items were imported for the purpose of storage in bidder warehouse and for further sale), along with their techno-commercial bid.

(x) The Integrity pact (At Appendix-B) shall be a part and parcel of this document and has to be signed by bidder(s) at the pre-tendering stage itself, as a pre-bid obligation and should be submitted along with the Techno-Commercial Bids. All bidders are bound to comply with the integrity pact clauses. Bids submitted without signing the integrity pact will be ab initio rejected without assigning any reason.

28. Minor Informality/Irregularity/Non-Conformity

If during the preliminary examination, the purchaser find any minor informality and/or irregularity and/or non-conformity in a tender, the purchaser may waive the same provided it does not constitute any material deviation and financial impact and, also, does not prejudice or affect the ranking order of the tenders. Wherever necessary, the purchaser will convey its observation on such 'minor' issues to the tenderer by registered/speed post etc. asking the tenderer to respond by a specified date. If the tenderer does not reply by the specified date or gives evasive reply without clarifying the point at issue in clear terms, that tender will be liable to be ignored.

29 Discrepancies in Prices

- 29.1 If, in the price structure quoted by a tenderer, there is discrepancy between the unit price and the total price (which is obtained by multiplying the unit price by the quantity), the unit price shall prevail and the total price corrected accordingly, unless the purchaser feels that the tenderer has made a mistake in placing the decimal point in the unit price, in which case the total price as quoted shall prevail over the unit price and the unit price corrected accordingly.
- 29.2 If there is an error in a total price, which has been worked out through addition and/or subtraction of subtotals, the subtotals shall prevail and the total corrected; and
- 29.3 If there is a discrepancy between the amount expressed in words and figures, the amount in words shall prevail, subject to sub clause 29.1 and 29.2 above.
- 29.4 If, as per the judgement of the purchaser, there is any such arithmetical discrepancy in a tender, the same will be suitably conveyed to the tenderer by registered / speed post. If the tenderer does not agree to the observation of the purchaser, the tender is liable to be ignored.

30. Discrepancy between original and copies of Tender Not applicable being e-Tender.

31. Qualification Criteria

- 31.1 Bids which do not meet the required Qualification Criteria prescribed in Section IX, will be treated as non responsive and will not be considered further.
- 31.2 The Purchaser reserves the right to relax the Norms on <u>Prior Experience</u> for Start-ups and Micro & Small Enterprises in Public Procurement.

The Start-ups are defined in Annexure-A of the "Action Plan for Start-ups in India". The same is available on the website of Department of Industrial policy and Promotion (DIPP), Ministry of Commerce & Industry.

The Notification is available in the below link:

http://www.finmin.nic.in/the_ministry/dept_expenditure/ppcell/RelaxNorms_StarupMedEnter_prise25072016.pdf

The FAQs are available in the below link:

http://dipp.nic.in/English/Investor/startupindia/FAQs StartupIndia 30March2016.pdf

Note:- Definition of Startup (only for the purpose of Government schemes)

(**Ref:** Ministry of Finance Office Memorandum No. F.20/2/2014-PPD(Pt.) dated 25th July 2016.)

32. Conversion of tender currencies to Indian Rupees

32.1 In case the TE document permits the tenderers to quote their prices in different currencies, all such quoted prices of the responsive tenderers will be converted to a single currency viz., Indian Rupees for the purpose of equitable comparison and evaluation, as per the exchange rates established by the Reserve Bank of India for similar transactions, as on the date of 'Price Tender' opening.

33. Schedule-wise Evaluation

33.1 In case the List of Requirements contains more than one schedule, the responsive tenders will be evaluated and compared separately for each schedule. The tender for a schedule will not be considered if the complete requirements prescribed in that schedule are not included in the tender.

34. Comparison of Tenders

34.1 Unless mentioned otherwise in Section – III – Special Instructions to Tenderers and Section – VI – List of Requirements, the comparison of the responsive tenders shall be carried out on Delivery Duty Paid (DDP) consignee site basis. The quoted Site Modification Work prices and Comprehensive Annual Maintenance charges (CMC) prices will also be added for comparison/ ranking purpose for evaluation. "Net Present value (NPV) of the actual CMC price quoted for the required CMC period after the warranty period shall be considered for bid comparison and the NPV will be calculated after discounting the quoted CMC price by a discounting factor of 10% per annum."

35. Additional Factors and Parameters for Evaluation and Ranking of Responsive Tenders

- 35.1 Further to GIT Clause 34 above, the purchaser's evaluation of a tender will include and take into account the following:
 - i) In the case of goods manufactured in India or goods of foreign origin already located in India, GST or any other taxes which will be contractually payable (to the tenderer), on the goods if a contract is awarded on the tenderer; and
 - ii) in the case of goods of foreign origin offered from abroad, customs duty and other similar import duties/taxes, which will be contractually payable (to the tenderer) on the goods if the contract is awarded on the tenderer.
- 35.2 The purchaser's evaluation of tender will also take into account the additional factors, if any, incorporated in SIT in the manner and to the extent indicated therein.
- 35.3 The Purchaser reserves the right to give the price preference to small-scale sectors etc. and purchase preference to central public sector undertakings as per the instruction in vogue while evaluating, comparing and ranking the responsive tenders.
 - i. In exercise of powers conferred in Section 11 of the Micro, Small and Medium Enterprises Development (MSMED) Act 2006, the Government has notified a new Public Procurement Policy for Micro & Small Enterprises effective from 1st April 2012. The policy mandates that 20% of procurement of annual requirement of goods and services by all Central Ministries / Public Sector Undertakings will be from the micro and small enterprises. The Government has also earmarked a sub-target of 4% procurement of goods & services from MSEs owned by SC/ST entrepreneurs out of above said 20% quantity.
 - ii. In accordance with the above said notification, the participating Micro and Small Enterprises (MSEs) in a tender, quoting price within the band of L 1+15% would also be allowed to supply a portion of the requirement by bringing down their price to the L 1 price, in a situation where L 1 price is from someone other than an MSE. Such MSEs would be allowed to supply up to 20% of the total tendered value. In case there are more than one such eligible

- MSE, the 20% supply will be shared equally. Out of 20% of the quantity earmarked for supply from MSEs, 4% quantity is earmarked for procurement from MSEs owned by SC/ST entrepreneurs. However, in the event of failure of such MSEs to participate in the tender process or meet the tender requirements and the L 1 price, the 4% quantity earmarked for MSEs owned by SC/ST entrepreneurs will be met from other participating MSEs.
- iii. The MSEs fulfilling the prescribed eligibility criteria and participating in the tender shall enclose with their tender a copy of their valid registration certificate with District Industries Centres or Khadi and Village Industries Commission or Khadi and Village Industries Board or Coir Board or National Small Industries Corporation or any other body specified by Ministry of Micro and Small enterprises in support of their being an MSE, failing which their tender will be liable to be ignored.
- Preference to Make in India: As per the order issued by Department of Industrial Policy and Promotion (DIPP) vide No. P-45021/2/2017-BE-II dated 15.06.2017; the purchaser reserves the right to give preference to the local supplier. A copy of this order is enclosed at Appendix-A which will form a part of this TED for evaluation and ranking of bids. A local supplier (definition of 'local supplier' is given in clause 2 of the aforesaid order of DIPP) has to submit the following along with their tender(s) failing which their bid will be evaluated without considering such preference mentioned in the DIPP order dated 15.06.2017:
 - a. The local supplier at the time of tender, bidding or solicitation shall be required to provide self-certification that the item offered meets the minimum local content and shall give details of the location(s) at which the local value addition is made.
 - b. In cases of procurement for a value in excess of Rs. 10 crores, the local supplier shall be required to provide a certificate from the statutory auditor or cost auditor of the company (in the case of companies) or from a practicing cost accountant or practicing chartered accountant (in respect of suppliers other than companies) giving the percentage of local content.

The DIPP has notified a Public Procurement (Preference to Make in India) Order, 2017 vide Order no P-45021/2/2017-B.E-II dated 15th June 2017 (Annexure -1). The procurement policy for Micro & Small Enterprises 2012 has been notified under MSMED Act, 2006 (Annexure 2). The orders mandate that purchase preference shall be given to local suppliers and MSEs in all procurement undertaken by procuring entities. General principles as per above orders and criteria fixed by MoHFW shall be followed for various scenarios for award of contract. Accordingly, the criteria of award of contract will be as under:

- a) In procurement of goods where there is sufficient local capacity and local competition and where the estimated value of procurement is Rs.50 lakhs or less, only local suppliers shall be eligible.
- b) If the estimated value of procurement of goods is more than Rs.50 lakhs and which are divisible in nature, the following procedure would apply:
 - I. In case L1 firm is a local supplier:
 - i) The L1 bidder will be awarded full quantity or 80% quantity in case MSEs quotes are within margin of price preference and also accepts L-1 prices.
 - ii) MSME bidders falling under the margin of purchase preference would be awarded upto 20% of the tendered quantity subject to matching the L-1 rate.
 - II. In case L1 firm is not a local supplier:
 - i) 50% of the tender quantity shall be awarded to L1 bidder. Thereafter, the lowest bidder among the local suppliers, will be awarded remaining 50% quantity subject to the local supplier's quoted prices falling within margin of price preference and match the L1 price. In case such lowest eligible local supplier fail to match the L-1 price or accept less than the offered quantity, the next higher local supplier within

- the margin of purchase preference shall be invited to match the L-1 price for remaining quantity and so on, and contract shall be awarded accordingly.
- ii) The MSME bidders falling under Purchase Preference would be awarded 20% of the tendered quantity subject to matching the L-1 price.
- (c) If the estimated value of procurement of goods is more than Rs.50 lakhs and which are not divisible, the following procedure would apply:
 - i). Among all qualified bids, the lowest bid will be termed as L-1. If L-1 is from a local supplier, the contract will be awarded to L-1.
 - ii). If L-1 is not from local supplier, the lowest bidder among the local suppliers, will be invited to match the L-1 price subject to local supplier's quoted prices falling within the margin of purchase preference, and the contract shall be awarded to such local supplier subject to matching the L-1 price.
 - iii). In case such lowest eligible local supplier fails to match the L-1 price, the local supplier with the next higher bid within the margin of purchase preference shall be invited to match the L-1 price and so on and contract shall be awarded accordingly. In case none of the local suppliers within the margin of purchase preference matches the L-1 price then the contract may be awarded to L-1 bidder.
- 35.5 Minimum Local Content: A supplier shall be considered as local supplier provided the minimum local content of the offered item is 50%.
- 35.6 Margin of Purchase Preference: The margin of purchase preference shall be 20%.
- 35.6 Manufacture under license/technology collaboration agreements with phased indigenization are exempted from meeting the stipulated local content if the product is being manufactured in India under a license from a foreign manufacturer who holds intellectual property rights and where there is a technology collaboration agreement/transfer of technology agreement for indigenous manufacture of a product developed abroad with clear phasing of increase in local content
- 35.7 Verification of local content
 - a. The local supplier at the time of tender, bidding or solicitation shall be required to provide self-certification that the item offered meets the minimum local content and shall give details of the location(s) at which the local value addition is made.
 - b. In cases of procurement for a value in excess of Rs. 10 crores, the local supplier shall require to provide a certificate from the statutory auditor or cost auditor of the company (in the case of companies) or from a practicing cost accountant or practicing chartered accountant (in respect of suppliers other than companies) giving the percentage of local content.
 - c. Decisions on complaints relating to implementation of this Order shall be taken by the competent authority which is empowered to look into procurement-related complaints relating the procuring entity.
 - d. A constituted committee with internal and external experts will examine for independent verification of self-declarations and auditor's/accountant's certificates on random basis and in the case of complaints.
 - e. A fees of Rs.10000/- in the form of demand draft favouring CFO (HLL Infratech Services Limited), payable at New Delhi, is required to be deposited with complaints for verification of local content.
 - f. False declarations will be breach of the Code of Integrity under Rule 175(1)(i)(h) of the General Financial Rules for which a bidder or its successors can be debarred for up to two years as per Rule 151(iii) of the General Financial Rules along with such other actions as may be permissible under law.
 - g. A supplier who has been debarred by any procuring entity for violation of this Order shall not be eligible for preference under this Order for procurement by any other procuring entity for the duration of the debarment. The debarment for such other procuring entities shall take effect prospectively from the date on which it comes to the notice of other procurement entities.

36. Tenderer's capability to perform the contract

- 36.1 The purchaser, through the above process of tender scrutiny and tender evaluation will determine to its satisfaction whether the tenderer, whose tender has been determined as the lowest evaluated responsive tender is eligible, qualified and capable in all respects to perform the contract satisfactorily. If, there is more than one schedule in the List of Requirements, then, such determination will be made separately for each schedule.
- 36.2 The above-mentioned determination will, interalia, take into account the tenderer's financial, technical and production capabilities for satisfying all the requirements of the purchaser as incorporated in the TE document. Such determination will be based upon scrutiny and examination of all relevant data and details submitted by the tenderer in its tender as well as such other allied information as deemed appropriate by the purchaser.

37. Contacting the Purchaser

- 37.1 From the time of submission of tender to the time of awarding the contract, if a tenderer needs to contact the purchaser for any reason relating to this tender enquiry and / or its tender, it should do so only in writing.
- 37.2 In case a tenderer attempts to influence the purchaser in the purchaser's decision on scrutiny, comparison & evaluation of tenders and awarding the contract, the tender of the tenderer shall be liable for rejection in addition to appropriate administrative actions being taken against that tenderer, as deemed fit by the purchaser.

G. AWARD OF CONTRACT

38. Purchaser's Right to accept any tender and to reject any or all tenders

38.1 The purchaser reserves the right to accept in part or in full any tender or reject any or more tender(s) without assigning any reason or to cancel the tendering process and reject all tenders at any time prior to award of contract, without incurring any liability, whatsoever to the affected tenderer or tenderers.

39. Award Criteria

39.1 Subject to GIT clause 38 above, the contract will be awarded to the lowest evaluated responsive tenderer decided by the purchaser in terms of GIT Clause 36.

40. Variation of Quantities at the Time of Award/ Currency of Contract

- 40.1 At the time of awarding the contract, the purchaser reserves the right to increase or decrease by up to twenty five (25) per cent, the quantity of goods and services mentioned in the schedule(s) in the "List of Requirements" (rounded off to next whole number) without any change in the unit price and other terms & conditions quoted by the tenderer.
- 40.2 If the quantity has not been increased to the maximum of 25% of the tendered quantity at the time of awarding the contract, the purchaser reserves the right to increase the quantity further by up to the balance available twenty five (25) per cent of the tendered quantity of goods and services (rounded off to next whole number) without any change in the unit price and other terms & conditions mentioned in the contract during the currency of the contract.

41. Notification of Award

41.1 Before expiry of the tender validity period, the purchaser will notify the successful tenderer(s) in writing, by registered / speed post or by email (to be confirmed by registered / speed post) that its tender for goods & services, which have been selected by the purchaser, has been accepted, also briefly indicating therein the essential details like description, specification and quantity of the goods & services and corresponding prices accepted. The successful tenderer must furnish to the purchaser the required performance security within thirty days from the

- date of dispatch of this notification, failing which the EMD will forfeited and the award will be cancelled. Relevant details about the performance security have been provided under GCC Clause 5 under Section IV.
- 41.2 The Notification of Award shall constitute the conclusion of the Contract.

42. Issue of Contract

- 42.1 Promptly after notification of award, the Purchaser/Consignee will mail the contract form (as per Section XVI) duly completed and signed, in duplicate, to the successful tenderer by registered / speed post.
- Within twenty one days from the date of the contract, the successful tenderer shall return the original copy of the contract, duly signed and dated, to the Purchaser/Consignee by registered/ speed post. The successful tenderer should also submit Proforma Invoice from the foreign principal (if applicable as per contractual price) within 21 days from the date of NOA.
- 42.3 The Purchaser/ Consignee reserves the right to issue the Notifications of Award consignee wise.

43. Non-receipt of Performance Security, Proforma Invoice and Contract by the Purchaser/Consignee

43.1 Failure of the successful tenderer in providing performance security, Proforma Invoice and / or returning contract copy duly signed in terms of GIT clauses 41 and 42 above shall make the tenderer liable for forfeiture of its EMD and, also, for further actions by the Purchaser/Consignee against it as per the clause 24 of GCC – Termination of default.

44. Return of EMD

44.1 The earnest money of the successful tenderer and the unsuccessful tenderers will be returned to them without any interest, whatsoever, in terms of GIT Clause 19.6.

45. Publication of Tender Result

45.1 The name and address of the successful tenderer(s) receiving the contract(s) will be mentioned in the notice board/bulletin/web site of the purchaser.

46. Corrupt or Fraudulent Practices

- 46.1 It is required by all concerned namely the Consignee/Tenderers/Suppliers etc to observe the highest standard of ethics during the procurement and execution of such contracts. In pursuance of this policy, the Purchaser: -
 - (a) defines, for the purposes of this provision, the terms set forth below as follows:
 - (i) "corrupt practice" means the offering, giving, receiving or soliciting of any thing of value to influence the action of a public official in the procurement process or in contract execution; and
 - (ii) "fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Purchaser, and includes collusive practice among Tenderers (prior to or after Tender submission) designed to establish Tender prices at artificial non-competitive levels and to deprive the Purchaser of the benefits of free and open competition;
 - (b) will reject a proposal for award if it determines that the Tenderer recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question;
 - (c) will declare a firm ineligible, either indefinitely or for a stated period of time, to be awarded a contract by the purchaser if it at any time determines that the firm has engaged in corrupt or fraudulent practices in competing for, or in executing the contract.

SECTION - III

SPECIAL INSTRUCTIONS TO TENDERERS (SIT)

Sl. No.	GIT Clause	Topic	SIT Provision	Page No.
	No.			
A	1 to 7	Preamble	No Change	
В	8 to 10	TE documents	No Change	
С	11 to 21	Preparation of Tenders	No Change	
D	22 to24	Submission of Tenders	Extra	17
D	22 1024	Submission of Tenders	information	
Е	25	Tender Opening	No Change	
F	26 to 37	Scrutiny and Evaluation of Tenders	No Change	
G	29 40 45	8 to 45 Award of Contract	Extra	24
	30 10 43		Information	

The following Special Instructions to Tenderers will apply for this purchase. These special instructions will modify/substitute/supplement the corresponding General Instructions to Tenderers (GIT) incorporated in Section II. The corresponding GIT clause numbers have also been indicated in the text below:

In case of any conflict between the provision in the GIT and that in the SIT, the provision contained in the SIT shall prevail.

SUBMISSION OF e-TENDERS

- (i) All the necessary documents as prescribed in the NIT shall be prepared and scanned in different files (in PDF format as prescribed) and uploaded for on-line submission of Proposal.
- (ii) Except Tender Processing Fee and EMD, all document(s)/ information(s) including the Financial Proposal (i.e. FORMAT FOR SUBMISSION OF FINANCIAL PROPOSAL) should be uploaded **online only** in the prescribed format given in the website. No other mode of submission shall be acceptable.
 - i) The prospective bidders may scan the documents in low resolution (75 to 100 DPI) instead of 200 DPI. The documents may be scanned for further lower resolution (if possible). This would reduce the size of the Cover and would be uploaded faster.
 - ii) The Individual file size of uploading is restricted up to 5 MB. Bidders may upload multiple files (Not exceeding 5 MB individually) & give relevant file name indicating the contents.
 - iii) The file name of price bid should match the file of the price bid format uploaded by the purchaser in the portal. This can be downloaded from the **Notes & Attachment** under **Details** of item when the event is in **Display Mode**.

AWARD OF CONTRACT

(i) The quantities in this tender (including additional quantities against the clause "Variation of Quantities at the Time of Award/ Currency of Contract") can be used by both HLL Infra Tech Services as well as its parent company HLL Lifecare Limited.

SECTION - IV GENERAL CONDITIONS OF CONTRACT (GCC)

TABLE OF CLAUSES

Sl. No.	Торіс	Page No.
1	Application	28
2	Use of contract documents and information	28
3	Patent Rights	28
4	Country of Origin	28
5	Performance Security	28
6	Technical Specifications and Standards	29
7	Packing and Marking	29
8	Inspection, Testing and Quality Control	30
9	Terms of Delivery	31
10	Transportation of Goods	31
11	Insurance	31
12	Spare parts	31
13	Incidental services	32
14	Distribution of Dispatch Documents for Clearance/Receipt of Goods	32
15	Warranty	33
16	Assignment	34
17	Sub Contracts	34
18	Modification of contract	34
19	Prices	35
20	Taxes and Duties	35
21	Terms and mode of Payment	35
22	Delivery	37
23	Liquidated Damages	38
24	Termination for default	39
25	Termination for insolvency	39
26	Force Majeure	39
27	Termination for convenience	40
28	Governing language	40
29	Notices	40
30	Resolution of disputes	40
31	Applicable Law	41
32	Withholding and Lien	41
33	General/Miscellaneous Clauses	41

1. Application

1.1 The General Conditions of Contract incorporated in this section shall be applicable for this purchase to the extent the same are not superseded by the Special Conditions of Contract prescribed under Section V, List of requirements under Section VI and Technical Specification under Section VII of this document.

2. Use of contract documents and information

- 2.1 The supplier shall not, without the purchaser's prior written consent, disclose the contract or any provision thereof including any specification, drawing, sample or any information furnished by or on behalf of the purchaser in connection therewith, to any person other than the person(s) employed by the supplier in the performance of the contract emanating from this TE document. Further, any such disclosure to any such employed person shall be made in confidence and only so far as necessary for the purposes of such performance for this contract.
- 2.2 Further, the supplier shall not, without the purchaser's prior written consent, make use of any document or information mentioned in GCC sub-clause 2.1 above except for the sole purpose of performing this contract.
- 2.3 Except the contract issued to the supplier, each and every other document mentioned in GCC sub-clause 2.1 above shall remain the property of the purchaser and, if advised by the purchaser, all copies of all such documents shall be returned to the purchaser on completion of the supplier's performance and obligations under this contract.

3. Patent Rights

3.1 The supplier shall, at all times, indemnify and keep indemnified the purchaser, free of cost, against all claims which may arise in respect of goods & services to be provided by the supplier under the contract for infringement of any intellectual property rights or any other right protected by patent, registration of designs or trademarks. In the event of any such claim in respect of alleged breach of patent, registered designs, trademarks etc. being made against the purchaser, the purchaser shall notify the supplier of the same and the supplier shall, at his own expenses take care of the same for settlement without any liability to the purchaser.

4. Country of Origin

- 4.1 All goods and services to be supplied and provided for the contract shall have the origin in India or in the countries with which the Government of India has trade relations.
- 4.2 The word "origin" incorporated in this clause means the place from where the goods are mined, cultivated, grown, manufactured, produced or processed or from where the services are arranged.
- 4.3 The country of origin may be specified in the Price Schedule

5. Performance Security

- 5.1 Within twenty one (21) days from date of the issue of notification of award by the Purchaser/ Consignee, the supplier, shall furnish performance security to the Purchaser/ Consignee for an amount equal to ten percent (10%) of the total value of the contract, valid up to sixty (60) days after the date of completion of all contractual obligations by the supplier, including the warranty obligations, which is initially valid for a period of minimum six months plus number of months under warranty from the date of Notification of Award
- 5.2 The Performance security shall be denominated in Indian Rupees or in the currency of the contract as detailed below:
 - It shall be in any one of the forms namely Account Payee Demand Draft or Fixed Deposit Receipt drawn from any Scheduled bank in India or Bank Guarantee issued by a Scheduled bank in India, in the prescribed form as provided in section XV of this document in favour of the Purchaser/Consignee. The validity of the Fixed Deposit receipt or Bank Guarantee will be for a period up to sixty (60) days beyond Warranty Period.

- 5.3 In the event of any failure /default of the supplier with or without any quantifiable loss to the government including furnishing of consignee wise Bank Guarantee for CMC security as per Proforma in Section XV, the amount of the performance security is liable to be forfeited. The Administration Department may do the needful to cover any failure/default of the supplier with or without any quantifiable loss to the Government.
- 5.4 In the event of any amendment issued to the contract, the supplier shall, within fifteen (15) days of issue of the amendment, furnish the corresponding amendment to the Performance Security (as necessary), rendering the same valid in all respects in terms of the contract, as amended.
- 5.5 The supplier shall enter into Annual Comprehensive Maintenance Contract as per the 'Contract Form B' in Section XVI with respective consignees, 3 (three) months prior to the completion of Warranty Period. The CMC will commence from the date of expiry of the Warranty Period.
- 5.6 Subject to GCC sub clause 5.3 above, the Purchaser/Consignee will release the Performance Security without any interest to the supplier on completion of the supplier's all contractual obligations including the warranty obligations, extension of time (with or without Liquidated Damages) & after receipt of Consignee wise bank guarantee for CMC security in favour of Head of the Hospital/ Institute/ Medical College of the consignee as per the format in Section XV.

6. Technical Specifications and Standards

6.1 The Goods & Services to be provided by the supplier under this contract shall conform to the technical specifications and quality control parameters mentioned in 'Technical Specification' and 'Quality Control Requirements' under Sections VII and VIII of this document.

7. Packing and Marking

- 7.1 The packing for the goods to be provided by the supplier should be strong and durable enough to withstand, without limitation, the entire journey during transit including transhipment (if any), rough handling, open storage etc. without any damage, deterioration etc. As and if necessary, the size, weights and volumes of the packing cases shall also take into consideration, the remoteness of the final destination of the goods and availability or otherwise of transport and handling facilities at all points during transit up to final destination as per the contract.
- 7.2 The quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall strictly comply with the requirements as provided in Technical Specifications and Quality Control Requirements under Sections VII and VIII and in SCC under Section V. In case the packing requirements are amended due to issue of any amendment to the contract, the same shall also be taken care of by the supplier accordingly.
- 7.3 Packing instructions:

Unless otherwise mentioned in the Technical Specification and Quality Control Requirements under Sections VII and VIII and in SCC under Section V, the supplier shall make separate packages for each consignee (in case there is more than one consignee mentioned in the contract) and mark each package on three sides with the following with indelible paint of proper quality:

- a. contract number and date
- b. brief description of goods including quantity
- c. packing list reference number
- d. country of origin of goods
- e. consignee's name and full address and
- f. supplier's name and address

8. Inspection, Testing and Quality Control

- 8.1 The purchaser and/or its nominated representative(s) will, without any extra cost to the purchaser, inspect and/or test the ordered goods and the related services to confirm their conformity to the contract specifications and other quality control details incorporated in the contract. The purchaser shall inform the supplier in advance, in writing, the purchaser's programme for such inspection and, also the identity of the officials to be deputed for this purpose. "The cost towards the transportation, boarding and lodging will be borne by the purchaser and/or its nominated representative(s) for the first visit. In case the goods are rejected in the first instance and the supplier requests for re-inspection, and if same is accepted by purchaser/consignee/PSA/PA, all subsequent inspections shall be at the cost of the supplier. The expense will be to and fro Economy Airfare, Local Conveyance, Boarding and Lodging of the inspection team for the inspection period."
- 8.2 The Technical Specification and Quality Control Requirements incorporated in the contract shall specify what inspections and tests are to be carried out and, also, where and how they are to be conducted. If such inspections and tests are conducted in the premises of the supplier or its subcontractor(s), all reasonable facilities and assistance, including access to relevant drawings, design details and production data, shall be furnished by the supplier to the purchaser's inspector at no charge to the purchaser.
- 8.3 If during such inspections and tests the contracted goods fail to conform to the required specifications and standards, the purchaser's inspector may reject them and the supplier shall either replace the rejected goods or make all alterations necessary to meet the specifications and standards, as required, free of cost to the purchaser and resubmit the same to the purchaser's inspector for conducting the inspections and tests again.
- 8.4 In case the contract stipulates pre-despatch inspection of the ordered goods at supplier's premises, the supplier shall put up the goods for such inspection to the purchaser's inspector well ahead of the contractual delivery period, so that the purchaser's inspector is able to complete the inspection within the contractual delivery period.
- 8.5 If the supplier tenders the goods to the purchaser's inspector for inspection at the last moment without providing reasonable time to the inspector for completing the inspection within the contractual delivery period, the inspector may carry out the inspection and complete the formality beyond the contractual delivery period at the risk and expense of the supplier. The fact that the goods have been inspected after the contractual delivery period will not have the effect of keeping the contract alive and this will be without any prejudice to the legal rights and remedies available to the purchaser under the terms & conditions of the contract.
- 8.6 The purchaser's/consignee's contractual right to inspect, test and, if necessary, reject the goods after the goods' arrival at the final destination shall have no bearing of the fact that the goods have previously been inspected and cleared by purchaser's inspector during pre-despatch inspection mentioned above.
 - "On rejection, the supplier shall remove such stores within 14 days of the date of intimation of such rejection from the consignee's premises. If such goods are not removed by the supplier within the period mentioned above, the purchaser/consignee may remove the rejected stores and either return the same to the supplier at his risk and cost by such mode of transport as purchaser/consignee may decide or dispose of such goods at the suppliers risk to recover any expense incurred in connection with such disposals and also the cost of the rejected stores if already paid for."
- 8.7 Goods accepted by the purchaser/consignee and/or its inspector at initial inspection and in final inspection in terms of the contract shall in no way dilute purchaser's/consignee's right to reject the same later, if found deficient in terms of the warranty clause of the contract, as incorporated under GCC Clause 15.
- 8.8 Principal/ Foreign supplier shall also have the equipment inspected by recognised/ reputed agency like SGS, Lloyd, Bureau Veritas, TUV prior to despatch at the supplier's cost and furnish necessary certificate from the said agency in support of their claim.

9. Terms of Delivery

9.1 Goods shall be delivered by the supplier in accordance with the terms of delivery and as per the delivery period specified in the schedule of requirement. Please note that the time shall be the essence of the contract.

10. Transportation of Goods

10.1 Instructions for transportation of imported goods offered from abroad:

The supplier shall not arrange part-shipments and/or transhipment without the express/prior written consent of the purchaser. The supplier is required under the contract to deliver the goods under CIP (Named port of destination) terms; the shipment shall be made by Indian flag vessel or by vessels belonging to the conference lines in which India is a member country through India's forwarding agents/coordinators. In case the forwarding agent/coordinators are unable to provide timely adequate space in Indian flag vessel or by vessels belonging to the conference lines, the supplier shall arrange shipment through any available vessel to adhere to the delivery schedule given in the contract.

In case of airlifting of imported goods offered from abroad, the same will be done only through the National Carrier i.e. Air India wherever applicable. In case the National Carrier is not available, any other airlines available for early delivery may be arranged.

10.2 Instructions for transportation of domestic goods including goods already imported by the supplier under its own arrangement:

In case no instruction is provided in this regard in the SCC, the supplier will arrange transportation of the ordered goods as per its own procedure.

11. Insurance:

- 11.1 Unless otherwise instructed in the SCC, the supplier shall make arrangements for insuring the goods against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the following manner:
 - i) in case of supply of domestic goods on Consignee site basis, the supplier shall be responsible till the entire stores contracted for arrival in good condition at destination. The transit risk in this respect shall be covered by the Supplier by getting the stores duly insured for an amount equal to 110% of the value of the goods from ware house to ware house (consignee site) on all risk basis. The insurance cover shall be obtained by the Supplier and should be valid till 3 months after the receipt of goods by the Consignee.
 - ii) in case of supply of the imported goods on CIP Named port of Destination Basis, the additional extended Insurance (local transportation and storage) would be borne by the Supplier or its Indian Subsidiary/Indian agent from the port of entry to the consignee site for a period including 3 months beyond date of delivery for an amount equal to 110% of the overall expenditure to be incurred by the purchaser from ware house to ware house (consignee site) on all risk basis.

If the equipment is not commissioned and handed over to the consignee within 3 months, the insurance will have to be extended by the supplier at their cost till the successful installation, testing, commissioning and handing over of the goods to the consignee. In case the delay in the installation and commissioning is due to handing over of the site to the supplier by the consignee, such extensions of the insurance will still be done by the supplier, but the insurance extension charges at actuals will be reimbursed.

12. Spare parts

12.1 **If** specified in the List of Requirements and in the resultant contract, the supplier shall supply/provide any or all of the following materials, information etc. pertaining to spare parts manufactured and/or supplied by the supplier:

- a) The spare parts as selected by the Purchaser/Consignee to be purchased from the supplier, subject to the condition that such purchase of the spare parts shall not relieve the supplier of any contractual obligation including warranty obligations; and
- b) In case the production of the spare parts is discontinued:
 - i) Sufficient advance notice to the Purchaser/Consignee before such discontinuation to provide adequate time to the purchaser to purchase the required spare parts etc., and
 - ii) The supplier shall be responsible for undertaking the supply of any such spare part for the proper up keeping of equipment for a period of 10 years including the warranty and CMC periods.
- 12.2 Supplier shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the goods so that the same are used during warranty and CMC period.

13. Incidental services

- 13.1 Subject to the stipulation, if any, in the SCC (Section V), List of Requirements (Section VI) and the Technical Specification (Section VII), the supplier shall be required to perform the following services.
 - a. Installation & commissioning, Supervision and Demonstration of the goods
 - b. Providing required jigs and tools for assembly, minor civil works required for the completion of the installation.
 - c. Training of Consignee's Doctors, Staff, operators etc. for operating and maintaining the goods
 - d. Supplying required number of operation & maintenance manual for the goods

14. Distribution of dispatch documents for clearance/receipt of goods

The supplier shall send all the relevant despatch documents well in time to the Purchaser/Consignee to enable the Purchaser/Consignee clear or receive (as the case may be) the goods in terms of the contract.

Unless otherwise specified in the SCC, the usual documents involved and the drill to be followed in general for this purpose are as follows.

A) For Domestic Goods, including goods already imported by the supplier under its own arrangement

Within 24 hours of despatch, the supplier shall notify the purchaser, consignee, and others concerned if mentioned in the contract, the complete details of despatch and also supply the following documents to them by registered post / speed post / courier (or as instructed in the contract):

- (i) Four copies of supplier's invoice showing contract number, goods description, quantity, unit price and total amount;
- (ii) Two copies of packing list identifying contents of each package;
- (iii) Certificate of origin for goods of foreign origin;
- (iv) Insurance Certificate as per GCC Clause 11.
- (v) Manufacturers/Supplier's warranty certificate & In-house inspection certificate.

B) For goods imported from abroad

Within 24 hours of despatch, the supplier shall notify the purchaser, consignee, and others concerned if mentioned in the contract, the complete details of despatch and also supply the following documents to them by registered post / speed post (or as instructed in the contract). Any delay or demurrage occurred during the customs clearance on account of

the non-availability of technical support/ clarifications /documents from the supplier shall be borne by the supplier:

- (i) Four copies of supplier's invoice showing contract number, goods description, quantity, unit price and total amount;
- (ii) Original and four copies of the negotiable clean, on-board Bill of Lading/Airway bill, marked freight prepaid and four copies of non-negotiable Bill of Lading/Airway bill;
- (iii) Four Copies of packing list identifying contents of each package;
- (iv) Manufacturer's/Supplier's warranty certificate;
- (v) Inspection Certificate for the despatched equipment issued by recognized/reputed agency like SGS, Lloyd, BUREAU VERITAS, TUV prior to despatch
- (vi) Manufacturer's own factory inspection report;
- (vii) Certificate of origin
- (viii) Port of Loading;
- (ix) Port of Discharge and
- (x) Expected date of arrival.

15. Warranty:

- The supplier warrants comprehensively that the goods supplied under the contract is new, unused and incorporate all recent improvements in design and materials unless prescribed otherwise by the purchaser in the contract. The supplier further warrants that the goods supplied under the contract shall have no defect arising from design, materials (except when the design adopted and/or the material used are as per the Purchaser's/Consignee's specifications) or workmanship or from any act or omission of the supplier, that may develop under normal use of the supplied goods under the conditions prevailing in India.
- The warranty shall remain valid for 60 months from the date of installation & commissioning with a regular updates of newer technology as and when evolved followed by a CMC for a period of 5 (Five) Years for all the equipment after the goods or any portion thereof as the case may be, have been delivered to the final destination and installed and commissioned at the final destination and accepted by the purchaser/consignee in terms of the contract, unless specified otherwise in the SCC.
- No conditional warranty will be acceptable.
- Warranty as well as Comprehensive Maintenance contract will be inclusive of all accessories and Site Modification work and it will also cover the following wherever applicable:-
 - Any kind of motor.
 - Plastic & Glass Parts against any manufacturing defects.
 - All kind of sensors.
 - All kind of coils, probes and transducers.
 - Printers and imagers including laser and thermal printers with all parts.
 - UPS including the replacement of batteries.
 - Air-conditioners
 - Replacement and repair will be under taken for the defective goods.
 - All kinds of painting, civil, HVAC and electrical work
 - Proper marking has to be made for all spares for identification like printing of installation and repair dates.
- 15.3 In case of any claim arising out of this warranty, the Purchaser/Consignee shall promptly notify the same in writing to the supplier. The period of the warranty will be as per G.C.C clause number 15.2 above irrespective of any other period mentioned elsewhere in the bidding documents.

- 15.4 Upon receipt of such notice, the supplier shall, within 8 hours on a 24(hrs) X 7 (days) X 365 (days) basis respond to take action to repair or replace the defective goods or parts thereof, free of cost, at the ultimate destination. The supplier shall take over the replaced parts/goods after providing their replacements and no claim, whatsoever shall lie on the purchaser for such replaced parts/goods thereafter. The penalty clause for non-rectification will be applicable as per tender conditions
- 15.5 In the event of any rectification of a defect or replacement of any defective goods during the warranty period, the warranty for the rectified/replaced goods shall be extended till the completion of the original warranty period of the main equipment.
- 15.6 If the supplier, having been notified, fails to respond to take action to repair or replace the defect(s) within 8 hours on a 24(hrs) X 7 (days) X 365 (days) basis, the purchaser may proceed to take such remedial action(s) as deemed fit by the purchaser, at the risk and expense of the supplier and without prejudice to other contractual rights and remedies, which the purchaser may have against the supplier.
- 15.7 During Warranty period, the supplier is required to visit at each consignee's site at least once in 6 months commencing from the date of the installation for preventive maintenance of the goods
- 15.8 The Purchaser/Consignee reserve the rights to enter into Annual Comprehensive Maintenance Contract between Consignee and the Supplier for the period as mentioned in Section VII, Technical Specifications after the completion of warranty period.
- 15.9 The supplier along with its Indian Agent and the CMC provider shall ensure continued supply of the spare parts for the machines and equipment supplied by them to the purchaser for 10 years from the date of installation and handing over.
- 15.10 The Supplier along with its Indian Agent and the CMC Provider shall always accord most favoured client status to the Purchaser vis-à-vis its other Clients/Purchasers of its equipment/machines/ goods etc. and shall always give the most competitive price for its machines/equipment supplied to the Purchaser/Consignee.

16. Assignment

16.1 The Supplier shall not assign, either in whole or in part, its contractual duties, responsibilities and obligations to perform the contract, except with the Purchaser's prior written permission.

17. Sub Contracts

- 17.1 The Supplier shall notify the Purchaser in writing of all sub contracts awarded under the contract if not already specified in its tender. Such notification, in its original tender or later, shall not relieve the Supplier from any of its liability or obligation under the terms and conditions of the contract.
- 17.2 Sub contract shall be only for bought out items and sub-assemblies.
- 17.3 Sub contracts shall also comply with the provisions of GCC Clause 4 ("Country of Origin").

18. Modification of Contract

- 18.1 If necessary, the purchaser may, by a written order given to the supplier at any time during the currency of the contract, amend the contract by making alterations and modifications within the general scope of contract in any one or more of the following:
 - a) Specifications, drawings, designs etc. where goods to be supplied under the contract are to be specially manufactured for the purchaser,
 - b) Mode of packing,
 - c) Incidental services to be provided by the supplier
 - d) Mode of despatch,
 - e) Place of delivery, and
 - f) Any other area(s) of the contract, as felt necessary by the purchaser depending on the merits of the case.

In the event of any such modification/alteration causing increase or decrease in the cost of goods and services to be supplied and provided, or in the time required by the supplier to perform any obligation under the contract, an equitable adjustment shall be made in the contract price and/or contract delivery schedule, as the case may be, and the contract amended accordingly. If the supplier doesn't agree to the adjustment made by the Purchaser/Consignee, the supplier shall convey its views to the Purchaser/Consignee within twenty-one days from the date of the supplier's receipt of the Purchaser's/Consignee's amendment / modification of the contract.

19. Prices

19.1 Prices to be charged by the supplier for supply of goods and provision of services in terms of the contract shall not vary from the corresponding prices quoted by the supplier in its tender and incorporated in the contract except for any price adjustment authorised in the SCC.

20. Taxes and Duties

- 20.1 Supplier shall be entirely responsible for all taxes, duties, fees, levies etc. incurred until delivery of the contracted goods to the purchaser.
- 20.2 Further instruction, if any, shall be as provided in the SCC.

21. Terms and mode of payment

21.1 Payment Terms

Payment shall be made subject to recoveries, if any, by way of liquidated damages or any other charges as per terms & conditions of contract in the following manner.

TERMS AND MODE OF PAYMENT

A) Payment for Domestic Goods Or Foreign Origin Located Within India.

Payment shall be made in Indian Rupees as specified in the contract in the following manner:

a) On delivery:

Seventy Five percent (75%) payment of the contract price shall be paid on receipt of goods in good condition and upon the submission of the following documents subject to recovery of LD, if any:

- (i) Four copies of supplier's invoice showing contract number, goods description, quantity, unit price and total amount
- (ii) Two copies of packing list identifying contents of each package
- (iii) Inspection certificate issued by the nominated Inspection agency, if any
- (iv) Insurance Certificate as per GCC Clause 11
- (v) Certificate of origin for imported goods
- (vi) Consignee Receipt Certificate as per Section XVII in original issued by the authorized representative of the consignee

b) On Acceptance:

Balance Twenty Five percent (25%) payment would be made against 'Final Acceptance Certificate' as per Section XVIII of goods to be issued by the consignees subject to recoveries, if any, either on account of non-rectification of defects/deficiencies not attended by the Supplier or otherwise. FAC needs to be issued by the designated consignee after installation, commissioning, testing and one to two weeks of successful trail run of the equipment.

B) Payment For Imported Goods:

Payment for foreign currency portion shall be made in the currency as specified in the contract in the following manner:

a) On Shipment:

Seventy Five percent (75%) of the net CIP price (CIP price less Indian Agency commission) of the goods shipped shall be paid through irrevocable, non-transferable Letter of Credit (LC) opened in favour of the supplier in a bank in his country and upon submission of documents specified hereunder:

- (i) Four copies of supplier's invoice showing contract number, goods description, quantity, unit price and total amount;
- (ii) Original and four copies of the negotiable clean, on-board Bill of Lading/ Airway bill, marked freight pre paid and four copies of non-negotiable Bill of Lading/Airway bill;
- (iii) Four Copies of packing list identifying contents of each package;
- (iv) Insurance Certificate as per GCC Clause 11 and documents also to be submitted for payment of LC confirming that dispatch documents has already been sent to all concerned as per the contract within 24 hours;
- (v) Manufacturer's/Supplier's warranty certificate;
- (vi) Manufacturer's own factory inspection report and
- (vii) Certificate of origin by the chamber of commerce of the concerned country;
- (viii) Inspection Certificate for the dispatched equipment issued by recognized/ reputed agency like SGS, Lloyd, BEAURU VARITUS and TUV prior to despatch.

b) On Acceptance:

Balance payment of Twenty Five percent (25%) of net CIP price of goods would be made against 'Final Acceptance Certificate' as per Section XVIII to be issued by the consignees through irrevocable, non-transferable Letter of Credit (LC) opened in favour of the Foreign Principal in a bank in his country, subject to recoveries, if any. FAC need to be issued by the designated consignee after installation, commissioning, testing and one to two weeks of successful trail run of the equipment.

c) Payment of Incidental Costs till consignee site & Incidental Services (including Installation & Commissioning, Supervision, Demonstration and Training) will be paid in Indian Rupees to the Indian Agent on proof of final installation, commission and acceptance of equipment by the consignee.

d) Payment of Indian Agency Commission:

Indian Agency commission will be paid to the manufacturer's agent in the local currency for an amount in Indian rupees indicated in the relevant Price Schedule (as per prevailing rate of exchange ruling on the date of Contract) and shall not be subject to further escalation / exchange variation. This is payable against submission of a certificate from the principal supplier that they have realised full and final settlement against their supply.

C) Payment of Site Modification Work, if any:

Site Modification Work payment will be made to the bidder/ manufacturer's agent ot its Indian Office in Indian rupees as indicated in the relevant Price Schedule (as per prevailing rate of exchange ruling on the date of Contract) and shall not be subject to further escalation / exchange variation. This will be paid on proof of final installation, commission and acceptance of equipment by the consignee

D) Payment for Annual Comprehensive Maintenance Contract Charges:

The consignee will enter into CMC with the supplier at the rates as stipulated in the contract. The payment of CMC will be made on six monthly basis after satisfactory completion of said period, duly certified by the consignee on receipt of bank guarantee for an amount equivalent to 2.5 % of the cost of the equipment as per contract in the prescribed format given in Section XV valid till 2 months after expiry of entire CMC period.

- 21.2 The supplier shall not claim any interest on payments under the contract.
- 21.3 Where there is a statutory requirement for tax deduction at source, such deduction towards income tax and other tax as applicable will be made from the bills payable to the Supplier at rates as notified from time to time.
- 21.4 Irrevocable & non transferable LC shall be opened by the Purchaser. However, if the supplier requests specifically to open confirmed LC, the extra charges would be borne by the supplier. If LC is required to be extended and/or amended for reasons not attributable to the purchaser/consignee, the charges thereof shall be borne by the supplier.
- 21.5 The payment shall be made in the currency / currencies authorised in the contract.
- 21.6 The supplier shall send its claim for payment in writing, when contractually due, along with relevant documents etc., duly signed with date, to respective consignees.
- 21.7 While claiming payment, the supplier is also to certify in the bill that the payment being claimed is strictly in terms of the contract and all the obligations on the part of the supplier for claiming that payment has been fulfilled as required under the contract.
- While claiming reimbursement of duties, taxes etc. (like custom duty and/or GST or any other taxes) from the Purchaser/Consignee, as and if permitted under the contract, the supplier shall also certify that, in case it gets any refund out of such taxes and duties from the concerned authorities at a later date, it (the supplier) shall refund to the Purchaser/Consignee forthwith.
- 21.9 In case where the supplier is not in a position to submit its bill for the balance payment for want of receipted copies of Inspection Note from the consignee and the consignee has not complained about the non-receipt, shortage, or defects in the supplies made, balance amount will be paid by the paying authority without consignee's receipt certificate after three months from the date of the preceding part payment for the goods in question, subject to the following conditions:
 - (a) The supplier will make good any defect or deficiency that the consignee (s) may report within six months from the date of despatch of goods.
 - (b) Delay in supplies, if any, has been regularized.
 - (c) The contract price where it is subject to variation has been finalized.
 - (d) The supplier furnishes the following undertakings:

"I/We,	certify that I/We have not	t received back	the Inspection No	ote duly receipted by
the consignee or any	communication from the	purchaser or the	consignee about	non-receipt, shortage
or defects in the goo	ods supplied. I/We	agree to make	good any defect	or deficiency that the
consignee may repor	t within three months from	the date of rece	ipt of this balance	e payment.

22. Delivery

- 22.1 The supplier shall deliver the goods and perform the services under the contract within the time schedule specified by the Purchaser/Consignee in the List of Requirements and as incorporated in the contract. The time for and the date of delivery of the goods stipulated in the schedule shall be deemed to be of the essence of the contract and the delivery must be completed not later than the date (s) as specified in the contract.
- 22.2 Subject to the provision under GCC clause 26, any unexcused delay by the supplier in maintaining its contractual obligations towards delivery of goods and performance of services shall render the supplier liable to any or all of the following sanctions:

- (i) imposition of liquidated damages,
- (ii) forfeiture of its performance security and
- (iii) termination of the contract for default.
- 22.3 If at any time during the currency of the contract, the supplier encounters conditions hindering timely delivery of the goods and performance of services, the supplier shall promptly inform the Purchaser/Consignee in writing about the same and its likely duration and make a request to the Purchaser/Consignee for extension of the delivery schedule accordingly. On receiving the supplier's communication, the Purchaser/Consignee shall examine the situation as soon as possible and, at its discretion, may agree to extend the delivery schedule, with or without liquidated damages for completion of supplier's contractual obligations by issuing an amendment to the contract.
- 22.4 When the period of delivery is extended due to unexcused delay by the supplier, the amendment letter extending the delivery period shall, interalia contain the following conditions:
 - (a) The Purchaser/Consignee shall recover from the supplier, under the provisions of the clause 23 of the General Conditions of Contract, liquidated damages on the goods and services, which the Supplier has failed to deliver within the delivery period stipulated in the contract.
 - (b) That no increase in price on account of any ground, whatsoever, including any stipulation in the contract for increase in price on any other ground and, also including statutory increase in or fresh imposition of customs duty and/or GST or on account of any other tax or duty which may be levied in respect of the goods and services specified in the contract, which takes place after the date of delivery stipulated in the contract shall be admissible on such of the said goods and services as are delivered and performed after the date of the delivery stipulated in the contract.
 - (c) But nevertheless, the Purchaser/Consignee shall be entitled to the benefit of any decrease in price on account of reduction in or remission of customs duty and/or GST or any other duty or tax or levy or on account of any other grounds, which takes place after the expiry of the date of delivery stipulated in the contract.
- 22.5 The supplier shall not dispatch the goods after expiry of the delivery period. The supplier is required to apply to the Purchaser/Consignee for extension of delivery period and obtain the same before despatch. In case the supplier dispatches the goods without obtaining an extension, it would be doing so at its own risk and no claim for payment for such supply and / or any other expense related to such supply shall lie against the purchaser.
- 22.6.1 Passing of Property:
- 22.6.2 The property in the goods shall not pass to the purchaser unless and until the goods have been delivered to the consignee in accordance with the conditions of the contract.
- 22.6.3 Where there is a contract for sale of specific goods and the supplier is bound to do something to the goods for the purpose of putting them into a deliverable state the property does not pass until such thing is done.
- 22.6.4 Unless otherwise agreed, the goods remain at the supplier's risk until the property therein is transferred to the purchaser.

23. Liquidated damages

23.1 Subject to GCC clause 26, if the supplier fails to deliver or install /commission any or all of the goods or fails to perform the services within the time frame(s) incorporated in the contract including opening of office in India as per the undertaking given in the qualification criteria, the Purchaser/Consignee shall, without prejudice to other rights and remedies available to the Purchaser/Consignee under the contract, deduct from the contract price, as liquidated

damages, a sum equivalent to 0.5% per week of delay or part thereof on delayed supply of goods, installation, commissioning and/or services until actual delivery or performance subject to a maximum of 10% of the contract price. Once the maximum is reached Purchaser/Consignee may consider termination of the contract as per GCC 24. Since the Liquidated damages are in virtue of non-performance of services, it will attract GST or any other applicable taxes which in turn shall be deducted from the bidder.

During the above-mentioned delayed period of supply and / or performance, the conditions incorporated under GCC sub-clause 22.4 above shall also apply.

24. Termination for default

- 24.1 The Purchaser/Consignee, without prejudice to any other contractual rights and remedies available to it (the Purchaser/Consignee), may, by written notice of default sent to the supplier, terminate the contract in whole or in part, if the supplier fails to deliver any or all of the goods or fails to perform any other contractual obligation(s) within the time period specified in the contract, or within any extension thereof granted by the Purchaser/Consignee pursuant to GCC sub-clauses 22.3 and 22.4.
- 24.2 In the event of the Purchaser/Consignee terminates the contract in whole or in part, pursuant to GCC sub-clause 24.1 above, the Purchaser/Consignee may procure goods and/or services similar to those cancelled, with such terms and conditions and in such manner as it deems fit and the supplier shall be liable to the Purchaser/Consignee for the extra expenditure, if any, incurred by the Purchaser/Consignee for arranging such procurement.
- 24.3 Unless otherwise instructed by the Purchaser/Consignee, the supplier shall continue to perform the contract to the extent not terminated.

25. Termination for insolvency

25.1 If the supplier becomes bankrupt or otherwise insolvent, the purchaser reserves the right to terminate the contract at any time, by serving written notice to the supplier without any compensation, whatsoever, to the supplier, subject to further condition that such termination will not prejudice or affect the rights and remedies which have accrued and / or will accrue thereafter to the Purchaser/Consignee.

26. Force Majeure

- 26.1 Notwithstanding the provisions contained in GCC clauses 22, 23 and 24, the supplier shall not be liable for imposition of any such sanction so long the delay and/or failure of the supplier in fulfilling its obligations under the contract is the result of an event of Force Maieure.
- 26.2 For purposes of this clause, Force Majeure means an event beyond the control of the supplier and not involving the supplier's fault or negligence and which is not foreseeable and not brought about at the instance of , the party claiming to be affected by such event and which has caused the non performance or delay in performance. Such events may include, but are not restricted to, wars or revolutions, hostility, acts of public enemy, civil commotion, sabotage, fires, floods, explosions, epidemics, quarantine restrictions, strikes excluding by its employees, lockouts excluding by its management, and freight embargoes.
- 26.3 If a Force Majeure situation arises, the supplier shall promptly notify the Purchaser/Consignee in writing of such conditions and the cause thereof within twenty one days of occurrence of such event. Unless otherwise directed by the Purchaser/Consignee in writing, the supplier shall continue to perform its obligations under the contract as far as reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.
- 26.4 If the performance in whole or in part or any obligation under this contract is prevented or delayed by any reason of Force Majeure for a period exceeding sixty days, either party may at its option terminate the contract without any financial repercussion on either side.

26.5 In case due to a Force Majeure event the Purchaser/Consignee is unable to fulfil its contractual commitment and responsibility, the Purchaser/Consignee will notify the supplier accordingly and subsequent actions taken on similar lines described in above sub-paragraphs.

27. Termination for convenience

- 27.1 The Purchaser/Consignee reserves the right to terminate the contract, in whole or in part for its (Purchaser's/Consignee 's) convenience, by serving written notice on the supplier at any time during the currency of the contract. The notice shall specify that the termination is for the convenience of the Purchaser/Consignee. The notice shall also indicate interalia, the extent to which the supplier's performance under the contract is terminated, and the date with effect from which such termination will become effective.
- 27.2 The goods and services which are complete and ready in terms of the contract for delivery and performance within thirty days after the supplier's receipt of the notice of termination shall be accepted by the Purchaser/Consignee following the contract terms, conditions and prices. For the remaining goods and services, the Purchaser/Consignee may decide:
 - a) To get any portion of the balance completed and delivered at the contract terms, conditions and prices; and / or
 - b) To cancel the remaining portion of the goods and services and compensate the supplier by paying an agreed amount for the cost incurred by the supplier towards the remaining portion of the goods and services.

28. Governing language

28.1 The contract shall be written in English language following the provision as contained in GIT clause 4. All correspondence and other documents pertaining to the contract, which the parties exchange, shall also be written accordingly in that language.

29. Notices

- 29.1 Notice, if any, relating to the contract given by one party to the other, shall be sent in writing by speed post/ Regd. Post or by email. The procedure will also provide the sender of the notice, the proof of receipt of the notice by the receiver. The addresses of the parties for exchanging such notices will be the addresses as incorporated in the contract.
- 29.2 The effective date of a notice shall be either the date when delivered to the recipient or the effective date specifically mentioned in the notice, whichever is later.

30. Resolution of disputes

- 30.1 If dispute or difference of any kind shall arise between the Purchaser/Consignee and the supplier in connection with or relating to the contract, the parties shall make every effort to resolve the same amicably by mutual consultations.
- 30.2 If the parties fail to resolve their dispute or difference by such mutual consultation within twenty-one days of its occurrence, then, unless otherwise provided in the SCC, either the Purchaser/Consignee or the supplier may give notice to the other party of its intention to commence arbitration, as hereinafter provided the applicable arbitration procedure will be as per the Arbitration and Conciliation Act, 1996 of India or amendments thereof. In the case of a dispute or difference arising between the Purchaser/Consignee and a domestic Supplier relating to any matter arising out of or connected with the contract, such dispute or difference shall be referred to the sole arbitrator appointed by CEO (HITES). The award of the arbitrator shall be final and binding on the parties to the contract subject to the provision that the

- Arbitrator shall give reasoned award in case the value of claim in reference exceeds Rupees One lakhs (Rs. 1,00,000/-)
- 30.3 Venue of Arbitration: The venue of arbitration shall be the place from where the contract has been issued, i.e., New Delhi/NCR, India.
- 30.4 Jurisdiction of the court will be from the place where the tender enquiry document has been issued, i.e., New Delhi, India

31. Applicable Law

The contract shall be governed by and interpreted in accordance with the laws of India for the time being in force.

32 Withholding and Lien in respect of sums claimed

Whenever any claim for payment arises under the contract against the supplier the purchaser shall be entitled to withhold and also have a lien to retain such sum from the security deposit or sum of money arising out of under any other contract made by the supplier with the purchaser, pending finalization or adjudication of any such claim. It is an agreed term of the contract that the sum of money so withheld or retained under the lien referred to above, by the purchaser, will be kept withheld or retained till the claim arising about of or under the contract is determined by the Arbitrator or by the competent court as the case may be, and the supplier will have no claim for interest or damages whatsoever on any account in respect of such withholding or retention.

33. General/Miscellaneous Clauses

- 33.1 Nothing contained in this Contract shall be constructed as establishing or creating between the parties, i.e. the Supplier/its Indian Agent/CMC Provider on the one side and the Purchaser on the other side, a relationship of master and servant or principal and agent.
- Any failure on the part of any Party to exercise right or power under this Contract shall not operate as waiver thereof.
- 33.3 The Supplier shall notify the Purchaser/Consignee /the Government of India of any material change would impact on performance of its obligations under this Contract.
- 33.4 Each member/constituent of the Supplier/its Indian Agent/CMC Provider, in case of consortium shall be **jointly and severally liable** to and responsible for all obligations towards the Purchaser/Consignee/Government for performance of contract/services including that of its Associates/Sub Contractors under the Contract.
- 33.5 The Supplier/its Indian Agent/CMC Provider shall at all times, indemnify and keep indemnified the Purchaser/Government of India against all claims/damages etc. for any infringement of any Intellectual Property Rights (IPR) while providing its services under CMC or the Contract.
- 33.6 The Supplier/its Agent/CMC Provider shall, at all times, indemnify and keep indemnified the Purchaser/Consignee/Government of India against any claims in respect of any damages or compensation payable in consequences of any accident or injury sustained or suffered by its employees or agents or by any other third party resulting from or by any action, omission or operation conducted by or on behalf of the supplier/its associate/affiliate etc.
- 33.7 All claims regarding indemnity shall survive the termination or expiry of the contract.
- 33.8 If any provisions of this tender enquiry or a contact formed on the basis of this tender enquiry are invalid or void under any of the existing provisions of Indian law, then such provisions will not affect other provisions of this tender enquiry/contract.

SECTION - V

SPECIAL CONDITIONS OF CONTRACT (SCC)

The following Special Conditions of Contract (SCC) will apply for this purchase. The corresponding clauses of General Conditions of Contract (GCC) relating to the SCC stipulations have also been incorporated below.

These Special Conditions will modify/ substitute/ supplement the corresponding (GCC) clauses. Whenever there is any conflict between the provision in the GCC and that in the SCC, the provision contained in the SCC shall prevail.

The warranty and CMC period will be as mentioned in the list of requirement as per section VI of the tender enquiry.

SECTION - VI

LIST OF REQUIREMENTS

Part I

Sl. No.	Event Number (Rfx)	Item Name	Qty.	Warran ty in years	CMC in years
1	3000002896	OT Table Electro Hydraulic	27	5	5
2	3000002897	LED Head Light	3	5	5
3	3000002898	Microvascular/Aneurism Surgery Instruments Set	7	5	5
4	3000002899	Cranial Surgery Set	16	5	5
5	3000002900	General Neurosurgery Instrument Set	37	5	5
6	3000002901	Pneumatic Drill System	4	5	5
7	3000002902	ICP Monitor	38	5	5
8	3000002903	Spine Surgery Set	15	5	5
9	3000002904	Basic Neuro Navigation System	6	5	5
10	3000002905	Stereotactic Frame & Instruments	4	5	5
11	3000002906	Universal Oximetry Monitor	12	5	5
12	3000002907	Endonasal Skullbase Endoscope with Instruments	12	5	5
13	3000002908	Transventricular Endoscope and instruments	12	5	5
14	3000002909	Endoscope HD camera System with Accessories	12	5	5
15	3000002910	Intraoperative ultrasound	1	5	5
16	3000002911	Mobile C-Arm Image Intensified With DSA	32	5	5
17	3000002912	Basic Microsurgical Instruments	9	5	5
18	3000002913	Intra-Operative Facial Nerve Monitoring System	1	5	5

Part II: Required Delivery Schedule:

a) For Indigenous goods or for imported goods if supplied from India:

75 days from date of Notification of Award to delivery at consignee site or 30 days from the date of site handover, whichever is later. The date of delivery will be the date of delivery at consignee site. Tenderers may quote earliest delivery period.

Installation and commissioning shall be done within 45 days of receipt of the stores/ goods at site.

b) For Imported goods directly from foreign:

90 days from the date of opening of L/C to deliver at port of destination or 30 days from handing over the site, whichever is later. The date of delivery will be the date on which the consignment reaches the Port of Destination. (Tenderers may quote the earliest delivery period).

Installation and commissioning shall be done within 45 days of receipt of the stores/ goods at site.

If the delivery gets delayed due to site related issues, the supplier must get the revised tentative delivery date duly vetted by the consignee.

(The supplier has to ensure the site readiness from the Director/MS of respective consignee/Executing agency before dispatching the equipment. Any delay attributable to site readiness of individual institutes shall be communicated to M/s. HLL Infra Tech Services Limited in writing, for extension of delivery period, with proof from respective Institutes).

Layout drawing for approval, valid Performance Security and Proforma Invoice (in case of LC opening) are to be submitted within 30 days from the date of release of NOA.

Site Readiness means that the site is ready in all aspects for successful delivery, installation and commissioning.

Note:

- i) Supplier has to submit clear documents for opening of LC to HITES within 30 days of placement of order. Any delay will be treated as non-performance and Liquidated Damages shall be levied.
- ii) In case of multiple LC are opened in favour of multiple manufacturers, the delivery period for all the items under the contract shall be counted from the date of opening of the first LC only.
- iii) Indigenous goods or imported goods if supplied from India (offered in INR) which are linked with supply of directly imported goods, are to be supplied within the contractual delivery period as stated in para b) above.
- iv) Since the supplier is not responsible for custom clearing and forwarding the goods to consignee site, the time taken for the same shall not be counted for computation of LD. However, time taken by the supplier to rectify the short comings of any document for custom clearing the goods to be counted in the above delivery period.

For delayed delivery and/ or installation and commissioning liquidated damages will get applied as per GCC clause 23.

Part III: Scope of Incidental Services:

Installation & Commissioning, Supervision, Demonstration, Trial run and Training etc. as specified in GCC Clause 13

Part IV: Site Modification Work (if any) as per details in Technical Specification.

Part V: Warranty period as per details in general technical specification and as specified in Part I above. Warranty period will be 60 months from the date of installation, commissioning and acceptance.

Comprehensive Maintenance Contract (CMC) as per details in Technical Specification as specified in part I above

Part VI:

Required Terms of Delivery and Destination:

a) For Indigenous goods or for imported goods if supplied from India:

At Consignee Site(s)

b) For Imported goods directly from abroad:

The foreign tenderers are required to quote their rates on CIP Named Port of Destination Basis giving breakup of the price as per the Proforma prescribed in the Price Schedule. Purchaser will place the order on CIP Named Port of Destination basis.

Insurance (local transportation and storage) would be extended and borne by the Supplier or its Indian Subsidiary/Agent from ware house to the consignee site for a period including 3 months beyond date of delivery.

Destination/Consignee details:

A list of Consignee is given in Section XXI. The goods mentioned at Part-I in this section are intended to be supplied to the following hospitals/medical institutes. However, order may be placed for any hospital/institute across India.

<u>SECTION – VII</u> <u>TECHNICAL SPECIFICATIONS</u>

<u>Item 01</u> OT Table Electro Hydraulic

Sl. No.	Technical Specification
	Multipurpose electro hydraulic with manual override mobile Table with divided leg section suitable for all major surgical procedures (surgery, OBG, Neuro, Ortho and Endoscopy), complete with 5cm mattress and corded handset
A	General operating table features:
1	Full-length radio-translucent top.
2	4 or 5 sections tabletop, which should be made of a special scratch resistant,
	hardwearing and easy to clean material. Base column cover to be made of 100%
	stainless steel alloy and stainless steel.
3	Removable head and leg sections to suit different applications.
4	100% Kidney Break position should be obtained without moving the patient,
	through remote Control by using extension/break function.
5	Battery powered, with facility for connection to mains electricity for immediate use.
	Battery Exhaustion protection and low battery warning via an audible "beep"/display
(indicator should be available.
7	Table should not have a thread/sharp edge for ensuring proper cleaning and user safety.
'	Mattress should be of high quality that spans tabletop break for improved patient support. Its depth should be 50mm. Mattress must be Latex free.
8	The robust handset should offer controls for Trend. /Reverse Trend, Lateral
0	Tilt,Flexion/ Extension, horizontal sliding and Height functions. One button auto
	levelling should be avaiable
9	Brakes, 4nos Wheels
10	Table should have a narrow T-shaped base allowing optimum access and greater
	stability.
11	Table should have offset slim-line column, with S.S. Inverted telescopic covers, for
	superior imaging and access.
12	It should have a stable construction with 4nos Wheels of the base with large twin-disk
	castors for easy motion and manoeuvring (base braking by locking the twin-disk
	castors at the head end via a central foot pedal/ Hand control)
13	The table top should not be fitted with transverse members casting shadows on the X-
4.4	ray images except for the release brackets for adjustment on either side.
14	The Table should be operated by the following operating elements: corded hand
	control, Manual override panel with manual override facility or electrical override panel should be available in case of power failure.
В	Electrical specification:
1	Special-design, maintenance-free rechargeable batteries with capacity for about a
1	week's or more than 50 positions use in the operating room.
2	Recharging of the batteries and supply of the operating table by means of a mains cord
3	Nominal mains voltage (selectable) 220/230-240V AC via mains cord with inbuilt
	stabilizer
С	Technical Data:
1	Length: min 1850 mm
2	Width: min 450 mm
3	Minimum height (without mattress): 410 mm -550mm
4	Maximum height (without mattress): Minimum of 1000 mm or more

Sl. No.	Technical Specification		
5	Maximum lateral tilt: 18deg. (either side)		
6	Trendelenburg: atleast 25deg		
7	Reverse Trendelenburg: atleast 25deg		
8	Head section adjustment : -90 deg to + 45 deg		
9	Leg section adjustment: +10 deg; to -90 deg		
10	Break (extension) position: 200-220 deg		
11	Break (flexion) position: upto 130 deg		
12	Horizontal sliding: 200 mm or more		
13	Back section adjustment: -30 deg to +80 deg		
14	Maximum patient weight: 250 kg or more		
D	Accessories		
1	Arm board - 2		
2	Body strap- 3		
3	Anesthesia screen with clamps- 2		
4	Side supports with clamps – 2		
5	Clamp, rotary- 4 pc		
6	Clamp, circular - 4 pc		
7	Accessories stand, mobile on castors- 1 pc		
8	Arm support, perplex -2 pc		
9	Clamp for locking X Ray cassette -1		
10	Accessories for operating in prone (including a radioluscent Wilson fra	ame), sitti	ing &
	lateral position		
11	3 pin skull clamp with silicone or equivalent horse shoes for adult & p	ediatric si	izes.
	Adult & Pediatric pins (2 nos each)		
12	Head attachment for sitting position 1set		
13	Accessories stand (Arm stand) 1 set		
E	The table should be US-FDA or European CE BIS approved for the qu		
F	For Electrical IEC 60101-1, medical/electrical equipment for safety, II		-2-46
	for safety of OT tables and IEC 60601-1-2 for Electromagnetic compa	tibility	
Sl	BOQ	Qty	UOM
No		QtJ	
1	OT Table as specified	1	Nos
2	Arm board - 2	2	Nos
3	Body strap- 3	3	Nos
4	Anesthesia screen with clamps- 2	2	Nos
5	Side supports with clamps – 2	2	Nos
6	Clamp, rotary- 4 pc	4	Nos
7	Clamp, circular - 4 pc	4	Nos
8	Accessories stand, mobile on castors- 1 pc	1	Nos
9	Arm support, perplex -2 pc	2	Nos
10	Clamp for locking X Ray cassette -1	1	Nos
11	Accessories for operating in prone (including a radioluscent Wilson frame)	1	Set
12	3 pin skull clamp with silicone or equivalent horse shoes for adult &	1	Set
	pediatric sizes. Adult & Pediatric pins (6 nos each)	1	each
13	Head attachment for sitting position 1set	1	set
14	Accessories stand (Arm stand) 1 set	1	Nos

<u>Item 02</u> <u>LED Head Light</u>

Sl. No.	Technical Specification
1	Integrated battery/battery light source that allows more freedom of movement.
2	No separate light source required
3	No separate light cable required
4	No mains supply required
5	Low energy consumption
6	No need to change the lamp (At least 50,000 hours of service life)
7	Available with rechargeable battery option
8	White light of 60,000 lux intensity. Color temperature should be less than 6000K.
9	Brightness and spot size should be adjustable
10	Battery should run atleast 4 hrs. or more.
11	Luminosity adjustable from 10 to 100 mm at a working distance of 40 cm
12	Soft flexible headband
13	Ergonomic fit
14	Easy vertical and horizontal adjustment to the shape of head
15	Extension cable for attaching the rechargable battery and batery box to the clothing
16	All accessories should be from the same manufacturer and should be European CE/US FDA/BIS approved for the quoted model

<u>Item 03</u> <u>Microvascular/Aneurism Surgery Instruments Set</u>

Sl. No.	Technical Specification
1	All instruments should be corrosion resistant, autoclavable
2	All the firms are required to submit their catalogue along with tender / quotation clearly marking the quoted item and no. with a highlighter.
3	The bidder should quote all instruments.
4	All instruments should be European CE or US FDA or BIS approved
	Description (1 no each)
1	SCALPEL HANDLE, NO. 7,160-170mm
2	DISSECTING SCISSOR, DE BAKEY, 170-180MM, CURVED
3	DISSECTING SCISSORS, METZENBAUM, Sharp tip, 140-150mm, curved
4	SCHMIEDEN-TAYLOR DURA SCISSORS, 150-160MM
5	DANDY ARTERYFORCEPS, CURVED, SIDEWAYS, 140-150MM
6	TOWEL CLIPS 140-150MM
7	GIGLI HANDLE FOR WIRE SAWS
8	DE MARTEL CONDUCTOR, FLEXIBLE, 350MM
9	RANEY'S CLIP APPLYING AND REMOVING FORCEPS
	COATED BRAIN SPATULA, MALLEABLE, CONICALLY TAPERED, SMOOTH
10	SUFACE 200 MM,
10	8X4MM
	13X6MM
11	BRACE HANDLE HUSDSON-DOWNS

Sl. No.	Technical Specification
	EXTENSION PIECE HUDSON DOWNS
	PERFORATOR HUDSON DOWNS 12MM
	BURR HUDSON DOWNS 13MM
12	PENFIELD DISSECTORS 190-200MM, ALL 4 SHAPES
13	CASPER MICRODISSECTOR, 200-210MM, 1MM TIP
14	BALL POINT DISSECTOR, MALLEABLE 180-190MM,1MM TIP
15	MICROHOOK, BLUNT,200-210MM
16	YASARGIL SPRING HOOK FOR GALEA FIXATION WITH BULL DOG CLAMP
17	WATSON-CHEYNE PERIOSTEAL ELEVATOR 180-190MM
18	FLAT HANDLE PERIOSTEAL ELEVATOR, KRAMER, 180-190MM, 10MM WIDTH
19	WILLIGER BONE FLAP ELEVATOR 160-170 MM, 6MM
20	VENTRICLE PUNCTURE CANNULA 100 MM JAFFERSON'S (COPPER)
21	HEGAR MAYO NEEDLE HOLDER-180-190MM ,0.5MM TIP
	DELICATE NEEDLE HOLDER, DEBAKEY160-170MM
22	0.2MM TIP
	0.4MM TIP
	MICRO NEEDLE HOLDER, WITHOUT RATCHET, STRAIGHT
23	120-130MM
23	140-150MM
	170-180MM
24	DURA HOOK-130-140MM(CAIRNS)
25	BONE RONGEURS LEUR 170-180 MM STRAIGHT
26	BONE RONGEURS OLIVECRONA 200-210MM
27	BONE RONGEURS LEMPERT 150-160 MM STRAIGHT
28	JAFFERSON SELF RETAINING RETRACTOR 140 -150MM, CURVED, BLUNT
29	WEITLANER SELF RETINING RETRACTOR 130-140 MM,SEMI SHARP
30	WEITLANER SELF RETINING RETRACTOR 190- Yes 200 MM,BLUNT
31	TRAVERS SELF RETINING RETRACTOR 200-210 MM,BLUNT
	MICRO BAYONET FORCEPS, FINE TIP
32	180-190MM
	200-210MM
	MICRO BAYONET FORCEPS, BLUNT TIP
33	180-190MM
	200-210MM
34	BAYONET FORCEPS DEBAKEY TIP 200-210 MM
35	PLAIN STRAIGHT FORCEPS DISSECTING-140-150 MM
	MICRO SUTURE TYING FORCEPS, STRAIGHT,120-130MM
36	0.2MM TIP
	0.3MM TIP
	MICRO SUTURE TYING FORCEPS, STRAIGHT,140-150MM
37	0.2MM TIP
	0.3MM TIP
38	MICRO DISSECTING FORCEPS, 150-160MM
39	TOOTH TISSUE FORCEPS – 140-150MM
40	DURAL TOOTH FORCEPS, DELICATE, MICRO- ADSON, 140-150MM
	FERGUSSON SUCTION CANULAE WITH STYLET, WITH THUMB REST,180-
41	190MM
	1.5MM, 2MM, 2.5MM,3MM, 4MM.
42	WULLSTEIN TWINPIECE MICROSUCTION CONSISTING OF:
74	SUCTION CANULAE

SUCTION TIPS 0.4MM, 0.6MM, 0.8MM TUMOUR FORCEPS, BAYONET SHAPED 3MM RING, 200-210MM SERRATED SPOON SHAPED TUMOUR FORCEPS, BAYONET SHAPED 5MM RING, 200-210MM SERRATED SPOON SHAPED MICRO SCISSORS, BAYONET SHAPED, STRAIGHT 180-190MM 200-210MM 220-230MM YASARGIL ANUERYSM CLIP APPLICATOR, "BAYONET-SHAPED", WITHOUT HINGE 210-220MM FOR STANDARD CLIPS FOR MINI CLIPS YASARGIL ANUERYSM CLIP REMOVER, "BAYONET-SHAPED", WITHOUT HINGE 210-220MM FOR STANDARD CLIPS FOR MINI CLIPS YASARGIL TITANIUM/PHYNOX MINI CLIPS, TEMPORARY STRAIGHT 5MM STRAIGHT 7MM	Sl. No.	Technical Specification
TUMOUR FORCEPS, BAYONET SHAPED 3MM RING, 200-210MM SERRATED SPOON SHAPED TUMOUR FORCEPS, BAYONET SHAPED 5MM RING, 200-210MM SERRATED SPOON SHAPED MICRO SCISSORS, BAYONET SHAPED, STRAIGHT 180-190MM 200-210MM 220-230MM YASARGIL ANUERYSM CLIP APPLICATOR, "BAYONET-SHAPED", WITHOUT HINGE 210-220MM FOR STANDARD CLIPS FOR MINI CLIPS YASARGIL ANUERYSM CLIP REMOVER, "BAYONET-SHAPED", WITHOUT HINGE 210-220MM FOR STANDARD CLIPS FOR MINI CLIPS YASARGIL TITANIUM/PHYNOX MINI CLIPS, TEMPORARY STRAIGHT 5MM STRAIGHT 5MM STRAIGHT 7MM	1100	SUCTION TIPS 0.4MM, 0.6MM, 0.8MM
43 SERRATED SPOON SHAPED TUMOUR FORCEPS, BAYONET SHAPED 5MM RING, 200-210MM 44 SERRATED SPOON SHAPED MICRO SCISSORS, BAYONET SHAPED, STRAIGHT 180-190MM 200-210MM 220-230MM YASARGIL ANUERYSM CLIP APPLICATOR ,"BAYONET-SHAPED", WITHOUT HINGE 210-220MM FOR STANDARD CLIPS FOR MINI CLIPS YASARGIL ANUERYSM CLIP REMOVER ,"BAYONET-SHAPED", WITHOUT HINGE 210-220MM FOR STANDARD CLIPS FOR MINI CLIPS YASARGIL TITANIUM/PHYNOX MINI CLIPS, TEMPORARY STRAIGHT 5MM STRAIGHT 5MM STRAIGHT 7MM		
SPOON SHAPED TUMOUR FORCEPS, BAYONET SHAPED 5MM RING, 200-210MM SERRATED SPOON SHAPED MICRO SCISSORS, BAYONET SHAPED, STRAIGHT 180-190MM 200-210MM 220-230MM YASARGIL ANUERYSM CLIP APPLICATOR, "BAYONET-SHAPED", WITHOUT HINGE 210-220MM FOR STANDARD CLIPS FOR MINI CLIPS YASARGIL ANUERYSM CLIP REMOVER, "BAYONET-SHAPED", WITHOUT HINGE 210-220MM FOR STANDARD CLIPS FOR MINI CLIPS YASARGIL TITANIUM/PHYNOX MINI CLIPS, TEMPORARY STRAIGHT 5MM STRAIGHT 7MM	43	
TUMOUR FORCEPS, BAYONET SHAPED 5MM RING, 200-210MM SERRATED SPOON SHAPED MICRO SCISSORS, BAYONET SHAPED, STRAIGHT 180-190MM 200-210MM 220-230MM YASARGIL ANUERYSM CLIP APPLICATOR, "BAYONET-SHAPED", WITHOUT HINGE 210-220MM FOR STANDARD CLIPS FOR MINI CLIPS YASARGIL ANUERYSM CLIP REMOVER, "BAYONET-SHAPED", WITHOUT HINGE 210-220MM FOR STANDARD CLIPS FOR MINI CLIPS YASARGIL TITANIUM/PHYNOX MINI CLIPS, TEMPORARY STRAIGHT 5MM STRAIGHT 7MM		· · ·
44 SERRATED SPOON SHAPED MICRO SCISSORS, BAYONET SHAPED, STRAIGHT 180-190MM 200-210MM 220-230MM YASARGIL ANUERYSM CLIP APPLICATOR, "BAYONET-SHAPED", WITHOUT HINGE 210-220MM FOR STANDARD CLIPS FOR MINI CLIPS YASARGIL ANUERYSM CLIP REMOVER, "BAYONET-SHAPED", WITHOUT HINGE 210-220MM FOR STANDARD CLIPS FOR MINI CLIPS FOR MINI CLIPS YASARGIL TITANIUM/PHYNOX MINI CLIPS, TEMPORARY STRAIGHT 5MM STRAIGHT 7MM		
SPOON SHAPED MICRO SCISSORS, BAYONET SHAPED, STRAIGHT 180-190MM 200-210MM 220-230MM YASARGIL ANUERYSM CLIP APPLICATOR, "BAYONET-SHAPED", WITHOUT HINGE 210-220MM FOR STANDARD CLIPS FOR MINI CLIPS YASARGIL ANUERYSM CLIP REMOVER, "BAYONET-SHAPED", WITHOUT HINGE 210-220MM FOR STANDARD CLIPS FOR MINI CLIPS YASARGIL TITANIUM/PHYNOX MINI CLIPS, TEMPORARY STRAIGHT 5MM STRAIGHT 7MM	44	,
MICRO SCISSORS, BAYONET SHAPED, STRAIGHT 180-190MM 200-210MM 220-230MM YASARGIL ANUERYSM CLIP APPLICATOR, "BAYONET-SHAPED", WITHOUT HINGE 210-220MM FOR STANDARD CLIPS FOR MINI CLIPS YASARGIL ANUERYSM CLIP REMOVER, "BAYONET-SHAPED", WITHOUT HINGE 210-220MM FOR STANDARD CLIPS FOR MINI CLIPS YASARGIL TITANIUM/PHYNOX MINI CLIPS, TEMPORARY STRAIGHT 5MM STRAIGHT 7MM		
180-190MM 200-210MM 220-230MM YASARGIL ANUERYSM CLIP APPLICATOR ,"BAYONET-SHAPED", WITHOUT HINGE 210-220MM FOR STANDARD CLIPS FOR MINI CLIPS YASARGIL ANUERYSM CLIP REMOVER ,"BAYONET-SHAPED", WITHOUT HINGE 210-220MM FOR STANDARD CLIPS FOR MINI CLIPS FOR MINI CLIPS YASARGIL TITANIUM/PHYNOX MINI CLIPS, TEMPORARY STRAIGHT 5MM STRAIGHT 7MM		
45 200-210MM 220-230MM YASARGIL ANUERYSM CLIP APPLICATOR, "BAYONET-SHAPED", WITHOUT HINGE 210-220MM FOR STANDARD CLIPS FOR MINI CLIPS YASARGIL ANUERYSM CLIP REMOVER, "BAYONET-SHAPED", WITHOUT HINGE 210-220MM FOR STANDARD CLIPS FOR MINI CLIPS YASARGIL TITANIUM/PHYNOX MINI CLIPS, TEMPORARY STRAIGHT 5MM STRAIGHT 7MM		
220-230MM YASARGIL ANUERYSM CLIP APPLICATOR, "BAYONET-SHAPED", WITHOUT HINGE 210-220MM FOR STANDARD CLIPS FOR MINI CLIPS YASARGIL ANUERYSM CLIP REMOVER, "BAYONET-SHAPED", WITHOUT HINGE 210-220MM FOR STANDARD CLIPS FOR MINI CLIPS YASARGIL TITANIUM/PHYNOX MINI CLIPS, TEMPORARY STRAIGHT 5MM STRAIGHT 7MM	45	
YASARGIL ANUERYSM CLIP APPLICATOR, "BAYONET-SHAPED", WITHOUT HINGE 210-220MM FOR STANDARD CLIPS FOR MINI CLIPS YASARGIL ANUERYSM CLIP REMOVER, "BAYONET-SHAPED", WITHOUT HINGE 210-220MM FOR STANDARD CLIPS FOR MINI CLIPS YASARGIL TITANIUM/PHYNOX MINI CLIPS, TEMPORARY STRAIGHT 5MM STRAIGHT 7MM		
HINGE 210-220MM FOR STANDARD CLIPS FOR MINI CLIPS YASARGIL ANUERYSM CLIP REMOVER ,"BAYONET-SHAPED", WITHOUT HINGE 210-220MM FOR STANDARD CLIPS FOR MINI CLIPS YASARGIL TITANIUM/PHYNOX MINI CLIPS, TEMPORARY STRAIGHT 5MM STRAIGHT 7MM		
HINGE 210-220MM FOR STANDARD CLIPS FOR MINI CLIPS YASARGIL ANUERYSM CLIP REMOVER ,"BAYONET-SHAPED", WITHOUT HINGE 210-220MM FOR STANDARD CLIPS FOR MINI CLIPS YASARGIL TITANIUM/PHYNOX MINI CLIPS, TEMPORARY STRAIGHT 5MM STRAIGHT 7MM		YASARGIL ANUERYSM CLIP APPLICATOR ,"BAYONET-SHAPED", WITHOUT
FOR MINI CLIPS YASARGIL ANUERYSM CLIP REMOVER, "BAYONET-SHAPED", WITHOUT HINGE 210-220MM FOR STANDARD CLIPS FOR MINI CLIPS YASARGIL TITANIUM/PHYNOX MINI CLIPS, TEMPORARY STRAIGHT 5MM STRAIGHT 7MM		, , ,
YASARGIL ANUERYSM CLIP REMOVER , "BAYONET-SHAPED", WITHOUT HINGE 210-220MM FOR STANDARD CLIPS FOR MINI CLIPS YASARGIL TITANIUM/PHYNOX MINI CLIPS, TEMPORARY STRAIGHT 5MM STRAIGHT 7MM	46	FOR STANDARD CLIPS
47 HINGE 210-220MM FOR STANDARD CLIPS FOR MINI CLIPS YASARGIL TITANIUM/PHYNOX MINI CLIPS, TEMPORARY STRAIGHT 5MM STRAIGHT 7MM		FOR MINI CLIPS
47 HINGE 210-220MM FOR STANDARD CLIPS FOR MINI CLIPS YASARGIL TITANIUM/PHYNOX MINI CLIPS, TEMPORARY STRAIGHT 5MM STRAIGHT 7MM		
FOR STANDARD CLIPS FOR MINI CLIPS YASARGIL TITANIUM/PHYNOX MINI CLIPS, TEMPORARY STRAIGHT 5MM STRAIGHT 7MM		YASARGIL ANUERYSM CLIP REMOVER ,"BAYONET-SHAPED", WITHOUT
FOR STANDARD CLIPS FOR MINI CLIPS YASARGIL TITANIUM/PHYNOX MINI CLIPS, TEMPORARY STRAIGHT 5MM STRAIGHT 7MM	47	HINGE 210-220MM
YASARGIL TITANIUM/PHYNOX MINI CLIPS, TEMPORARY STRAIGHT 5MM STRAIGHT 7MM	47	FOR STANDARD CLIPS
MINI CLIPS, TEMPORARY STRAIGHT 5MM STRAIGHT 7MM		FOR MINI CLIPS
48 STRAIGHT 5MM STRAIGHT 7MM		YASARGIL TITANIUM/PHYNOX
STRAIGHT 7MM		MINI CLIPS, TEMPORARY
STRAIGHT 7MM	18	STRAIGHT 5MM
CURVED 6 5MM	40	STRAIGHT 7MM
CONTED 0.5MM		CURVED 6.5MM
STRAIGHT 5MM		STRAIGHT 5MM
49 YASARGIL MINI CLIP APPLICATOR	49	YASARGIL MINI CLIP APPLICATOR
17 Trigrittoid mittied that die trigritoit	17	THE THE PART ELECTION
50 YASARGIL MINI CLIP REVERSER	50	YASARGIL MINI CLIP REVERSER
51 MVR KNIFE	51	MVR KNIFE
52 BULLDOG CLAMPS STRAIGHT, 80-90MM, JAW 30-40MM	52	BULLDOG CLAMPS STRAIGHT, 80-90MM, JAW 30-40MM
53 BULLDOG CLAMPS CURVED, 80-90MM, JAW 30-40MM	53	BULLDOG CLAMPS CURVED, 80-90MM, JAW 30-40MM
STORAGE RACK WITH LID WITH PERFORATED BASKET INSIDE,		STORAGE RACK WITH LID WITH PERFORATED BASKET INSIDE.
FOR STORAGE OF BAYONET SHAPED INSTRUMENTS, ATLEAST 30	- A	
54 INSTRUMENTS	54	, '
CONTAINER WITH LID FOR STORAGE OF GENERAL INSTRUMENTS		CONTAINER WITH LID FOR STORAGE OF GENERAL INSTRUMENTS
55 DIMENSIONS: 300-350MM X 250-300MM X 450-500MM	55	

Item 04 Cranial Surgery Set

Technical Specification

- 1. All the instruments should be made of high grade stainless steel. The quality of steel should comply with the DIN standards.
- 2. It should be of high quality and precision.
- 3. It should be light weight, strong and durable.
- 4. It should be non-magnetic.
- 5. All instruments should be autoclavable.
- 6. The TC inlay should be welded to the instrument and not pasted.
- 7. All instruments should be supplied from single manufacturer except certain patented or proprietary products.
- 8. The manufacturer should have a direct repair facility available in India.
- 9. All instruments should be autoclavable at 134deg.
- 10. Instruments should meet the International Certification as per DIN EN ISO 13845:2001.
- 11. Instruments to be supplied in autoclavable instrument boxes with silicone padding for delicate instruments.
- 12. Instruments not exactly as per description below but with similar functionality will be considered.

FULL CRANIOTOMY SET - 1 set

- 1 BACKHAUS TOWEL CLAMP 90MM 4
- 2 BACKHAUS TOWEL CLAMP 135MM 4
- 3 SCALPEL HANDLE #3 1
- 4 SCALPEL HANDLE #7 ENLISH NO.5 1
- 5 RANEY APPLY/REMOVING FCPS F/FF002FF015P 2
- 6 RANEY SCALP HEMOST.CLIP PACK OF 25PCS. 4
- 7 DANDY DELICATE FORCEPS CVD140MM 10
- 8 DANDY DEL FCPS LAT-CVD 1X2 140MM 10
- 9 KOCHER FORCEPS STR 1X2 140MM 1
- 10 KOCHER FORCEPS CVD 1X2140MM 1
- 11 RIGHT ANGLE CLAMP 140MM 1
- 12 RIGHT ANGLE CLAMP183MM 1
- 13 TC MAYO SCISSORS STR 140MM 1
- 14 TC MAYO SCISSORS CVD 140MM 1
- 15 TC METZENBAUM SCISSORS STR 145MM 1
- 16 TC METZENBAUM SCISSORS CVD 145MM 1
- 17 TC METZENBAUM SCISSORS CVD 180MM 1
- 18 CUSHING TISSUE FORCEPS 1X2 178MM 1
- 19 CUSHING TISSUE FORCEPS 1X2 178MM 1
- 20 WAUGH DEL.TISSUE FORCEPS 1X2 200MM 1
- 21 FORCEPS RAMSEY 175MM 1
- 22 ALLIS FORCEPS 4X5 155MM E 4
- 23 WULLSTEIN RETRACTOR 3X3 BLUNT130MM 1
- 24 SENN-MILLER RECTOR.SH.8X7/18X5.5MM 1
- 25 BABY-SENN-MILLER RECTOR.BL.8X7/22X7MM 1

Technical Specification
26 VOLKMANN RETR4-PRGSHARP9X19MM222MM 1
27 VOLKMANN RETR4-PRGBLUNT8X19MM 222MM 1
28 FRAZIER SUCT X-SM 7FR 108MM WRK-LGTH 2
29 FRAZIER SUCT MED 10FR 108MM WRK-LGTH 2
30 BENDING RESIST.MICRO SUCTION 4FR 100MM 1
31 BENDING RESIST.MICRO SUCTION 6FR 100MM 1
32 BENDING RESIST.MICRO SUCTION 6FR 140MM 1
33 BENDING RESIST.MICRO SUCTION 8FR 140MM 1
34 ADSON ELEVATOR SHARP FLAT 8MM 1
35 ADSON ELEVATOR BLUNT CVD 7MM 1
36 ADSON ELEVATOR SHARP CVD 7MM 1
37 ADSON ELEVATOR SHARP RND 7MM 1
38 ADSON FORCEPS BAY.SHAPED 175MM 1
39 FORCEPS BAYO SMOOTH 185MM 1
40 KEY ELEVATOR 180MM 6.4MM BLADE STR 1
41 VOLKMANN BONE CURETTE #0003.6MM 172MM 1
42 ECHLIN BONE RONGEURJAW 2X10MM 230MM 1
43 ECHLIN BONE RONGEUR JAW 3X10MM 230MM 1
44 ZAUFAL-JANSEN BONE RONGEUR CVD180MM 1
45 TROTTER BONE RONGEUR LAT-CVD205MM 1
46 KERRISON THIN-FT 130DG-UP 3MM 180MM 1
47 KERRISON THIN-FT 130DG-UP 4MM 180MM 1
48 KERRISON THIN-FT 130DG-UP 5MM 180MM 1
49 SCALPEL LONG HANDLE ST NO.3 1
50 WOODSON PLASTIC FILLING INST 3.2MM180MM 1
51 COTTLE HOOK SHARP HVY-CVD159MMDG180 1
52 NERVE SCISSORS CVD S/S 150MM 1
53 SCHMIEDEN-TAYLOR DURA SCISSORS 155MM 1
54 BRAIN SPATULA MOD.AACHEN MALL 7/8MM 1
55 BRAIN SPATULA MOD.AACHEN MALL 10/11MM 1
56 BRAIN SPATULA MOD.AACHEN MALL 13/14MM 1
57 BRAIN SPATULA MOD.AACHEN MALL 16/17MM 1
58 BRAIN SPATULA MOD.AACHEN MALL 19/20MM 1
59 BRAIN SPATULA MOD.AACHEN MALL 22/25MM 1
60 ABDOMINAL BLD.RETRACTOR MALEAB.17X200MM 1
61 ABDOMINAL BLD.RETRACTOR MALEAB.25X250MM 1
62 BRAIN SPATULA FLAT MALL 11&13MM178MM 1
63 BRAIN SPATULA FLATMALL18&22MM178MM 1
64 VENTRICULAR CANNULA DANDY 1
65 TC MAYO-HEGAR NDLHOLDERHVYSERR150MM 1
66 TC MAYO-HEGAR NDL HOLDERHVYSERR205MM 1
67 TC RYDER NEEDLE HOLDERDELSERR 175MM 1
68 ADSON NEEDLE HOLDER FEN-SERR 180MM 1
69 SCALPEL HANDLE OFFSET 210MM NO.3 1
70 SCALPEL HANDLE OFFSET 210MM NO.3 1
71 SAMII KNIFEF/TUMOR TISSUE1.5MM 230MM 1
72 SAMII KNIFEF/TUMOR TISSRND1.5MM230MM 1

Technical Specification
73 SAMII LANCET KNIFE TISSUE 1.8MM 230MM 1
74 HARDY-FAHLBUSCH DISS DWN SHARP 245MM 1
75 HARDY-FAHLBUSCH DISS DWN SHARP 245MM 1
76 YASARGIL TUMOR FCPS SERR 3MM220MM 1
77 MICROFORM TUMOR FORCEPS 3MM 240MM 1
78 TREND CURETTE HARDY BAYONET D:6MM 1
79 HARDY CURETTE MALL D:6/260MM 1
80 NICOLA CURETTE MALL RT-CUT 260MM 1
81 TREND CURETTE HARDY BAYONET D:6MM 1
82 TREND CURETTE HARDY BAYONET D:6MM 1
83 NICOLA CURETTE MALL LFT-CUT 260MM 1
84 TREND CURETTE HARDY BAYONET D:4MM 1
85 HARDY CURETTE MALL D:4/260MM 1
86 TREND CURETTE HARDY BAYONET D:4MM 1
87 TREND CURETTE HARDY BAYONET D:4MM 1
88 YAS.MICRO SCISSDELBAYOSTS/S225MM 1
89 YAS.MICRO SCISS BAYOUP-CVDS/S225MM 1
90 YASARGIL MICRO SCISS.BAYOSTS/S225MM 1
91 YAS.MICRO SCISBAYOUP-CVDBLUNT225MM 1
92 YAS.MICRO SCISS BAYOUP-CVDS/S225MM 1
93 CASPAR RONGEURSTRSERR 2X12MM140MM 1
94 Leyla Brain Retractor 2
95 Shunt Tunneller - Adult 2
96 Shunt Tunneller - Paediatric 2
97 Fisch Hook - Scalp Flap Spring Retractor 2
98 Gigli Guide 2
HUDSON CRANIAL DRILL SET - 1 set
1 HUDSON DRILL BRACE F/FF055R 1
2 HUDSON CEREBELLAR ATTACHMENT F/FF055R 1
3 HUDSON BURR 9MM DIA 1
4 HUDSON BURR 14MM DIA 1
5 HUDSON SPHERICAL BURR 16MM DIA 1
6 HUDSON SPHERICAL BURR 22MM DIA 1
7 HARTMANN MOSQUITO FCPSDELCVD100MM 1
8 CUSHING FLAT DRILL 14MM DIA 1
9 CUSHING FLAT DRILL 14MM DIA 1
10 HARTMANN MOSQUITO FCPSDELCVD100MM 1
11 GIGLI WIRE SAW FINE 6-WIRES500MM 2
12 DEMARTEL CONDF/WIRE SAWSFLEX350MM 4
13 HOOK HANDLE F/WIRE SAWS 2

<u>Item 05</u> <u>General Neurosurgery Instrument Set</u>

Sl.	Technical Specification
No.	_
1	All instruments should be corrosion resistant, autoclavable, with European CE/US FDA
	or BIS approved
2	All the bidders are required to submit their catalogue along with tender / quotation
	clearly marking the quoted item and no. With a highlighter.
	DESCRIPTION (1 no each) KERRISON PUNCH, UPWARD OPENING 130°, LENGTH 180-190MM WIDTH 1
1	MM, JAW OPENING 8-9MM
	KERRISON PUNCH, UPWARD OPENING 130°, LENGTH 180-190MM WIDTH 2
2	MM, JAW OPENING 8-9MM
	COATED BRAIN SPATULA – FLEXIBLE METAL SPATULA CONICALLY
	TAPERED, SMOOTH SURFACE
3	8 X 4 MM
	13 X 6 MM
	MICRO SCISSORS- BAYONET SHAPED, STRAIGHT
	185-195MM
4	200-210 MM
	220-230 MM
	TUMOUR FORCEPS, BAYONET SHAPED, 3MM RING, 200-210 MM
5	SERRATED
	SPOON SHAPED
	TUMOUR FORCEPS, BAYONET SHAPED, 5MM RING, 200-210 MM
6	SERRATED
	SPOON SHAPED
	MICRO FORCEPS, BAYONET SHAPED, FINE TIP
_	180-190 MM
7	200-210MM
	SUCTION CANULA WITH STYLET (FERGUSON) 180-190 MM
	1.5 MM
0	2.0 MM
8	2.5 MM
	3.0 MM
	4.0 MM
	WULLSTIN TWIN PIECE MICRO-SUCTION
	SUCTION CANULA
9	SUCTION TIP 0.4 MM
	SUCTIPN TIP 0.6 MM
	SUCTIPN TIP 0.8 MM
	METZENBAUM SCISSORS, CURVED, SHARP TIP
10	140-150MM
	180-190 MM
11	DEBAKEY DISSECTION SCISSOR, CURVED170-180 MM
12	DURAL TOOTH FORCEPS, DELICATE (MICRO ADSON)140-150 MM
	DEBAKEY DELICATE NEEDLE HOLDER, 160-170 MM
13	0.4 MM TIP
	0.2 MM TIP

Sl. No.	Technical Specification
14	HEGAR MAYO NEEDLE HOLDER, 180-190 MM 0.5 MM TIP
	YASARGIL PHYNOX MINI CLIPS, TEMPORARY
1.5	STRAIGHT 5 MM
15	STRAIGHT 7 MM
	CURVED 6.5 MM
	YASARGIL PHYNOX CLIP APPLIER (BAYONET SHAPED, WITHOUT
16	HINGE)210-220 MM
10	FOR STANDARD SLIPS
	FOR MINI CLIPS
	YASARGIL PHYNOX CLIP REMOVER (BAYONET SHAPED, WITHOUT
17	HINGE)210-220 MM
1,	FOR STANDARD SLIPS
	FOR MINI CLIPS
	INTERVERTEBRAL DISC. RONGUERS, 150-160 MM
	2 X 5 MM
18	2 X 10 MM
	3 X 10 MM
	4 X 10 MM
4.0	BULLDOG CLAMPS, 80-90 MM LENGTH, JAW 30-40MM
19	STRAIGHT
20	CURVED
20	SATINSKY VASCULAR CLAMPS, 160-170 MM LENGTH
21	CERVICAL SELF RETAINING RETRACTOR SET, 240-260 LENGTH, 100-120 MM
21	OPENING DI ADES DANGING EDOM WIDTH 25 20 MM DEPTH 25 70 MM
	BLADES RANGING FROM WIDTH 25-30 MM, DEPTH 35-70 MM CONTAINER WITH LID FOR STORAGE OF INSTRUMENTS
22	DIMENSIONS: 300-350MM X 250-300MM X 450-500MM
	DIIVIDIONO: SUU-SSUIVIIVI A 2SU-SUUIVIIVI A 4SU-SUUIVIIVI

<u>Item 06</u> <u>Pneumatic Drill System</u>

Sl. No.	Technical Specification
1	The drill system should be able to saw, cut, dissect, curette, abrade, carve and shape the skull bones and the vertebral bodies, bio-metal, bio-plastics, methacrylate, ceramics and
	the like.A wide range of attachments and dissecting tips both for routine and microsurgical work required.
2	RPM: More than 75000
3	Operating Upto 100 to 200 psi - variable
4	Pressure:To run on N2 gas/ compressed air
5	Controls:Foot controls for variable speed.
6	Hand Pieces:
a	Water proof, Light stable hand pieces, both short and long
b	Straight and angled/convertible hand-pieces for micro neurosurgery work under
U	operating microscope.
С	Fast and safe tool less changing system for attachments and dissecting tips.
7	Attachments
a	A wide range of attachments/ dissecting tips for routine/ microsurgery required.
b	Pediatric attachments/ tip and guides required separately.

Sl. No.	Technical Specification
c	Attachment for cranial perforation/ burr hole/ laminotomy.
8	Sound level: Low sound level, not above 85db close to the operating field.
9	Sterilization: Autoclaveable
10	Accessories - Essential:
	Each drill system should consist of following:
a	Cable with hand piece - convertible : 1 no
b	Motor Hose: 2 nos
c	Foot control assembly: 1 no
d	Attachment for cranial surgery
i	Long, Medium & short(straight & angled) one each(total six)
ii	Universal drill- perforator chuck : 2 nos
iii	Duraguard(rotating foot): adult & Pediatric 2 nos each
e	Attachments for spinal surgery
i	Long attachments for Transoral surgery: 2 nos
ii	Laminotmy: 02
f	Universal driver for K-wire 01
g	Sterlizing case 01
h	Cleaning brush of different sizes one each
11	CONSUMABLES:
a	Dissecting Tools
i	Fast cutting burrs (3mm): 10
ii	Diamond burrs (3mm): 10
iii	Bone Cutter Drill bits for craniotomy: 10
b	Lubricating oil 24
c	Cleansing liquid bottles 12
d	Lubricating Oil Spray 12

	BOQ		
Sl. No.	Item Name	Qty	UOM
1	Pneumatic drill as per spec (para 1 to 9)	1	No
2	Cable with hand piece - convertible	1	No
3	Motor Hose	2	Nos
4	Foot control assembly	1	No
5	Attachment for cranial surgery		
a	Long, Medium, short (straight & angled) one each(total six)		No
		1	each
b	Universal drill- perforator chuck	2	Nos
c	Duraguard(rotating foot): adult & Pediatric		Nos
	Dungan a (Toming 1001) . mant to I canality	2	each
6	Attachments for spinal surgery		
a	Long attachments for Transoral surgery	2	Nos
b	Laminotmy	2	Nos
С	Universal driver for K-wire	1	No
d	Sterlizing case	1	No
0	Cleaning brush of different sizes		No
e		1	each
7	Dissecting Tools		
a	Fast cutting burrs (3mm): 10	10	Nos
b	Diamond burrs (3mm): 10	10	Nos
С	Bone Cutter Drill bits for craniotomy: 10	10	Nos

		BOQ		
Sl. No.		Item Name	Qty	UOM
8	Lubricating oil	24	24	Nos
9	Cleansing liquid bottles	12	12	Nos
10	Lubricating Oil Spray	12	12	Nos

<u>Item 07</u> <u>ICP Mo</u>nitor

Sl. No.	Technical Specification
1	Measurements of Intracranial pressure at the source-subdural, parenchymal or
	intraventricular levels.
2	Delivers an ICP waveform and ICP readouts.
3	Provides continuous recording and display of ICP over the most recent 12 or 24 hour period
4	The monitor unit should be able to be clamped on bedrail or pole mounted, and connected to
	hospital bedside monitoring systems.
5	On –screen user instructions.
6	One-touch key operation.
7	Continuous display of ICP parameters.
8	Sensors and transducers with high reliability and permitting visual display of waveforms on
	designated monitors. 20 number of skull bolt kits and two reusable cables to be provided
9	Rechargeable 1-hour battery operation or more for patient transport
11	Audible and visual low-battery alert functions.
12	User-programmable High ICP/means ICP alarms
13	Integral pole clamp.
14	The model offered should be European CE or USFDA or BIS approved for the quoted model

Sl. No.	BOQ	Qty.	UOM
1	ICP Monitor (para 1 to 14 excluding para 8)	1	Nos.
2	Skull bolt kit	20	Nos.
3	Transducer cable	2	Nos.

<u>Item 08</u> <u>Spine Surgery Set</u>

Technical Specification

General Conditions:

- 1. All the instruments should be made of high grade stainless steel. The quality of steel should comply with the DIN standards.
- 2. It should be of high quality and precision.
- 3. It should be light weight, strong and durable.
- 4. It should be non-magnetic.
- 5. All instruments should be autoclavable.
- 6. The TC inlay should be welded to the instrument and not pasted.
- 7. All instruments should be supplied from single manufacturer except certain patented or proprietary products.
- 8. The manufacturer should have a direct repair facility available in India.
- 9. All instruments should be autoclavable at 134deg.

Technical Specification

- 10. Instruments should meet the International Certification as per DIN EN ISO 13845:2001.
- 11. Instruments to be supplied in autoclavable instrument boxes with silicone padding for delicate instruments.
- 12. Instruments not exactly as per description below but with similar functionality will be considered.

Sl. No LAMINECTOMY SET - 1 set

- 1 BACKHAUS TOWEL CLAMP 90MM 4
- 2 BACKHAUS TOWEL CLAMP 135MM 4
- 3 SCALPEL HANDLE #3 1
- 4 SCALPEL HANDLE #4 1
- 5 TC MAYO SCISSORS STR 170MM 1
- 6 TC MAYO SCISSORS CVD 170MM 1
- 7 TC METZENBAUM SCISSORS STR 145MM 1
- 8 TC METZENBAUM SCISSORS CVD 145MM 1
- 9 TC METZENBAUM SCISSORS CVD 180MM 1
- 10 TC METZENBAUM SCISSORS DEL CVD 230MM 1
- 11 SUCTION CANNULA BARRON 1MM 1
- 12 SUCTION CANNULA BARRON 2MM 1
- 13 CUSHING TISSUE FORCEPS 1X2 178MM 1
- 14 WAUGH DEL.TISSUE FORCEPS 1X2 180MM 1
- 15 CUSHING TISSUE FORCEPS 1X2 178MM 1
- 16 WAUGH DEL.TISSUE FORCEPS 1X2 200MM 1
- 17 FORCEPS BAYO SMOOTH 185MM 1
- 18 ADSON FORCEPS BAY.SHAPED 175MM 1
- 19 FORCEPS RAMSEY 175MM 1
- 20 ADSON ELEVATOR SHARP FLAT 8MM 1
- 21 ADSON ELEVATOR SHARP CVD 7MM 1
- 22 ADSON ELEVATOR SHARP CVD 7MM 1
- 23 ADSON ELEVATOR SHARP RND 7MM 1
- 24 SELF-RETAINING RETR 3X4T.BLUNT 195MM 2
- 25 LANGENBECK RETRACTORSOLID40X10MM230MM 1
- 26 LANGENBECK RETRACTORSOLID43X13MM229MM 1
- 27 LANGENBECK RETRACTORSOLID63X20MM210MM 1
- 28 BECKMANN-ADSON RETR 4X4 SEMI-S 305MM 2
- 29 ADSON-BABY RETRACTOR 3X4 BLUNT140MM 2
- 30 ADSON RETRACTOR SEMI-SHARP 4X4T.210MM 2
- 31 ADSON DISSECT.FORCEPS W/O T.180MM 1
- 32 LUER-STILLE BONE RONGEUR STR 225.MM 1
- 33 STILLE-RUSKIN BONE RONGEUR240MM 1
- 34 RUSKIN BONE RONGEUR CVD 190MM 1
- 35 ECHLIN BONE RONGEUR JAW 3X10MM 230MM 1
- 36 LEMPERT BONE RONGEUR STR 2MM 165MM 1
- 37 LUER BONE RONGEUR STR 175MM 1
- 38 LUER BONE RONGEUR CVD 175MM 1
- 39 BEYER BONE RONGEUR CVD 175MM 1
- 40 JANSEN BONE RONGEUR CVD 175MM 1
- 41 DAHLGREN SKULL PUNCH W/2 X-HOOKS210MM 1
- 42 ECHLIN BONE RONGEURJAW 2X10MM 230MM 1
- 43 ECHLIN BONE RONGEUR JAW 3X10MM 230MM 1
- 44 ECHLIN BONE RONGEUR JAW 3X10MM 230MM 1
- 45 ZAUFAL-JANSEN BONE RONGEUR CVD180MM 1

Technical Specification
46 LEKSELL-STILLE BONE RONGEUR 240MM 1
47 STILLE BONE RONGEUR230MM 1
48 LEKSELL RONG FCPSDBACT CVD 5X16MM 245MM 1
49 FRYKHOLM BONE RONGEUR 240MM 1
50 STILLE-RUSKIN BONE RONGEUR240MM 1
51 RUSKIN BONE RONGEUR CVD 190MM 1
52 RUSKIN BONE-CUTTING FORCEPS STR 191MM 1
53 LISTON BONE-CUTTING FORCEPS STR280MM 1
54 LISTON BONE-CUTTING FORCEPS CVD 280MM 1
55 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1
56 LISTON BONE-CUTTING FORCEPS STR140MM 1
57 ADSON RETRACTOR 3X4 SHARP 265MM 2
58 SELF-RETAINING RETR 3X4T.SHARP 195MM 2
59 ANDERSON-ADSON RETR 4X4 SHARP 190MM 2
60 SELF-RETAINING RETR 3X4T.BLUNT 195MM 2
61 ANDERSON-ADSON RETR 4X4 SHARP 190MM 1
62 ADSON-BABY RETRACTOR 3X4 BLUNT140MM 2
63 ADSON RETRACTOR SEMI-SHARP 4X4T.210MM 2
64 JANSEN RETRACTOR 3X3 BLUNT100MM 2
65 ALM RETRACTOR 4X4T.SHARP 70MM 1
66 ALM RETRACTOR 4X4T.SHARP 100MM 1
67 WEITLANER RETRACTOR 3X4T.BL.130MM 1
68 BECKMANN-ADSON RETR 4X4 SHARP 305MM 2
69 BECKMANN-ADSON RETR 4X4 SEMI-S 305MM 2
70 DE'BAKEY FEMUR RETRACTOR F/ADULT145MM 2
71 JACKSON-BURROWS RETRACTORBLUNT185MM 1
72 GELPI VAGINAL RETRACTOR135MM 1
73 GELPI SKIN/VAGINAL RETRACTOR175MM 1
74 DE'BAKEY FEMUR RETRACTOR F/ADULT145MM 1
75 CLOWARD LAMINA SPREADER 135MM 1
76 INGE LAMINA RETRACTOR 170MM 1
77 CLOWARD LAMINA SPREADER 135MM 1
78 CLOWARD LAMINA SPREADER 155MM 1
79 INGE LAMINA RETRACTOR 275MM 1
80 INGE LAMINA RETRACTOR 170MM 1
DISC FORCEPS 1 set
1 SPURLING RONGEUR STR 4X10MM180MM 1
2 SPURLING RONGCVDUP-BITE4X10MM180MM 1
3 SPURLING RONGEUR DWN-BITE 4X10MM180MM 1
ANTERIOR CERVICAL SET - 1 set
1 BACKHAUS TOWEL CLAMP 90MM 4
2 BACKHAUS TOWEL CLAMP 135MM 4
3 SCALPEL HANDLE #3 1
4 SCALPEL HANDLE #4 1
5 TC MAYO SCISSORS STR 140MM 1
6 TC MAYO SCISSORS CVD 140MM 1
7 TC METZENBAUM SCISSORS STR 145MM 1
8 TC METZENBAUM SCISSORS STR 180MM 1
9 TC METZENBAUM SCISSORS CVD 145MM 1
10 TC METZENBAUM SCISSORS CVD 180MM 1
11 ALLIS FORCEPS 4X5 155MM 4

12 CRILE FORCEPS STR 140MM 6 13 CRILE FORCEPS CVD 140MM 6 14 CRILE FORCEPS CVD 140MM 6 15 CRILE FORCEPS STR 160MM 1 15 CRILE FORCEPS STR 160MM 1 16 FORCEPS BAYO SMOOTH 18SMM 1 17 GERALD FORCEPS DEL STR 175MM 1 18 CUSHING TISSUE FORCEPS IX2 178MM 1 19 WAUGH DEL.TISSUE FORCEPS IX2 178MM 1 20 CUSHING TISSUE FORCEPS IX2 178MM 1 21 WAUGH DEL.TISSUE FORCEPS IX2 200MM 1 22 LANGENBECK RETRACTORSOLID40X10MM230MM 2 23 KOCHER-LANGENBECK RETR SSX11MM 216MM 2 24 LANGENBECK RETRACTOR 63X20MM 2 25 KOCHER-LANGENBECK RETR 70X14MM216MM 2 24 LANGENBECK RETRACTOR 63X20MM 2 25 KOCHER-LANGENBECK RETR 70X14MM216MM 2 26 CLOWARD TYPE RETRACTOR W/5 BLADES 250MM 1 27 FRAZIER SUCT MED 10FR 108MM WRK-LGTH 1 28 FRAZIER SUCT MED 10FR 108MM WRK-LGTH 1 29 FRAZIER SUCT LRG 12FR 108MM WRK-LGTH 1 30 FRAZIER SUCT LRG 12FR 108MM WRK-LGTH 1 31 FRAZIER SUCT SM 9FR 108MM WRK-LGTH 1 32 WULLSTEIN RETRACTOR 3/3 BLUNT130MM 1 33 #2 PENFIELD DISSECTOR 197MM 1 34 #3 PENFIELD DISSECTOR 197MM 1 35 #4 PENFIELD DISSECTOR 197MM 1 36 VOLKMANN BONE CURETTE #0003.6MM 172MM 1 37 VOLKMANN BONE CURETTE #0004.6MM 172MM 1 39 VOLKMANN BONE CURETTE #0004.6MM 172MM 1 40 VOLKMANN BONE CURETTE #0004.6MM 172MM 1 41 COTTLE PERIOSTEAL ELEVATORCVD 197MM 1 42 ADSON NERVE HOOK BLADE 1 45 CASPAR RONGEUR CURETTE #1 6.8MM 172MM 1 46 VOLKMANN BONE CURETTE #1 6.8MM 172MM 1 47 CLOWARD LAMINA SPREADER 135MM 1 48 INGELAMINA RETRACTOR 10 70MM 1 49 VOLKMANN BONE CURETTE #1 6.8MM 172MM 1 40 VOLKMANN BONE CURETTE #1 6.8MM 172MM 1 41 COTTLE PERIOSTEAL ELEVATORCVD 197MM 1 42 ADSON NERVE HOOK BLADE 1 45 CASPAR RONGEUR DWN-BITE 2MM 155MM 1 46 CASPAR RONGEUR DWN-BITE 2MM 155MM 1 47 CLOWARD LAMINA SPREADER 135MM 1 48 INGE LAMINA RETRACTOR 10 70MM 1 49 STILLE-RUSKIN BONE RONGEUR 240MM 1 50 LEKSELL-STILLE BONE RONGEUR 240MM 1 51 LEXER GOUGE HARTPRS-HDL CVD 100MM254MM 1 52 SPONG GOUGEHARTPRS-HDL CVD 100MM254MM 1 53 CAPENER LAMINA GOUGE 6MM WIDE 235MM 1 54 TC RYDER REDELE HOLDEREDELSER 175MM 1 55 TC MAYO-HEGAR NDL HOLDERHVYSERR 150MM 1 56 TC MAYO-HEGAR NDL HOLDERHYSERR 150MM 1 57 TC MAYO-HEGAR NDL HOLDE	Technical Specification
14 CRILE FORCEPS STR 160MM 1 15 CRILE FORCEPS CVD 160MM 6 16 FORCEPS BAYO SMOOTH 185MM 1 17 GERALD FORCEPS DEL STR 175MM 1 18 CUSHING TISSUE FORCEPS 1X2 178MM 1 19 WAUGH DEL TISSUE FORCEPS 1X2 178MM 1 20 CUSHING TISSUE FORCEPS 1X2 178MM 1 21 WAUGH DEL TISSUE FORCEPS 1X2 178MM 1 22 UANGENBECK RETRACTORSOLID40X10MM230MM 2 23 KOCHER-LANGENBECK RETR 55X11MM 216MM 2 24 LANGENBECK RETRACTOR 63X20MM 2 25 KOCHER-LANGENBECK RETR 70X14MM216MM 2 26 CLOWARD TYPE RETRACTOR 83X20MM 2 26 CLOWARD TYPE RETRACTOR W/S BLADES 250MM 1 27 FRAZIER SUCT X-SM 7FR 108MM WRK-LGTH 1 28 FRAZIER SUCT LRG 12FR 108MM WRK-LGTH 1 29 FRAZIER SUCT LRG 12FR 108MM WRK-LGTH 1 30 FRAZIER SUCT LRG 12FR 108MM WRK-LGTH 1 31 FRAZIER SUCT X-SM 7FR 108MM WRK-LGTH 1 32 WULLSTEIN RETRACTOR 3X3 BLUNT130MM 1 33 *2 PENFIELD DISSECTOR 197MM 1 34 *3 PENFIELD DISSECTOR 197MM 1 35 *44 PENFIELD DISSECTOR 197MM 1 36 VOLKMANN BONE CURETTE #0003.6MM 172MM 1 37 VOLKMANN BONE CURETTE #00 4.4MM 172MM 1 38 VOLKMANN BONE CURETTE #1 6.8MM 172MM 1 39 VOLKMANN BONE CURETTE #1 6.8MM 172MM 1 40 VOLKMANN BONE CURETTE #1 6.8MM 172MM 1 41 COTTLE PERIOSTEAL ELEVATORCVD 197MM 1 42 ADSON NERVE HOOKBLUNT 1 43 ADSON NERVE HOOKBLUNT 1 44 CUSHING RONGEUR STR 2X10MM180MM 1 45 CASPAR RONGEUR DP-BITE 2MM 155MM 1 46 CASPAR RONGEUR DP-BITE 2MM 155MM 1 47 CLOWARD LAMINA SPREADER 135MM 1 48 INGE LAMINA SPREADER 135MM 1 49 STILLE-RUSKIN BONE RONGEUR 240MM 1 50 LEKSELL-STILLE BONE RONGEUR 240MM 1 51 LEERG GOUGH HARTPRS-HDL 7MM 220MM 1 55 TC MAYO-HEGAR NDL HOLDERHVYSERR150MM 1 56 TC MAYO-HEGAR NDL HOLDERHVYSERR150MM 1 57 TC MAYO-HEGAR NDL HOLDERHVYSERR150MM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENESTRD TILLATERAL 4SX24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	
15 CRILE FORCEPS CVD 160MM 6 16 FORCEPS BAYO SMOOTH 185MM 1 17 GERALD FORCEPS DEL STR 175MM 1 18 CUSHING TISSUE FORCEPS IX2 178MM 1 19 WAUGH DEL.TISSUE FORCEPS IX2 178MM 1 10 WAUGH DEL.TISSUE FORCEPS IX2 178MM 1 11 WAUGH DEL.TISSUE FORCEPS IX2 178MM 1 12 WAUGH DEL.TISSUE FORCEPS IX2 200MM 1 12 WAUGH DEL.TISSUE FORCEPS IX2 200MM 1 12 WAUGH DEL.TISSUE FORCEPS IX2 200MM 1 12 LANGENBECK RETRACTOR 60 SX10MM 2 13 KOCHER-LANGENBECK RETR 55X11MM 216MM 2 14 LANGENBECK RETRACTOR 63X20MM 2 15 KOCHER-LANGENBECK RETR 70X14MM216MM 2 16 CLOWARD TYPE RETRACTOR W.5 BLADES 250MM 1 17 FRAZIER SUCT EMD 10FR 108MM WRK-LGTH 1 18 FRAZIER SUCT LTG 12FR 108MM WRK-LGTH 1 19 FRAZIER SUCT LTG 12FR 108MM WRK-LGTH 1 10 FRAZIER SUCT LTG 12FR 108MM WRK-LGTH 1 11 FRAZIER SUCT WAS WFR 108MM WRK-LGTH 1 12 WULLSTEIN RETRACTOR 3X3 BLUNT130MM 1 13 #2 PENFIELD DISSECTOR 197MM 1 13 #3 PENFIELD DISSECTOR 197MM 1 14 #3 PENFIELD DISSECTOR 197MM 1 15 #4 PENFIELD DISSECTOR 197MM 1 16 VOLKMANN BONE CURETTE #00 4.4MM 172MM 1 17 VOLKMANN BONE CURETTE #0 5.2MM 172MM 1 18 VOLKMANN BONE CURETTE #1 6.8MM 172MM 1 19 VOLKMANN BONE CURETTE #2 8.5MM 172MM 1 10 VOLKMANN BONE CURETTE #2 8.5MM 172MM 1 11 COTTLE PERIOSTEAL ELEVATORCVD 197MM 1 12 ADSON NERVE HOOK SHARP 1 14 COTTLE PERIOSTEAL ELEVATORCVD 197MM 1 15 CASPAR RONGEUR UP-BITE ZWM 155MM 1 16 CASPAR RONGEUR UP-BITE ZWM 155MM 1 17 CLOWARD LAMINA SPREADER 135MM 1 18 TOLENSEL-STILLE BONE RONGEUR 240MM 1 19 STILLE-RUSKIN BONE RONGEUR 240MM 1 15 LEKER GOUGE HARTPRS-HDL CVD 10MM254MM 1 15 CASPAR RONGEUR UP-BITE ZWM 155MM 1 15 CASPAR RONGEUR DWN-BITE 2MM 155MM	13 CRILE FORCEPS CVD 140MM 6
16 FORCEPS BAYO SMOOTH 185MM 1 17 GERALD FORCEPS DEL STR 175MM 1 18 CUSHING TISSUE FORCEPS 1X2 178MM 1 19 WAUGH DELTISSUE FORCEPS 1X2 178MM 1 20 CUSHING TISSUE FORCEPS 1X2 180MM 1 21 WAUGH DELTISSUE FORCEPS 1X2 200MM 1 22 LANGENBECK RETRACTORSOLID40X10MM230MM 2 23 KOCHER-LANGENBECK RETR 5X11MM 216MM 2 24 LANGENBECK RETRACTOR 63X20MM 2 25 KOCHER-LANGENBECK RETR 5X11MM 216MM 2 26 CLOWARD TYPE RETRACTOR 63X20MM 2 27 KOCHER-LANGENBECK RETR 70X14MM216MM 2 28 CLOWARD TYPE RETRACTOR W.5 BLADES 250MM 1 29 FRAZIER SUCT X-SM 7FR 108MM WRK-LGTH 1 20 FRAZIER SUCT SM 7FR 108MM WRK-LGTH 1 21 FRAZIER SUCT LRG 12FR 108MM WRK-LGTH 1 22 FRAZIER SUCT LRG 12FR 108MM WRK-LGTH 1 23 FRAZIER SUCT SM 8FR 108MMWRK-LGTH 1 24 FRAZIER SUCT SM 8FR 108MMWRK-LGTH 1 25 FRAZIER SUCT SM 7FR 108MM WRK-LGTH 1 26 FRAZIER SUCT SM 7FR 108MM WRK-LGTH 1 27 FRAZIER SUCT SM 7FR 108MM WRK-LGTH 1 28 FRAZIER SUCT SM 8FR 108MMWRK-LGTH 1 30 FRAZIER SUCT SM 8FR 108MMWRK-LGTH 1 31 FRAZIER SUCT SM 8FR 108MMWRK-LGTH 1 32 WULLSTEIN RETRACTOR 3X3 BLUNT130MM 1 33 #2 PENFIELD DISSECTOR 197MM 1 34 #3 PENFIELD DISSECTOR 197MM 1 35 #4 PENFIELD DISSECTOR 197MM 1 36 VOLKMANN BONE CURETTE #0003.6MM 172MM 1 37 VOLKMANN BONE CURETTE #0003.6MM 172MM 1 38 VOLKMANN BONE CURETTE #16.8MM 172MM 1 40 VOLKMANN BONE CURETTE #2 8.5MM 172MM 1 41 COTTLE PERIOSTEAL ELEVATORCVD 197MM 1 42 ADSON NERVE HOOK SHARP 1 43 ADSON NERVE HOOK SHARP 1 44 CUSHING RONGEUR STR 2X10MM180MM 1 45 CASPAR RONGEUR UP-BITE 2MM 155MM 1 46 CASPAR RONGEUR UP-BITE 2MM 155MM 1 47 CLOWARD LAMINA SPREADER 135MM 1 48 INGE LAMINA SPREADER 135MM 1 49 STILLE-RUSKIN BONE RONGEUR 240MM 1 51 LEXER GOUGE HARTPRS-HDL 7MM 220MM 1 52 SPONG GOUGEHARTPRS-HDL 7MM 220MM 1 53 CAPENER LAMINA GOUGE 6MM WIDE 235MM 1 54 TC RYDER NEEDLE HOLDERDELSERR 175MM 1 55 TC MAYO-HEGAR NDL HOLDERHYYSERR15SMM 1 56 TC MAYO-HEGAR NDL HOLDERHYYSERR15SMM 1 57 TC MAYO-HEGAR NDL HOLDERHYYSERR15SMM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENESTRT DTLATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCY254MM 1	14 CRILE FORCEPS STR 160MM 1
17 GERALD FORCEPS DEL STR 175MM 1 18 CUSHING TISSUE FORCEPS 1X2 180MM 1 19 WAUGH DEL TISSUE FORCEPS 1X2 180MM 1 20 CUSHING TISSUE FORCEPS 1X2 178MM 1 21 WAUGH DEL TISSUE FORCEPS 1X2 200MM 1 22 LANGENBECK RETRACTORS 0.0140000000000000000000000000000000000	15 CRILE FORCEPS CVD 160MM 6
18 CUSHING TISSUE FORCEPS 1X2 178MM 1 19 WAUGH DELTISSUE FORCEPS 1X2 180MM 1 20 CUSHING TISSUE FORCEPS 1X2 178MM 1 21 WAUGH DELTISSUE FORCEPS 1X2 200MM 1 22 LANGENBECK RETRACTORSOLIDAXI 10MM230MM 2 23 KOCHER-LANGENBECK RETRACTOR 63X20MM 2 24 LANGENBECK RETRACTOR 63X20MM 2 25 KOCHER-LANGENBECK RETR 75X11MM 216MM 2 26 CLOWARD TYPE RETRACTOR W/S BLADES 250MM 1 27 FRAZIER SUCT X-SM 7FR 108MM WRK-LGTH 1 28 FRAZIER SUCT MED 10FR 108MM WRK-LGTH 1 29 FRAZIER SUCT MED 10FR 108MM WRK-LGTH 1 30 FRAZIER SUCT X-SM 7FR 108MM WRK-LGTH 1 31 FRAZIER SUCT X-SM 7FR 108MM WRK-LGTH 1 32 WILLSTEIN RETRACTOR 33 BLUNT130MM 1 33 #2 PENFIELD DISSECTOR 197MM 1 34 #3 PENFIELD DISSECTOR 197MM 1 35 #44 PENFIELD DISSECTOR 197MM 1 36 WOLKMANN BONE CURETTE #0003.6MM 172MM 1 37 VOLKMANN BONE CURETTE #0 4.4MM 172MM 1 38 VOLKMANN BONE CURETTE #1 6.8MM 172MM 1 39 VOLKMANN BONE CURETTE #1 6.8MM 172MM 1 40 VOLKMANN BONE CURETTE #1 6.8MM 172MM 1 41 COTTLE PERIOSTEAL ELEVATORCVD 197MM 1 42 ADSON NERVE HOOK SHARP 1 43 ADSON NERVE HOOK SHARP 1 44 CUSHING RONGEUR STR 2X.10MM.180MM 1 45 CASPAR RONGEUR UP-BITE 2MM 155MM 1 46 CASPAR RONGEUR UP-BITE 2MM 155MM 1 47 CLOWARD LAMINA SPREADER 135MM 1 48 INGE LAMINA SPREADER 135MM 1 49 STILLE-RUSKIN BONE RONGEUR 240MM 1 50 LEKSEL-STILLE BONE RONGEUR 240MM 1 51 LEXER GUGE HARTPRS-HDL.CVD10MM254MM 1 52 SPONG GOUGEHARTPRS-HDL.CVD10MM254MM 1 53 CAPENER LAMINA GOUGE 6MM WIDE 235MM 1 54 CASPAR RONGEUR DHOLDERHYYSERR 155MM 1 55 TC MAYO-HEGAR NDL HOLDERHYYSERR 155MM 1 56 TC MAYO-HEGAR NDL HOLDERHYYSERR 155MM 1 57 TC MAYO-HEGAR NDL HOLDERHYYSERR 155MM 1 58 CCR LONGITUDINAL RETRACTOR 2 50 CCR BLADE FENESTRTD TILLATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	16 FORCEPS BAYO SMOOTH 185MM 1
19 WAUGH DEL.TISSUE FORCEPS 1X2 180MM 1 20 CUSHING TISSUE FORCEPS 1X2 178MM 1 21 WAUGH DEL.TISSUE FORCEPS 1X2 200MM 1 22 LANGENBECK RETRACTORSOLID40X10MM230MM 2 23 KOCHER-LANGENBECK RETR 55X11MM 216MM 2 24 LANGENBECK RETRACTOR 63X20MM 2 25 KOCHER-LANGENBECK RETR 70X14MM216MM 2 26 CLOWARD TYPE RETRACTOR W:5 BLADES 250MM 1 27 FRAZIER SUCT X-SM 7FR 108MM WK-LGTH 1 28 FRAZIER SUCT LRG 12FR 108MM WK-LGTH 1 29 FRAZIER SUCT LRG 12FR 108MM WK-LGTH 1 30 FRAZIER SUCT LRG 12FR 108MM WK-LGTH 1 31 FRAZIER SUCT X-SM 7FR 108MM WK-LGTH 1 32 WULLSTEIN RETRACTOR 3X3 BLUNT130MM 1 33 #2 PENFIELD DISSECTOR 197MM 1 34 #3 PENFIELD DISSECTOR 197MM 1 35 #44 PENFIELD DISSECTOR 197MM 1 35 #44 PENFIELD DISSECTOR 197MM 1 36 VOLKMANN BONE CURETTE #0003.6MM 172MM 1 37 VOLKMANN BONE CURETTE #00 4.4MM 172MM 1 38 VOLKMANN BONE CURETTE #10 8.4MM 172MM 1 39 VOLKMANN BONE CURETTE #10 4.4MM 172MM 1 40 VOLKMANN BONE CURETTE #2 8.5MM 172MM 1 41 COTTLE PERIOSTEAL ELEVATORCVD 197MM 1 42 ADSON NERVE HOOK SHARP 1 43 ADSON NERVE HOOK SHARP 1 44 CUSHING RONGEUR STR 2X10MM180MM 1 45 CASPAR RONGEUR UP-BITE 2MM 155MM 1 46 CASPAR RONGEUR UP-BITE 2MM 155MM 1 47 CLOWARD LAMINA SPREADER 135MM 1 48 INGE LAMINA RETRACTOR 170MM 1 49 STILLE-RUSKIN BONE RONGEUR 240MM 1 50 LEKSELL-STILLE BONE RONGEUR 240MM 1 51 LEXER GOUGE HARTPRS-HDL CVD 10MM254MM 1 55 TC MAYO-HEGAR NDL HOLDERHYYSERR150MM 1 56 TC MAYO-HEGAR NDL HOLDERHYYSERR150MM 1 57 TC MAYO-HEGAR NDL HOLDERHYYSERR150MM 1 58 CCR LONGITUDINAL RETRACTOR 2 50 CCR BLADE FERSETRTD TILLATERAL 4SX24MM 4 50 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	17 GERALD FORCEPS DEL STR 175MM 1
20 CUSHING TISSUE FORCEPS 1X2 178MM 1 21 WAUGH DEL TISSUE FORCEPS 1X2 200MM 1 22 LANGENBECK ETRACTORSOLID40X10MM230MM 2 23 KOCHER-LANGENBECK RETR 55X11MM 216MM 2 24 LANGENBECK ETRACTOR 63X20MM 2 25 KOCHER-LANGENBECK RETR 70X14MM216MM 2 26 CLOWARD TYPE RETRACTOR W/5 BLADES 250MM 1 27 FRAZIER SUCT X-SM 7FR 108MM WRK-LGTH 1 28 FRAZIER SUCT X-SM 7FR 108MM WRK-LGTH 1 30 FRAZIER SUCT MED 10FR 108MM WRK-LGTH 1 31 FRAZIER SUCT X-SM 7FR 108MM WRK-LGTH 1 32 WULLSTEIN RETRACTOR 3X3 BLUNT130MM 1 33 #2 PENFIELD DISSECTOR 197MM 1 34 #3 PENFIELD DISSECTOR 197MM 1 35 #44 PENFIELD DISSECTOR 197MM 1 36 VOLKMANN BONE CURETTE #0003.6MM 172MM 1 37 VOLKMANN BONE CURETTE #0003.6MM 172MM 1 38 VOLKMANN BONE CURETTE #0 4.4MM 172MM 1 39 VOLKMANN BONE CURETTE #1 6.5MM 172MM 1 40 VOLKMANN BONE CURETTE #2 8.5MM 172MM 1 41 COTTLE PERIOSTEAL ELEVATORCVD 197MM 1 42 ADSON NERVE HOOK SHARP 1 43 ADSON NERVE HOOK SHARP 1 44 CUSHING RONGEUR STR 2X10MM180MM 1 45 CASPAR RONGEUR UP-BITE 2MM 155MM 1 46 CASPAR RONGEUR UP-BITE 2MM 155MM 1 47 CLOWARD LAMINA SPREADER 135MM 1 48 INGE LAMINA SPREADER 135MM 1 49 STILLE-RUSKIN BONE RONGEUR 240MM 1 50 LEKSELL-STILLE BONE RONGEUR 240MM 1 51 LEXER GOUGE HARTPRS-HDL 7MM 220MM 1 52 SPONG GOUGEHARTPRS-HDL 7MM 220MM 1 53 CAPENER LAMINA SPREADER 135MM 1 54 TC RYDER RESPONDEN AND HOLDERHYYSERRISSMM 1 55 TC MAYO-HEGAR NDL HOLDERHYYSERRISSMM 1 56 TC MAYO-HEGAR NDL HOLDERHYYSERRISSMM 1 57 TC MAYO-HEGAR NDL HOLDERHYYSERRISSMM 1 58 CCR LONGITUUDINAL RETRACTOR 2 59 CCR BLADE FERSETRTD TILL ATLERAL 4SX24MM 4 56 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	18 CUSHING TISSUE FORCEPS 1X2 178MM 1
21 WAUGH DEL.TISSUE FORCEPS 1X2 200MM 1 22 LANGENBECK RETRACTORSOLIDAOX10MM230MM 2 23 KOCHER-LANGENBECK RETR 5SX11MM 216MM 2 24 LANGENBECK RETRACTOR 63X20MM 2 25 KOCHER-LANGENBECK RETR 75X11MM 216MM 2 26 CLOWARD TYPE RETRACTOR W/5 BLADES 250MM 1 27 FRAZIER SUCT X-SM 7FR 108MM WRK-LGTH 1 28 FRAZIER SUCT MED 10FR 108MM WRK-LGTH 1 29 FRAZIER SUCT LRG 12FR 108MM WRK-LGTH 1 30 FRAZIER SUCT LRG 12FR 108MM WRK-LGTH 1 31 FRAZIER SUCT SM 8FR 108MMWRK-LGTH 1 32 WULLSTEIN RETRACTOR 3X3 BLUNT130MM 1 33 #2 PENFIELD DISSECTOR 197MM 1 34 #3 PENFIELD DISSECTOR 197MM 1 35 #4 PENFIELD DISSECTOR 197MM 1 36 VOLKMANN BONE CURETTE #0003.6MM 172MM 1 37 VOLKMANN BONE CURETTE #0004.4MM 172MM 1 38 VOLKMANN BONE CURETTE #0 5.2MM 172MM 1 39 VOLKMANN BONE CURETTE #0 5.2MM 172MM 1 40 VOLKMANN BONE CURETTE #2 8.5MM 172MM 1 41 COTTLE PERIOSTEAL ELEVATORCVD 197MM 1 42 ADSON NERVE HOOK SHARP 1 43 ADSON NERVE HOOK SHARP 1 44 CUSHING RONGEUR STR 2X10MM180MM 1 45 CASPAR RONGEUR UP-BITE 2MM 155MM 1 46 CASPAR RONGEUR UP-BITE 2MM 155MM 1 47 CLOWARD LAMINA SPREADER 135MM 1 48 INGE LAMINA SPREADER 135MM 1 49 STILLE-RUSKIN BONE RONGEUR 240MM 1 50 LEKSELL-STILLE BONE RONGEUR 240MM 1 51 LEXER GOUGE HARTPS-HDL 7MM 220MM 1 52 SPONG GOUGEHARTPS-HDL 7MM 220MM 1 53 CAPENER LAMINA SPREADER 135MM 1 54 TC RYDER RETRACTOR 170MM 1 55 TC MAYO-HEGAR NDL HOLDERHYYSERR 150MM 1 56 TC MAYO-HEGAR NDL HOLDERHYYSERR 150MM 1 57 TC MAYO-HEGAR NDL HOLDERHYYSERR 150MM 1 58 CCR LONGITUDINAL RETRACTOR 2 50 CCR BLADE FERESTRTD TILLATERAL 4SX24MM 4 50 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	19 WAUGH DEL.TISSUE FORCEPS 1X2 180MM 1
22 LANGENBECK RETRACTORSOLID40X10MM230MM 2 23 KOCHER-LANGENBECK RETR 55X11MM 216MM 2 24 LANGENBECK RETRACTOR 63X20MM 2 25 KOCHER-LANGENBECK RETR 70X14MM216MM 2 26 CLOWARD TYPE RETRACTOR W.5 BLADES 250MM 1 27 FRAZIER SUCT X-SM 7FR 108MM WRK-LGTH 1 28 FRAZIER SUCT MED 10FR 108MM WRK-LGTH 1 29 FRAZIER SUCT LRG 12FR 108MM WRK-LGTH 1 30 FRAZIER SUCT X-SM 7FR 108MM WRK-LGTH 1 31 FRAZIER SUCT X-SM 7FR 108MM WRK-LGTH 1 32 WULLSTEIN RETRACTOR 3X3 BLUNT130MM 1 33 #2 PENFIELD DISSECTOR 197MM 1 34 #3 PENFIELD DISSECTOR 197MM 1 35 #44 PENFIELD DISSECTOR 197MM 1 36 WOLKMANN BONE CURETTE #0003.6MM 172MM 1 37 VOLKMANN BONE CURETTE #0004.4MM 172MM 1 38 VOLKMANN BONE CURETTE #0 5.2MM 172MM 1 39 VOLKMANN BONE CURETTE #0 5.2MM 172MM 1 40 VOLKMANN BONE CURETTE # 0 5.MM 172MM 1 41 COTTLE PERIOSTEAL ELEVATORCVD 197MM 1 42 ADSON NERVE HOOK SHARP 1 43 ADSON NERVE HOOK SHARP 1 44 CUSHING RONGEUR D'FBTE ZMM 155MM 1 45 CASPAR RONGEUR UP-BITE ZMM 155MM 1 46 CASPAR RONGEUR UP-BITE ZMM 155MM 1 47 CLOWARD LAMINA SPREADER 135MM 1 48 INGE LAMINA SPREADER 135MM 1 49 STILLE-RUSKIN BONE RONGEUR 240MM 1 50 LEKSELL-STILLE BONE RONGEUR 240MM 1 51 LEXER GOUGE HARTPRS-HDL 7MM 220MM 1 52 SPONG GOUGEHARTPRS-HDL 7MM 220MM 1 53 CAPENER LAMINA GOUGE 6MM WIDE 235MM 1 54 TC RYDER NEEDLE HOLDERPENSER 155MM 1 55 CAPENER LAMINA GOUGE 6MM WIDE 235MM 1 56 TC MAYO-HEGAR NDL HOLDERHVYSERR150MM 1 57 TC MAYO-HEGAR NDL HOLDERHVYSERR150MM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENSENTTD TILLATERAL 45X24MM 4 50 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	20 CUSHING TISSUE FORCEPS 1X2 178MM 1
23 KOCHER-LANGENBECK RETR 55X11MM 216MM 2 24 LANGENBECK RETRACTOR 63X20MM 2 25 KOCHER-LANGENBECK RETR 70X14MM216MM 2 26 CLOWARD TYPE RETRACTOR W/5 BLADES 250MM 1 27 FRAZIER SUCT X-SM 7FR 108MM WRK-LGTH 1 28 FRAZIER SUCT MED 10FR 108MM WRK-LGTH 1 30 FRAZIER SUCT KG 12FR 108MM WRK-LGTH 1 31 FRAZIER SUCT X-SM 7FR 108MM WRK-LGTH 1 32 WULLSTEIN RETRACTOR 3X3 BLUNT130MM 1 33 #2 PENFIELD DISSECTOR 197MM 1 34 #3 PENFIELD DISSECTOR 197MM 1 35 #4 PENFIELD DISSECTOR 197MM 1 36 VOLKMANN BONE CURETTE #0003.6MM 172MM 1 37 VOLKMANN BONE CURETTE #00 4.4MM 172MM 1 38 VOLKMANN BONE CURETTE #0 5.2MM 172MM 1 39 VOLKMANN BONE CURETTE #0 5.2MM 172MM 1 40 VOLKMANN BONE CURETTE #1 6.8MM 172MM 1 41 COTTLE PERIOSTEAL ELEVATORCVD 197MM 1 42 ADSON NERVE HOOK SHARP 1 44 CUSHING RONGEUR STR 2X10MM180MM 1 45 CASPAR RONGEUR UP-BITE 2MM 155MM 1 46 CASPAR RONGEUR DWN-BITE 2MM 155MM 1 47 CLOWARD LAMINA SPERADER 135MM 1 48 INGE LAMINA SPERADER 135MM 1 49 STILLE-RUSKIN BONE RONGEUR 240MM 1 50 LEKSELL-STILLE BONE RONGEUR 240MM 1 51 LEXER GOUGE HARTPRS-HDL CVD10MM254MM 1 52 SPONG GOUGEHARTPRS-HDL TMM 220MM 1 53 CAPENER LAMINA GOUGE 6MM WIDE 235MM 1 54 TC RYDER NEEDLE HOLDERRIDESERR 175MM 1 55 TC MAYO-HEGAR NDL HOLDERHYYSERR1SOMM 1 56 TC MAYO-HEGAR NDL HOLDERHYYSERR1SOMM 1 57 TC MAYO-HEGAR NDL HOLDERHYYSERR2SOMM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENESTRID TI LATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	21 WAUGH DEL.TISSUE FORCEPS 1X2 200MM 1
24 LANGENBECK RETRACTOR 63X20MM 2 25 KOCHER-LANGENBECK RETR 70X14MM216MM 2 26 CLOWARD TYPE RETRACTOR W/5 BLADES 250MM 1 27 FRAZIER SUCT X-SM 7FR 108MM WRK-LGTH 1 28 FRAZIER SUCT LEG 12FR 108MM WRK-LGTH 1 29 FRAZIER SUCT LEG 12FR 108MM WRK-LGTH 1 30 FRAZIER SUCT LEG 12FR 108MM WRK-LGTH 1 31 FRAZIER SUCT SM 7FR 108MM WRK-LGTH 1 32 WULLSTEIN RETRACTOR 3X3 BLUNT130MM 1 33 #2 PENFIELD DISSECTOR 197MM 1 34 #3 PENFIELD DISSECTOR 197MM 1 35 #4 PENFIELD DISSECTOR 197MM 1 36 VOLKMANN BONE CURETTE #0003.6MM 172MM 1 37 VOLKMANN BONE CURETTE #00 4.4MM 172MM 1 38 VOLKMANN BONE CURETTE #0 5.2MM 172MM 1 39 VOLKMANN BONE CURETTE #1 6.8MM 172MM 1 40 VOLKMANN BONE CURETTE #2 8.5MM 172MM 1 41 COTTLE PERIOSTEAL ELEVATORCVD 197MM 1 42 ADSON NERVE HOOK SHARP 1 43 ADSON NERVE HOOK SHARP 1 44 CUSHING RONGEUR STR 2X10MM180MM 1 45 CASPAR RONGEUR UP-BITE 2MM 155MM 1 46 CASPAR RONGEUR UP-BITE 2MM 155MM 1 47 CLOWARD LAMINA SPREADER 135MM 1 48 INGE LAMINA RETRACTOR 170MM 1 49 STILLE-RUSKIN BONE RONGEUR240MM 1 50 LEKSELL-STILLE BONE RONGEUR 240MM 1 51 LEXER GOUGE HARTPRS-HDL CVD10MM254MM 1 53 CAPENER LAMINA GOUGE 6MM WIDE 235MM 1 54 TC RYDER NEEDLE HOLDEREDELSERR 175MM 1 55 TC MAYO-HEGAR NDL HOLDERHVYSERR 185MM 1 56 TC MAYO-HEGAR NDL HOLDERHVYSERR 185MM 1 57 TC MAYO-HEGAR NDL HOLDERHVYSERR 185MM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 COR BLADE FENESTRID TI LATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	22 LANGENBECK RETRACTORSOLID40X10MM230MM 2
25 KOCHER-LANGENBECK RETR 70X14MM216MM 2 26 CLOWARD TYPE RETRACTOR W/5 BLADES 250MM 1 27 FRAZIER SUCT X-SM 7FR 108MM WRK-LGTH 1 28 FRAZIER SUCT MED 10FR 108MM WRK-LGTH 1 30 FRAZIER SUCT LRG 12FR 108MM WRK-LGTH 1 31 FRAZIER SUCT S-SM 7FR 108MM WRK-LGTH 1 32 WULLSTEIN RETRACTOR 3X3 BLUNT130MM 1 33 #2 PENFIELD DISSECTOR 197MM 1 34 #3 PENFIELD DISSECTOR 197MM 1 35 #4 PENFIELD DISSECTOR 197MM 1 36 VOLKMANN BONE CURETTE #0003.6MM 172MM 1 37 VOLKMANN BONE CURETTE #0003.6MM 172MM 1 38 VOLKMANN BONE CURETTE #0 4.4MM 172MM 1 39 VOLKMANN BONE CURETTE #0 5.2MM 172MM 1 40 VOLKMANN BONE CURETTE #1 6.8MM 172MM 1 41 COTTLE PERIOSTEAL ELEVATORCVD 197MM 1 42 ADSON NERVE HOOK SHARP 1 43 ADSON NERVE HOOK SHARP 1 44 CUSHING RONGEUR STR 2X10MM180MM 1 45 CASPAR RONGEUR UP-BITE 2MM 155MM 1 46 CASPAR RONGEUR UP-BITE 2MM 155MM 1 47 CLOWARD LAMINA SPREADER 135MM 1 48 INGE LAMINA RETRACTOR 170MM 1 49 STILLE-RUSKIN BONE RONGEUR240MM 1 50 LEKSELL-STILLE BONE RONGEUR 240MM 1 51 LEXER GOUGE HARTPRS-HDL 7MM 220MM 1 52 SPONG GOUGEHARTPRS-HDL 7MM 220MM 1 53 CAPENER LAMINA GOUGE 6MM WIDE 235MM 1 54 TC RYDER REDEAL HOLDER DELSERR 175MM 1 55 TC MAYO-HEGAR NDL HOLDERHVYSERR 185MM 1 56 TC MAYO-HEGAR NDL HOLDERHVYSERR 185MM 1 57 TC MAYO-HEGAR NDL HOLDERHVYSERR 185MM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENSETRIT TI LATERAL 45X24MM 4 50 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	23 KOCHER-LANGENBECK RETR 55X11MM 216MM 2
26 CLOWARD TYPE RETRACTOR W/5 BLADES 250MM 1 27 FRAZIER SUCT X-SM 7FR 108MM WRK-LGTH 1 28 FRAZIER SUCT LEG 12FR 108MM WRK-LGTH 1 30 FRAZIER SUCT LEG 12FR 108MM WRK-LGTH 1 31 FRAZIER SUCT SM 5FR 108MM WRK-LGTH 1 32 WULLSTEIN RETRACTOR 3X3 BLUNT130MM 1 33 #2 PENFIELD DISSECTOR 197MM 1 34 #3 PENFIELD DISSECTOR 197MM 1 35 #4 PENFIELD DISSECTOR 203MM 1 36 VOLKMANN BONE CURETTE #0003.6MM 172MM 1 37 VOLKMANN BONE CURETTE #0004.4MM 172MM 1 38 VOLKMANN BONE CURETTE #0 5.2MM 172MM 1 39 VOLKMANN BONE CURETTE #0 5.2MM 172MM 1 40 VOLKMANN BONE CURETTE #1 6.8MM 172MM 1 41 COTTLE PERIOSTEAL ELEVATORCVD 197MM 1 42 ADSON NERVE HOOK SHARP 1 43 ADSON NERVE HOOK SHARP 1 44 CUSHING RONGEUR STR 2X10MM180MM 1 45 CASPAR RONGEUR DWN-BITE 2MM 155MM 1 46 CASPAR RONGEUR DWN-BITE 2MM 155MM 1 47 CLOWARD LAMINA SPREADER 135MM 1 48 INGE LAMINA RETRACTOR 170MM 1 49 STILLE-RUSKIN BONE RONGEUR 240MM 1 50 LEKSELL-STILLE BONE RONGEUR 240MM 1 51 LEXER GOUGE HARTPRS-HDL 7MM 220MM 1 52 SPONG GOUGEHARTPRS-HDL 7MM 220MM 1 53 CAPENER LAMINA GOUGE 6MM WIDE 235MM 1 54 TC RYDER NEEDLE HOLDERDELSERR 175MM 1 55 TC MAYO-HEGAR NDL HOLDERHVYSERR150MM 1 56 TC MAYO-HEGAR NDL HOLDERHVYSERR150MM 1 57 TC MAYO-HEGAR NDL HOLDERHVYSERR150MM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENESTRID TILLATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	24 LANGENBECK RETRACTOR 63X20MM 2
27 FRAZIER SUCT X-SM 7FR 108MM WRK-LGTH 1 28 FRAZIER SUCT MED 10FR 108MM WRK-LGTH 1 30 FRAZIER SUCT LEG 12FR 108MM WRK-LGTH 1 31 FRAZIER SUCT X-SM 7FR 108MM WRK-LGTH 1 32 WULLSTEIN RETRACTOR 3X3 BLUNT130MM 1 33 #2 PENFIELD DISSECTOR 197MM 1 34 #3 PENFIELD DISSECTOR 197MM 1 35 #4 PENFIELD DISSECTOR 203MM 1 36 VOLKMANN BONE CURETTE #0003.6MM 172MM 1 37 VOLKMANN BONE CURETTE #0003.6MM 172MM 1 38 VOLKMANN BONE CURETTE #0 0.4.4MM 172MM 1 39 VOLKMANN BONE CURETTE #0 5.2MM 172MM 1 40 VOLKMANN BONE CURETTE #1 6.8MM 172MM 1 41 COTTLE PERIOSTEAL ELEVATORCVD 197MM 1 42 ADSON NERVE HOOK SHARP 1 43 ADSON NERVE HOOK SHARP 1 44 CUSHING RONGEUR STR 2X10MM180MM 1 45 CASPAR RONGEUR UP-BITE 2MM 155MM 1 46 CASPAR RONGEUR UP-BITE 2MM 155MM 1 47 CLOWARD LAMINA SPREADER 135MM 1 48 INGE LAMINA RETRACTOR 170MM 1 49 STILLE-RUSKIN BONE RONGEUR240MM 1 50 LEKSELL-STILLE BONE RONGEUR 240MM 1 51 LEXER GOUGE HARTPRS-HDL 7MM 220MM 1 52 SPONG GOUGEHARTPRS-HDL 7MM 220MM 1 53 CAPENER LAMINA GOUGE 6MM WIDE 235MM 1 54 TC RYDER NEEDLE HOLDERDELSERR 175MM 1 55 TC MAYO-HEGAR NDL HOLDERHVYSERR150MM 1 56 TC MAYO-HEGAR NDL HOLDERHVYSERR150MM 1 57 TC MAYO-HEGAR NDL HOLDERHVYSERR150MM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENESTRTD TI LATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	25 KOCHER-LANGENBECK RETR 70X14MM216MM 2
28 FRAZIER SUCT MED 10FR 108MM WRK-LGTH 1 29 FRAZIER SUCT LRG 12FR 108MM WRK-LGTH 1 30 FRAZIER SUCT X-SM 7FR 108MM WRK-LGTH 1 31 FRAZIER SUCT SM 8FR 108MMWRK-LGTH 1 32 WULLSTEIN RETRACTOR 3X3 BLUNT130MM 1 33 #2 PENFIELD DISSECTOR 197MM 1 34 #3 PENFIELD DISSECTOR 197MM 1 35 #4 PENFIELD DISSECTOR 203MM 1 36 VOLKMANN BONE CURETTE #0003.6MM 172MM 1 37 VOLKMANN BONE CURETTE #00 4.4MM 172MM 1 38 VOLKMANN BONE CURETTE #0 5.2MM 172MM 1 39 VOLKMANN BONE CURETTE #1 6.8MM 172MM 1 40 VOLKMANN BONE CURETTE #2 8.5MM 172MM 1 41 COTTLE PERIOSTEAL ELEVATORCVD 197MM 1 42 ADSON NERVE HOOK SHARP 1 43 ADSON NERVE HOOK SHARP 1 44 CUSHING RONGEUR STR 2X10MM180MM 1 45 CASPAR RONGEUR UP-BITE 2MM 155MM 1 46 CASPAR RONGEUR DWN-BITE 2MM 155MM 1 47 CLOWARD LAMINA SPREADER 135MM 1 48 INGE LAMINA RETRACTOR 170MM 1 49 STILLE-RUSKIN BONE RONGEUR 240MM 1 50 LEKSELL-STILLE BONE RONGEUR 240MM 1 51 LEXER GOUGE HARTPRS-HDL 7MM 220MM 1 52 SPONG GOUGEHARTPRS-HDL 7MM 220MM 1 53 CAPENER LAMINA GOUGE 6MM WIDE 235MM 1 54 TC RYDER NEEDLE HOLDERDELSERR 175MM 1 55 TC MAYO-HEGAR NDL HOLDERHVYSERR150MM 1 56 TC MAYO-HEGAR NDL HOLDERHVYSERR185MM 1 57 TC MAYO-HEGAR NDL HOLDERHVYSERR185MM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENESTRTD TI LATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	26 CLOWARD TYPE RETRACTOR W/5 BLADES 250MM 1
29 FRAZIER SUCT LRG 12FR 108MM WRK-LGTH 1 30 FRAZIER SUCT X-SM 7FR 108MM WRK-LGTH 1 31 FRAZIER SUCT SM 8FR 108MMWRK-LGTH 1 32 WULLSTEIN RETRACTOR 3X3 BLUNT130MM 1 33 #2 PENFIELD DISSECTOR 197MM 1 34 #3 PENFIELD DISSECTOR 197MM 1 35 #4 PENFIELD DISSECTOR 203MM 1 37 VOLKMANN BONE CURETTE #0003.6MM 172MM 1 38 VOLKMANN BONE CURETTE #0004.4MM 172MM 1 39 VOLKMANN BONE CURETTE #0 5.2MM 172MM 1 40 VOLKMANN BONE CURETTE #1 6.8MM 172MM 1 41 COTTLE PERIOSTEAL ELEVATORCVD 197MM 1 42 ADSON NERVE HOOK SHARP 1 43 ADSON NERVE HOOK SHARP 1 44 CUSHING RONGEUR STR 2X10MM180MM 1 45 CASPAR RONGEUR UP-BITE 2MM 155MM 1 46 CASPAR RONGEUR DWN-BITE 2MM 155MM 1 47 CLOWARD LAMINA SPREADER 135MM 1 48 INGE LAMINA RETRACTOR 170MM 1 49 STILLE-RUSKIN BONE RONGEUR 240MM 1 50 LEKSELL-STILLE BONE RONGEUR 240MM 1 51 LEXER GOUGE HARTPRS-HDL 7MM 220MM 1 52 SPONG GOUGEHARTPRS-HDL VD10MM254MM 1 53 CAPENER LAMINA GOUGE 6MM WIDE 233MM 1 54 TC RYDER NEEDLE HOLDERBUSERR 175MM 1 55 TC MAYO-HEGAR NDL HOLDERHVYSERR 185MM 1 56 TC MAYO-HEGAR NDL HOLDERHVYSERR 185MM 1 57 TC MAYO-HEGAR NDL HOLDERHVYSERR 185MM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENESTRTD TI LATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	27 FRAZIER SUCT X-SM 7FR 108MM WRK-LGTH 1
30 FRAZIER SUCT X-SM 7FR 108MM WRK-LGTH 1 31 FRAZIER SUCT SM 8FR 108MMWRK-LGTH 1 32 WULLSTEIN RETRACTOR 3X3 BLUNT130MM 1 33 #2 PENFIELD DISSECTOR 197MM 1 34 #3 PENFIELD DISSECTOR 197MM 1 35 #4 PENFIELD DISSECTOR 203MM 1 36 VOLKMANN BONE CURETTE #0003.6MM 172MM 1 37 VOLKMANN BONE CURETTE #00 4.4MM 172MM 1 38 VOLKMANN BONE CURETTE #0 5.2MM 172MM 1 39 VOLKMANN BONE CURETTE #1 6.8MM 172MM 1 40 VOLKMANN BONE CURETTE #2 8.5MM 172MM 1 41 COTTLE PERIOSTEAL ELEVATORCVD 197MM 1 42 ADSON NERVE HOOK SHARP 1 43 ADSON NERVE HOOK SHARP 1 44 CUSHING RONGEUR STR 2X10MM180MM 1 45 CASPAR RONGEUR UP-BITE 2MM 155MM 1 46 CASPAR RONGEUR UP-BITE 2MM 155MM 1 47 CLOWARD LAMINA SPREADER 135MM 1 48 INGE LAMINA RETRACTOR 170MM 1 49 STILLE-RUSKIN BONE RONGEUR240MM 1 50 LEKSELL-STILLE BONE RONGEUR 240MM 1 51 LEXER GOUGE HARTPRS-HDL 7MM 220MM 1 52 SPONG GOUGEHARTPRS-HDL 7MM 220MM 1 53 CAPENER LAMINA GOUGE 6MM WIDE 235MM 1 54 TC RYDER NEEDLE HOLDERDELSERR 175MM 1 55 TC MAYO-HEGAR NDL HOLDERHVYSERR150MM 1 56 TC MAYO-HEGAR NDL HOLDERHVYSERR150MM 1 57 TC MAYO-HEGAR NDL HOLDERHVYSERR150MM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENESTRTD TI LATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	28 FRAZIER SUCT MED 10FR 108MM WRK-LGTH 1
31 FRAZIER SUCT SM 8FR 108MMWRK-LGTH 1 32 WULLSTEIN RETRACTOR 3X3 BLUNT130MM 1 33 #2 PENFIELD DISSECTOR 197MM 1 34 #3 PENFIELD DISSECTOR 197MM 1 35 #4 PENFIELD DISSECTOR 203MM 1 36 VOLKMANN BONE CURETTE #0003.6MM 172MM 1 37 VOLKMANN BONE CURETTE #00 4.4MM 172MM 1 38 VOLKMANN BONE CURETTE #0 5.2MM 172MM 1 39 VOLKMANN BONE CURETTE #1 6.8MM 172MM 1 40 VOLKMANN BONE CURETTE #2 8.5MM 172MM 1 41 COTTLE PERIOSTEAL ELEVATORCVD 197MM 1 42 ADSON NERVE HOOK SHARP 1 43 ADSON NERVE HOOK SHARP 1 44 CUSHING RONGEUR STR 2X10MM180MM 1 45 CASPAR RONGEUR UP-BITE 2MM 155MM 1 46 CASPAR RONGEUR WN-BITE 2MM 155MM 1 47 CLOWARD LAMINA SPREADER 135MM 1 48 INGE LAMINA RETRACTOR 170MM 1 49 STILLE-RUSKIN BONE RONGEUR 240MM 1 50 LEKSELL-STILLE BONE RONGEUR 240MM 1 51 LEXER GOUGE HARTPRS-HDL 7MM 220MM 1 53 CAPENER LAMINA GOUGE 6MM WIDE 235MM 1 54 TC RYDER NEEDLE HOLDERDELSERR 175MM 1 55 TC MAYO-HEGAR NDL HOLDERHVYSERR150MM 1 56 TC MAYO-HEGAR NDL HOLDERHVYSERR150MM 1 57 TC MAYO-HEGAR NDL HOLDERHVYSERR150MM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENESTRITD TI LATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	29 FRAZIER SUCT LRG 12FR 108MM WRK-LGTH 1
32 WULLSTEIN RETRACTOR 3X3 BLUNT130MM 1 33 #2 PENFIELD DISSECTOR 197MM 1 34 #3 PENFIELD DISSECTOR 197MM 1 35 #4 PENFIELD DISSECTOR 203MM 1 36 VOLKMANN BONE CURETTE #0003.6MM 172MM 1 37 VOLKMANN BONE CURETTE #0004.4MM 172MM 1 38 VOLKMANN BONE CURETTE #0 5.2MM 172MM 1 39 VOLKMANN BONE CURETTE #1 6.8MM 172MM 1 40 VOLKMANN BONE CURETTE #2 8.5MM 172MM 1 41 COTTLE PERIOSTEAL ELEVATORCVD 197MM 1 42 ADSON NERVE HOOK SHARP 1 43 ADSON NERVE HOOK SHARP 1 44 CUSHING RONGEUR STR 2X10MM180MM 1 45 CASPAR RONGEUR UP-BITE 2MM 155MM 1 46 CASPAR RONGEUR UP-BITE 2MM 155MM 1 47 CLOWARD LAMINA SPREADER 135MM 1 48 INGE LAMINA RETRACTOR 170MM 1 49 STILLE-RUSKIN BONE RONGEUR 240MM 1 50 LEKSELL-STILLE BONE RONGEUR 240MM 1 51 LEXER GOUGE HARTPRS-HDL TVM 220MM 1 53 CAPENER LAMINA GOUGE 6MM WIDE 235MM 1 54 TC RYDER NEEDLE HOLDERDELSERR 175MM 1 55 TC MAYO-HEGAR NDL HOLDERHVYSERR185MM 1 56 TC MAYO-HEGAR NDL HOLDERHVYSERR185MM 1 57 TC MAYO-HEGAR NDL HOLDERHVYSERR185MM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENSTRTD TI LATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	30 FRAZIER SUCT X-SM 7FR 108MM WRK-LGTH 1
33 #2 PENFIELD DISSECTOR 197MM 1 34 #3 PENFIELD DISSECTOR 197MM 1 35 #4 PENFIELD DISSECTOR 203MM 1 36 VOLKMANN BONE CURETTE #0003.6MM 172MM 1 37 VOLKMANN BONE CURETTE #00 4.4MM 172MM 1 38 VOLKMANN BONE CURETTE #0 5.2MM 172MM 1 39 VOLKMANN BONE CURETTE #1 6.8MM 172MM 1 40 VOLKMANN BONE CURETTE #2 8.5MM 172MM 1 41 COTTLE PERIOSTEAL ELEVATORCVD 197MM 1 42 ADSON NERVE HOOK SHARP 1 43 ADSON NERVE HOOK SHARP 1 44 CUSHING RONGEUR STR 2X10MM180MM 1 45 CASPAR RONGEUR UP-BITE 2MM 155MM 1 46 CASPAR RONGEUR UP-BITE 2MM 155MM 1 47 CLOWARD LAMINA SPREADER 135MM 1 48 INGE LAMINA RETRACTOR 170MM 1 49 STILLE-RUSKIN BONE RONGEUR240MM 1 50 LEKSELL-STILLE BONE RONGEUR 240MM 1 51 LEXER GOUGE HARTPRS-HDL 7MM 220MM 1 52 SPONG GOUGEHARTPRS-HDL 7MM 220MM 1 53 CAPENER LAMINA GOUGE 6MM WIDE 235MM 1 54 TC RYDER NEEDLE HOLDERDELSERR 175MM 1 55 TC MAYO-HEGAR NDL HOLDERHYYSERR185MM 1 56 TC MAYO-HEGAR NDL HOLDERHYYSERR185MM 1 57 TC MAYO-HEGAR NDL HOLDERHYYSERR205MM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENESTRTD TI LATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	31 FRAZIER SUCT SM 8FR 108MMWRK-LGTH 1
34 #3 PENFIELD DISSECTOR 197MM 1 35 #4 PENFIELD DISSECTOR 203MM 1 36 VOLKMANN BONE CURETTE #0003.6MM 172MM 1 37 VOLKMANN BONE CURETTE #00 4.4MM 172MM 1 38 VOLKMANN BONE CURETTE #0 5.2MM 172MM 1 39 VOLKMANN BONE CURETTE #1 6.8MM 172MM 1 40 VOLKMANN BONE CURETTE #2 8.5MM 172MM 1 41 COTTLE PERIOSTEAL ELEVATORCVD 197MM 1 42 ADSON NERVE HOOK SHARP 1 43 ADSON NERVE HOOK SHARP 1 44 CUSHING RONGEUR STR 2X10MM180MM 1 45 CASPAR RONGEUR UP-BITE 2MM 155MM 1 46 CASPAR RONGEUR UP-BITE 2MM 155MM 1 47 CLOWARD LAMINA SPREADER 135MM 1 48 INGE LAMINA RETRACTOR 170MM 1 49 STILLE-RUSKIN BONE RONGEUR 240MM 1 50 LEKSELL-STILLE BONE RONGEUR 240MM 1 51 LEXER GOUGE HARTPRS-HDL 7MM 220MM 1 52 SPONG GOUGEHARTPRS-HDLCVD10MM254MM 1 53 CAPENER LAMINA GOUGE 6MM WIDE 235MM 1 54 TC RYDER NEEDLE HOLDERDELSERR 175MM 1 55 TC MAYO-HEGAR NDL HOLDERHVYSERR155MM 1 56 TC MAYO-HEGAR NDL HOLDERHVYSERR155MM 1 57 TC MAYO-HEGAR NDL HOLDERHVYSERR155MM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENESTRTD TI LATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	32 WULLSTEIN RETRACTOR 3X3 BLUNT130MM 1
35 #4 PENFIELD DISSECTOR 203MM 1 36 VOLKMANN BONE CURETTE #0003.6MM 172MM 1 37 VOLKMANN BONE CURETTE #00 4.4MM 172MM 1 38 VOLKMANN BONE CURETTE #0 5.2MM 172MM 1 39 VOLKMANN BONE CURETTE #1 6.8MM 172MM 1 40 VOLKMANN BONE CURETTE #2 8.5MM 172MM 1 41 COTTLE PERIOSTEAL ELEVATORCVD 197MM 1 42 ADSON NERVE HOOK SHARP 1 43 ADSON NERVE HOOK SHARP 1 44 CUSHING RONGEUR STR 2X10MM180MM 1 45 CASPAR RONGEUR UP-BITE 2MM 155MM 1 46 CASPAR RONGEUR UP-BITE 2MM 155MM 1 47 CLOWARD LAMINA SPREADER 135MM 1 48 INGE LAMINA RETRACTOR 170MM 1 49 STILLE-RUSKIN BONE RONGEUR 240MM 1 50 LEKSELL-STILLE BONE RONGEUR 240MM 1 51 LEXER GOUGE HARTPRS-HDL 7MM 220MM 1 52 SPONG GOUGEHARTPRS-HDLCVD10MM254MM 1 53 CAPENER LAMINA GOUGE 6MM WIDE 235MM 1 54 TC RYDER NEEDLE HOLDERDELSERR 175MM 1 55 TC MAYO-HEGAR NDL HOLDERHVYSERR150MM 1 56 TC MAYO-HEGAR NDL HOLDERHVYSERR205MM 1 57 TC MAYO-HEGAR NDL HOLDERHVYSERR205MM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENESTRTD TI LATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	33 #2 PENFIELD DISSECTOR 197MM 1
36 VOLKMANN BONE CURETTE #0003.6MM 172MM 1 37 VOLKMANN BONE CURETTE #00 4.4MM 172MM 1 38 VOLKMANN BONE CURETTE #0 5.2MM 172MM 1 39 VOLKMANN BONE CURETTE #1 6.8MM 172MM 1 40 VOLKMANN BONE CURETTE #2 8.5MM 172MM 1 41 COTTLE PERIOSTEAL ELEVATORCVD 197MM 1 42 ADSON NERVE HOOK SHARP 1 43 ADSON NERVE HOOKBLUNT 1 44 CUSHING RONGEUR STR 2X10MM180MM 1 45 CASPAR RONGEUR UP-BITE 2MM 155MM 1 46 CASPAR RONGEUR UP-BITE 2MM 155MM 1 47 CLOWARD LAMINA SPREADER 135MM 1 48 INGE LAMINA RETRACTOR 170MM 1 49 STILLE-RUSKIN BONE RONGEUR 240MM 1 50 LEKSELL-STILLE BONE RONGEUR 240MM 1 51 LEXER GOUGE HARTPRS-HDL 7MM 220MM 1 52 SPONG GOUGEHARTPRS-HDL 7MM 220MM 1 53 CAPENER LAMINA GOUGE 6MM WIDE 235MM 1 54 TC RYDER NEEDLE HOLDERDELSERR 175MM 1 55 TC MAYO-HEGAR NDL HOLDERHVYSERR 155MM 1 57 TC MAYO-HEGAR NDL HOLDERHVYSERR 185MM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENESTRTD TI LATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	34 #3 PENFIELD DISSECTOR 197MM 1
37 VOLKMANN BONE CURETTE #00 4.4MM 172MM 1 38 VOLKMANN BONE CURETTE #0 5.2MM 172MM 1 39 VOLKMANN BONE CURETTE #1 6.8MM 172MM 1 40 VOLKMANN BONE CURETTE #2 8.5MM 172MM 1 41 COTTLE PERIOSTEAL ELEVATORCVD 197MM 1 42 ADSON NERVE HOOK SHARP 1 43 ADSON NERVE HOOKBLUNT 1 44 CUSHING RONGEUR STR 2X10MM180MM 1 45 CASPAR RONGEUR UP-BITE 2MM 155MM 1 46 CASPAR RONGEUR UP-BITE 2MM 155MM 1 47 CLOWARD LAMINA SPREADER 135MM 1 48 INGE LAMINA RETRACTOR 170MM 1 49 STILLE-RUSKIN BONE RONGEUR 240MM 1 50 LEKSELL-STILLE BONE RONGEUR 240MM 1 51 LEXER GOUGE HARTPRS-HDL 7MM 220MM 1 52 SPONG GOUGEHARTPRS-HDLCVD10MM254MM 1 53 CAPENER LAMINA GOUGE 6MM WIDE 235MM 1 54 TC RYDER NEEDLE HOLDERDELSERR 175MM 1 55 TC MAYO-HEGAR NDL HOLDERHVYSERR155MM 1 56 TC MAYO-HEGAR NDL HOLDERHVYSERR185MM 1 57 TC MAYO-HEGAR NDL HOLDERHVYSERR185MM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENESTRTD TI LATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	35 #4 PENFIELD DISSECTOR 203MM 1
38 VOLKMANN BONE CURETTE #0 5.2MM 172MM 1 39 VOLKMANN BONE CURETTE #1 6.8MM 172MM 1 40 VOLKMANN BONE CURETTE #2 8.5MM 172MM 1 41 COTTLE PERIOSTEAL ELEVATORCVD 197MM 1 42 ADSON NERVE HOOK SHARP 1 43 ADSON NERVE HOOKBLUNT 1 44 CUSHING RONGEUR STR 2X10MM180MM 1 45 CASPAR RONGEUR UP-BITE 2MM 155MM 1 46 CASPAR RONGEUR DWN-BITE 2MM 155MM 1 47 CLOWARD LAMINA SPREADER 135MM 1 48 INGE LAMINA RETRACTOR 170MM 1 49 STILLE-RUSKIN BONE RONGEUR 240MM 1 50 LEKSELL-STILLE BONE RONGEUR 240MM 1 51 LEXER GOUGE HARTPRS-HDL 7MM 220MM 1 52 SPONG GOUGEHARTPRS-HDLCVD10MM254MM 1 53 CAPENER LAMINA GOUGE 6MM WIDE 235MM 1 54 TC RYDER NEEDLE HOLDERDELSERR 175MM 1 55 TC MAYO-HEGAR NDL HOLDERHVYSERR150MM 1 56 TC MAYO-HEGAR NDL HOLDERHVYSERR150MM 1 57 TC MAYO-HEGAR NDL HOLDERHVYSERR205MM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENESTRTD TI LATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	36 VOLKMANN BONE CURETTE #0003.6MM 172MM 1
39 VOLKMANN BONE CURETTE #1 6.8MM 172MM 1 40 VOLKMANN BONE CURETTE #2 8.5MM 172MM 1 41 COTTLE PERIOSTEAL ELEVATORCVD 197MM 1 42 ADSON NERVE HOOK SHARP 1 43 ADSON NERVE HOOKBLUNT 1 44 CUSHING RONGEUR STR 2X10MM180MM 1 45 CASPAR RONGEUR UP-BITE 2MM 155MM 1 46 CASPAR RONGEUR DWN-BITE 2MM 155MM 1 47 CLOWARD LAMINA SPREADER 135MM 1 48 INGE LAMINA RETRACTOR 170MM 1 49 STILLE-RUSKIN BONE RONGEUR 240MM 1 50 LEKSELL-STILLE BONE RONGEUR 240MM 1 51 LEXER GOUGE HARTPRS-HDL 7MM 220MM 1 52 SPONG GOUGEHARTPRS-HDLCVD10MM254MM 1 53 CAPENER LAMINA GOUGE 6MM WIDE 235MM 1 54 TC RYDER NEEDLE HOLDERDELSERR 175MM 1 55 TC MAYO-HEGAR NDL HOLDERHVYSERR150MM 1 56 TC MAYO-HEGAR NDL HOLDERHVYSERR150MM 1 57 TC MAYO-HEGAR NDL HOLDERHVYSERR185MM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENESTRTD TI LATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	37 VOLKMANN BONE CURETTE #00 4.4MM 172MM 1
40 VOLKMANN BONE CURETTE #2 8.5MM 172MM 1 41 COTTLE PERIOSTEAL ELEVATORCVD 197MM 1 42 ADSON NERVE HOOK SHARP 1 43 ADSON NERVE HOOKBLUNT 1 44 CUSHING RONGEUR STR 2X10MM180MM 1 45 CASPAR RONGEUR UP-BITE 2MM 155MM 1 46 CASPAR RONGEUR DWN-BITE 2MM 155MM 1 47 CLOWARD LAMINA SPREADER 135MM 1 48 INGE LAMINA RETRACTOR 170MM 1 49 STILLE-RUSKIN BONE RONGEUR 240MM 1 50 LEKSELL-STILLE BONE RONGEUR 240MM 1 51 LEXER GOUGE HARTPRS-HDL 7MM 220MM 1 52 SPONG GOUGEHARTPRS-HDLCVD10MM254MM 1 53 CAPENER LAMINA GOUGE 6MM WIDE 235MM 1 54 TC RYDER NEEDLE HOLDERDELSERR 175MM 1 55 TC MAYO-HEGAR NDL HOLDERHVYSERR150MM 1 56 TC MAYO-HEGAR NDL HOLDERHVYSERR185MM 1 57 TC MAYO-HEGAR NDL HOLDERHVYSERR205MM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENESTRTD TI LATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	38 VOLKMANN BONE CURETTE #0 5.2MM 172MM 1
41 COTTLE PERIOSTEAL ELEVATORCVD 197MM 1 42 ADSON NERVE HOOK SHARP 1 43 ADSON NERVE HOOKBLUNT 1 44 CUSHING RONGEUR STR 2X10MM180MM 1 45 CASPAR RONGEUR UP-BITE 2MM 155MM 1 46 CASPAR RONGEUR DWN-BITE 2MM 155MM 1 47 CLOWARD LAMINA SPREADER 135MM 1 48 INGE LAMINA RETRACTOR 170MM 1 49 STILLE-RUSKIN BONE RONGEUR240MM 1 50 LEKSELL-STILLE BONE RONGEUR 240MM 1 51 LEXER GOUGE HARTPRS-HDL 7MM 220MM 1 52 SPONG GOUGEHARTPRS-HDLCVD10MM254MM 1 53 CAPENER LAMINA GOUGE 6MM WIDE 235MM 1 54 TC RYDER NEEDLE HOLDERDELSERR 175MM 1 55 TC MAYO-HEGAR NDLHOLDERHVYSERR150MM 1 56 TC MAYO-HEGAR NDL HOLDERHVYSERR185MM 1 57 TC MAYO-HEGAR NDL HOLDERHVYSERR185MM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENESTRTD TI LATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	39 VOLKMANN BONE CURETTE #1 6.8MM 172MM 1
42 ADSON NERVE HOOK SHARP 1 43 ADSON NERVE HOOKBLUNT 1 44 CUSHING RONGEUR STR 2X10MM180MM 1 45 CASPAR RONGEUR UP-BITE 2MM 155MM 1 46 CASPAR RONGEUR DWN-BITE 2MM 155MM 1 47 CLOWARD LAMINA SPREADER 135MM 1 48 INGE LAMINA RETRACTOR 170MM 1 49 STILLE-RUSKIN BONE RONGEUR240MM 1 50 LEKSELL-STILLE BONE RONGEUR 240MM 1 51 LEXER GOUGE HARTPRS-HDL 7MM 220MM 1 52 SPONG GOUGEHARTPRS-HDLCVD10MM254MM 1 53 CAPENER LAMINA GOUGE 6MM WIDE 235MM 1 54 TC RYDER NEEDLE HOLDERDELSERR 175MM 1 55 TC MAYO-HEGAR NDLHOLDERHVYSERR150MM 1 56 TC MAYO-HEGAR NDL HOLDERHVYSERR185MM 1 57 TC MAYO-HEGAR NDL HOLDERHVYSERR205MM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENESTRTD TI LATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	40 VOLKMANN BONE CURETTE #2 8.5MM 172MM 1
43 ADSON NERVE HOOKBLUNT 1 44 CUSHING RONGEUR STR 2X10MM180MM 1 45 CASPAR RONGEUR UP-BITE 2MM 155MM 1 46 CASPAR RONGEUR DWN-BITE 2MM 155MM 1 47 CLOWARD LAMINA SPREADER 135MM 1 48 INGE LAMINA RETRACTOR 170MM 1 49 STILLE-RUSKIN BONE RONGEUR240MM 1 50 LEKSELL-STILLE BONE RONGEUR 240MM 1 51 LEXER GOUGE HARTPRS-HDL 7MM 220MM 1 52 SPONG GOUGEHARTPRS-HDLCVD10MM254MM 1 53 CAPENER LAMINA GOUGE 6MM WIDE 235MM 1 54 TC RYDER NEEDLE HOLDERDELSERR 175MM 1 55 TC MAYO-HEGAR NDLHOLDERHVYSERR150MM 1 56 TC MAYO-HEGAR NDL HOLDERHVYSERR185MM 1 57 TC MAYO-HEGAR NDL HOLDERHVYSERR205MM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENESTRTD TI LATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	41 COTTLE PERIOSTEAL ELEVATORCVD 197MM 1
44 CUSHING RONGEUR STR 2X10MM180MM 1 45 CASPAR RONGEUR UP-BITE 2MM 155MM 1 46 CASPAR RONGEUR DWN-BITE 2MM 155MM 1 47 CLOWARD LAMINA SPREADER 135MM 1 48 INGE LAMINA RETRACTOR 170MM 1 49 STILLE-RUSKIN BONE RONGEUR240MM 1 50 LEKSELL-STILLE BONE RONGEUR 240MM 1 51 LEXER GOUGE HARTPRS-HDL 7MM 220MM 1 52 SPONG GOUGEHARTPRS-HDLCVD10MM254MM 1 53 CAPENER LAMINA GOUGE 6MM WIDE 235MM 1 54 TC RYDER NEEDLE HOLDERDELSERR 175MM 1 55 TC MAYO-HEGAR NDLHOLDERHVYSERR150MM 1 56 TC MAYO-HEGAR NDL HOLDERHVYSERR185MM 1 57 TC MAYO-HEGAR NDL HOLDERHVYSERR185MM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENESTRTD TI LATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	42 ADSON NERVE HOOK SHARP 1
45 CASPAR RONGEUR UP-BITE 2MM 155MM 1 46 CASPAR RONGEUR DWN-BITE 2MM 155MM 1 47 CLOWARD LAMINA SPREADER 135MM 1 48 INGE LAMINA RETRACTOR 170MM 1 49 STILLE-RUSKIN BONE RONGEUR240MM 1 50 LEKSELL-STILLE BONE RONGEUR 240MM 1 51 LEXER GOUGE HARTPRS-HDL 7MM 220MM 1 52 SPONG GOUGEHARTPRS-HDLCVD10MM254MM 1 53 CAPENER LAMINA GOUGE 6MM WIDE 235MM 1 54 TC RYDER NEEDLE HOLDERDELSERR 175MM 1 55 TC MAYO-HEGAR NDLHOLDERHVYSERR150MM 1 56 TC MAYO-HEGAR NDL HOLDERHVYSERR185MM 1 57 TC MAYO-HEGAR NDL HOLDERHVYSERR185MM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENESTRTD TI LATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	43 ADSON NERVE HOOKBLUNT 1
46 CASPAR RONGEUR DWN-BITE 2MM 155MM 1 47 CLOWARD LAMINA SPREADER 135MM 1 48 INGE LAMINA RETRACTOR 170MM 1 49 STILLE-RUSKIN BONE RONGEUR240MM 1 50 LEKSELL-STILLE BONE RONGEUR 240MM 1 51 LEXER GOUGE HARTPRS-HDL 7MM 220MM 1 52 SPONG GOUGEHARTPRS-HDLCVD10MM254MM 1 53 CAPENER LAMINA GOUGE 6MM WIDE 235MM 1 54 TC RYDER NEEDLE HOLDERDELSERR 175MM 1 55 TC MAYO-HEGAR NDLHOLDERHVYSERR150MM 1 56 TC MAYO-HEGAR NDL HOLDERHVYSERR185MM 1 57 TC MAYO-HEGAR NDL HOLDERHVYSERR205MM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENESTRTD TI LATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	44 CUSHING RONGEUR STR 2X10MM180MM 1
47 CLOWARD LAMINA SPREADER 135MM 1 48 INGE LAMINA RETRACTOR 170MM 1 49 STILLE-RUSKIN BONE RONGEUR240MM 1 50 LEKSELL-STILLE BONE RONGEUR 240MM 1 51 LEXER GOUGE HARTPRS-HDL 7MM 220MM 1 52 SPONG GOUGEHARTPRS-HDLCVD10MM254MM 1 53 CAPENER LAMINA GOUGE 6MM WIDE 235MM 1 54 TC RYDER NEEDLE HOLDERDELSERR 175MM 1 55 TC MAYO-HEGAR NDLHOLDERHVYSERR150MM 1 56 TC MAYO-HEGAR NDL HOLDERHVYSERR185MM 1 57 TC MAYO-HEGAR NDL HOLDERHVYSERR205MM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENESTRTD TI LATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	
48 INGE LAMINA RETRACTOR 170MM 1 49 STILLE-RUSKIN BONE RONGEUR240MM 1 50 LEKSELL-STILLE BONE RONGEUR 240MM 1 51 LEXER GOUGE HARTPRS-HDL 7MM 220MM 1 52 SPONG GOUGEHARTPRS-HDLCVD10MM254MM 1 53 CAPENER LAMINA GOUGE 6MM WIDE 235MM 1 54 TC RYDER NEEDLE HOLDERDELSERR 175MM 1 55 TC MAYO-HEGAR NDLHOLDERHVYSERR150MM 1 56 TC MAYO-HEGAR NDL HOLDERHVYSERR185MM 1 57 TC MAYO-HEGAR NDL HOLDERHVYSERR205MM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENESTRTD TI LATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	46 CASPAR RONGEUR DWN-BITE 2MM 155MM 1
49 STILLE-RUSKIN BONE RONGEUR240MM 1 50 LEKSELL-STILLE BONE RONGEUR 240MM 1 51 LEXER GOUGE HARTPRS-HDL 7MM 220MM 1 52 SPONG GOUGEHARTPRS-HDLCVD10MM254MM 1 53 CAPENER LAMINA GOUGE 6MM WIDE 235MM 1 54 TC RYDER NEEDLE HOLDERDELSERR 175MM 1 55 TC MAYO-HEGAR NDLHOLDERHVYSERR150MM 1 56 TC MAYO-HEGAR NDL HOLDERHVYSERR185MM 1 57 TC MAYO-HEGAR NDL HOLDERHVYSERR205MM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENESTRTD TI LATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	47 CLOWARD LAMINA SPREADER 135MM 1
50 LEKSELL-STILLE BONE RONGEUR 240MM 1 51 LEXER GOUGE HARTPRS-HDL 7MM 220MM 1 52 SPONG GOUGEHARTPRS-HDLCVD10MM254MM 1 53 CAPENER LAMINA GOUGE 6MM WIDE 235MM 1 54 TC RYDER NEEDLE HOLDERDELSERR 175MM 1 55 TC MAYO-HEGAR NDLHOLDERHVYSERR150MM 1 56 TC MAYO-HEGAR NDL HOLDERHVYSERR185MM 1 57 TC MAYO-HEGAR NDL HOLDERHVYSERR205MM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENESTRTD TI LATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	48 INGE LAMINA RETRACTOR 170MM 1
51 LEXER GOUGE HARTPRS-HDL 7MM 220MM 1 52 SPONG GOUGEHARTPRS-HDLCVD10MM254MM 1 53 CAPENER LAMINA GOUGE 6MM WIDE 235MM 1 54 TC RYDER NEEDLE HOLDERDELSERR 175MM 1 55 TC MAYO-HEGAR NDLHOLDERHVYSERR150MM 1 56 TC MAYO-HEGAR NDL HOLDERHVYSERR185MM 1 57 TC MAYO-HEGAR NDL HOLDERHVYSERR205MM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENESTRTD TI LATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	49 STILLE-RUSKIN BONE RONGEUR240MM 1
52 SPONG GOUGEHARTPRS-HDLCVD10MM254MM 1 53 CAPENER LAMINA GOUGE 6MM WIDE 235MM 1 54 TC RYDER NEEDLE HOLDERDELSERR 175MM 1 55 TC MAYO-HEGAR NDLHOLDERHVYSERR150MM 1 56 TC MAYO-HEGAR NDL HOLDERHVYSERR185MM 1 57 TC MAYO-HEGAR NDL HOLDERHVYSERR205MM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENESTRTD TI LATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	50 LEKSELL-STILLE BONE RONGEUR 240MM 1
53 CAPENER LAMINA GOUGE 6MM WIDE 235MM 1 54 TC RYDER NEEDLE HOLDERDELSERR 175MM 1 55 TC MAYO-HEGAR NDLHOLDERHVYSERR150MM 1 56 TC MAYO-HEGAR NDL HOLDERHVYSERR185MM 1 57 TC MAYO-HEGAR NDL HOLDERHVYSERR205MM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENESTRTD TI LATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	51 LEXER GOUGE HARTPRS-HDL 7MM 220MM 1
54 TC RYDER NEEDLE HOLDERDELSERR 175MM 1 55 TC MAYO-HEGAR NDLHOLDERHVYSERR150MM 1 56 TC MAYO-HEGAR NDL HOLDERHVYSERR185MM 1 57 TC MAYO-HEGAR NDL HOLDERHVYSERR205MM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENESTRTD TI LATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	52 SPONG GOUGEHARTPRS-HDLCVD10MM254MM 1
55 TC MAYO-HEGAR NDLHOLDERHVYSERR150MM 1 56 TC MAYO-HEGAR NDL HOLDERHVYSERR185MM 1 57 TC MAYO-HEGAR NDL HOLDERHVYSERR205MM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENESTRTD TI LATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	53 CAPENER LAMINA GOUGE 6MM WIDE 235MM 1
56 TC MAYO-HEGAR NDL HOLDERHVYSERR185MM 1 57 TC MAYO-HEGAR NDL HOLDERHVYSERR205MM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENESTRTD TI LATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	54 TC RYDER NEEDLE HOLDERDELSERR 175MM 1
57 TC MAYO-HEGAR NDL HOLDERHVYSERR205MM 1 58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENESTRTD TI LATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	
58 CCR LONGITUDINAL RETRACTOR 2 59 CCR BLADE FENESTRTD TI LATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	
59 CCR BLADE FENESTRTD TI LATERAL 45X24MM 4 60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	
60 LISTON-KEY-HORSLEY BNE-CUTTING FCP254MM 1	
STANDARD KERRISON PUNCH - 1 set	
	STANDARD KERRISON PUNCH - 1 set
1 KERRISON 90DG-UP 2MM 180MM 1	1 KERRISON 90DG-UP 2MM 180MM 1

Technical Specification
2 KERRISON 90DG-DWN 2MM 180MM 1
3 KERRISON 90DG-UP 3MM 180MM 1
4 KERRISON 90DG-DWN 3MM 180MM 1
5 KERRISON 90DG-UP 4MM 180MM 1
6 KERRISON 90DG-DWN 4MM 180MM 1
KERRISON , IVD AND BONE RONGEUR SET
BLACK CERAMIC COATED NON REFLECTING
DETACHABLE KERRISON PUNCH 1 set
1 KERRISON BLK COATED 130 UP 180X1MM REG 1
2 KERRISON BLK COATED 130 UP 180X2MM REG 1
3 KERRISON BLK COATED 130 UP 180X3MM REG 1
4 KERRISON BLK COATED 130 UP 180X4MM REG 1
5 KERRISON BLK COATED 130 UP 180X5MM REG 1
6 KERRISON BLK COATED 130 UP 180X1MM THIN 1
7 KERRISON BLK COATED 130 UP 180X2MM THIN 1
8 KERRISON BLK COATED 130 UP 180X3MM THIN 1
9 KERRISON BLK COATED 130 UP 200X2MM REG 1
10 KERRISON BLK COATED 130 UP 200X3MM REG 1
CURVED KERRISON PUNCH 1 set
1 KERRISON CVD.UP 200MM 2MM 1
2 KERRISON CVD.UP 200MM 3MM 1
3 KERRISON CVD.UP 200MM 4MM 1
BEYONET KERRISON PUNCH 1 set
1 KERRISON BAY.SHAPED 130°UP 240MM 2MM 1
2 KERRISON BAY.SHAPED 130°UP 240MM 3MM 1
3 KERRISON BAY.SHAPED 130°UP 240MM 4MM 1

<u>Item 09</u> <u>Basic Neuro Navigation System</u>

Sl. No.	Technical Specification
1.01	The system should be easy to set up, user friendly, intuitive and should work under
	Windows/Linux/Unix operating system environment.
1.02	It should have optical and advanced wireless passive marker tracking technology with
1.02	future upgradation to EM technology should be possible on the same system.
1.03	The system should have touch-sensitive screen and could be used in sterile field. The
1.03	display should be of Full HD resolution (1920X1080) with minimum 20 Inch wide screen
1.04	The system should be plug n play and system software should be user friendly wizard
1.04	guided to control set up, registration and navigation procedure.
	It should have Rapid data transfer directly to the navigation station with the option of USB
1.05	3.0 port for direct data import and also have direct and seamless integration with the
	hospitals PACS system
1.06	The system must have dynamic referencing so that registration is not lost even if the camera
1.06	or patient moves.
1.07	It Should be HIPPA compliant including authentication, accountability log and automatic
1.07	log-off features
1.08	The navigation system should be operable with/without keyboard or mouse
1.00	It should have separate mobile cart for the camera stand for flexible positioning and laser
1.09	pointer for easier positioning & aiming.
2	Cranial Navigation Specifications:

Sl. No.	Technical Specification
2.01	Should have user friendly cranial application software.
2.02	Should have facility for marker less registration.
2.03	The navigation system should have facility to check accuracy after registration.
2.04	System should be able to acquire intraoperative land marks which can be registered at any point during surgery if the reference array has been unintentionally moved.
2.05	Real-time tracking and 2D visulization of a pointer
2.06	The system should allow DICOM images in Axial, Sagittal or Coronal planes from different imaging modalities such as CT or MRI
2.07	The system should have facility to zoom in zoom out for axial, coronal and sagittal plane.
2.08	System should have facility to change contrast of image in axial, coronal and sagittal plane
2.09	The probe should have capability to show images at 0mm - 100mm in front of it (Tool Tip Extension). The virtual tip should be differentiated from real tip by color.
2.10	The system should have screenshot storage function for documentation purpose
3	There should be facilities to upgrade the system to be compatible with PACS system
4	Proper training to OT technical staff should be provided
5	System must have European CE or US FDA or BIS Certification.

<u>Item 10</u> <u>Stereotactic Frame & Instruments</u>

Sl. No.	Technical Specification
1	The main components of the stereotactic system should have a Cartesian frame and a semicircular arc, suitable for both adult and pediatric stereotaxy (for children over 2 years of age and compatible with X ray, CT, 1.5T and 3T MRI and its gantry.
2	The semicircular arc should incorporate a sliding instrument carrier for use with stereotactic needles, electrodes, and other micro surgical instruments.
3	Sterilization trays for both the frames and are compatible for gas sterilization (ETO), steam sterilization (autoclaving) and gas plasma sterilization.
4	The stereotactic system should be arc centered with a 190 mm radius, and based on Cartesian coordinate system conforming to the X, Y and Z nomenclature used in CT and MR Scanning.
5	Numeric coordinate values (in millimeters) should be engraved on the frame and arc on both Sides to ensure maximal accuracy.
6	The posterior post should have three options of lengths -long, medium and short.
7	The guide and Stop inserts should be separate to enable effective cleaning.
8	The instrument carrier should have separate adjustable instrument guide and stop to ensure accuracy.
9	CT and MR adapters along with base unit should be included in the system to secure and support the patient's head and should be adjustable to ensure a parallel scan plan without having to manipulate the gantry of the scanner.
10	The total accuracy of the frame should be minimum 0.7 mm.
11	The system should allow for transoral or transnasal intubation at any time during the procedure. It should also allow for an approach inferior to the frame to enable posterior fossa and transphenoidal procedures.
12	It should have ear pins for utilization as positioners and stabilizers for frame placement on the patient.
13	It should allow for arc fixation to the frame in both the lateral and sagittal orientation with provision for three point fixation.
14	The Stereotactic system should have a dedicated CT table fixation, Adaptor, indicator box and for MRI should have a dedicated adaptor and indicator box. These should however not limit

Sl. No.	Technical Specification
	how low the frame may be mounted.
15	Stereotactic system should be compatible for radio frequency lesioning.
16	The Stereotactic System should have an option for testing its accuracy of the complete frame and arc with the target stimulator.
17	The company should provide a tool to test the straightness of the needles and electrodes.
18	The Stereotactic system should provide tools for intra-operative image verification of the placement Of clinical probes in relation the target
19	The Stereotactic Frame should offer a rigid and accurate fixation to the operation table headrest with three point fixation and should have a curved front piece which provides access to the patients airways and It can be fitted with the curve both in the inferior or superior orientation.
20	The coordinate frame should have an insertion canula and hematoma evacuator designed to obtain safe guidance of implants, electrodes or catheters using stereotactic technique and hematoma evacuation using single burr hole.
21	Spiral Biopsy needle with 10 mm spring -3 nos
22	Twist drill for twist burr hole through stereotactic arc of varying diameter from 2-3 mm: 3 nos.
23	Needle with stop and guide of 2.5 mm & 2.1 mm respectively.
24	Simulation dummy to be provided
25	Localization plates to provided for fitting on the cartesian frame.
26	The stereotactic system should provide instrument designed for the injection, diagnostic and therapeutic punctures, aspirations and evacuations and instruments for puncturing of intracranial cavities with the insertion needle of diameter 2mm or more with accommodating catheters of more than 1.4mm diameters.
27	The system should have integrated software for fusion of C.T., MRI and PET images to perform CT, MRI and PET image fusion procedures.
28	Should be BIS/US FDA/European CE approved

<u>Item 11</u> <u>Universal Oximetry Monitor</u>

Sl. No.	Technical Specification
	System Should have 4 Channels. It should display all four channels simultaneously on single
1	screen.
2	Should be battery Operated with minimum of 1 hour battery backup.
3	Should have more than 72 hours storage of data memory.
4	Should have display range of rSO2: 0-100%
5	Should provide cerebral and somatic indications.
6	System Should have minimum of 4 no. of wavelengths.
7	System should be tolerant to ambient light.
8	Sensors should not be influenced by skin pigmentation
9	System Should have 2 nos. of light emitters.
10	System should have 2 receptors
11	System should have a refresh rate of 1.5 Sec.
12	System should have online event marker facility.
13	System should have inbuilt speaker for alarming if the value goes below baseline.
14	System should have display of trending data and absolute values.
	System should be Intuitive, easy-to-operate user interface includes optional patient I.D.
	capability, as well as the ability to scroll back in the case and/or instantly retrieve a table of
15	event values recorded.

Sl. No.	Technical Specification
	System should have color coded and numbered signal processor / Pre amplifier for easy
16	accessibility. These pre amlifier should have sensor lock facility to eliminate disconnection.
17	System should be supplied with
a	Mountable Pole – 1 no.
b	Extended Cables for Connecting Sensors (1 Metre and 2 Meters) – 1 each
	Hub to connect all six signal processor / Pre amplifier channels (at least 4 meters length) – 1
c	no.
d	Sensor – 10 Nos.
18	System should have European EC /FDA / BIS approved
19	System Should have capability of measuring rS02 facilitating FTOE calculations.
20	System should report generating feature.
21	Settings should be programable/editable.

<u>Item 12</u> <u>Endonasal Skullbase Endoscope with Instruments</u>

Sl. No.	Technical Specification	
1	Straight Forward Telescope 0°, enlarged view, diameter 4 mm, length 18 cm, autoclavable. Fiber optic light transmission incorporated.	1
2	Forward-Oblique Telescope 30°, enlarged view, diameter 4 mm, length 18 cm, autoclavable. Fiber optic light transmission incorporated.	1
3	Foward-Oblique Telescope 45°, enlarged view, diameter 4 mm, length 18 cm, autoclavable, Fiber optic light transmission incorporated.	1
4	Suction and Irrigation Sheath 0° for endoscopic diagnosis and surgery of the paranasal sinuses and anterior skull base, vertical oval, diameter 4.8 mm x 6 mm, with separate channel for suction and irrigation.	1
5	Suction and Irrigation Sheath 30°, for endoscopic diagnosis and surgery of the paranasal sinuses and anterior skull base, vertical oval, diameter 4.8 x 6 mm, with separate channel for suction and irrigation.	1
6	Suction and Irrigation Sheath 45°, for endoscopic diagnosis and surgery of the paranasal sinuses and skull base, oval, O.D. 4,8 mm x 6 mm, with separate channel for suction and irrigation.	1
7	Irrigation and Suction Handle, with push button valve consisting of: Handle, with ergonomic ring handle and finger grip plate.	1
8	Elevator, double-ended semi-sharp and blunt, length 26 cm	1
9	Coagulation Ball Electrode, diameter 2 mm, laterally curved, working length 13 cm	1
10	Coagulation Ball Electrode, diameter 4 mm, laterally curved, working length 13 cm	1
11	Take-apart Bipolar Forceps, width 1 mm delicate jaws, distally angled 45°, horizontal closing, outer diameter 3,4 mm, working length 20 cm, consisting of: Handle, Outer Tube, Inner Tube & Bipolar Insert.	1
12	Bipolar Forceps Insert, delicate, 1 mm, distally angled 45°, axial cliosing, axial closing, size 3 mm, length 20 cm	2
13	Bipolar Forceps, width 2 mm, outer diameter 3.4 mm, working length 14 cm, consisting of: Handle, Outer Tube, Inner Tube & Bipolar Insert.	1
14	Bipolar Forceps Insert short, 2 mm, working length 14 cm	2
15	Bipolar Forceps, with fine jaws, width 1 mm, distally angled 45°, vertical closing, diameter 3.4 mm, working length 20 cm, consisting of: Handle, Outer Tube, Inner Tube & Bipolar Insert.	1

Sl. No.	Technical Specification	
16	Bipolar Forceps Insert, delicate, 1 mm, distally angled 45°, size 3 mm, length 20 cm	2
17	Insulated Cannula for suction and coagulation, O.D.: 3 mm, 90° curved, working length 16cm	1
18	Insulated Cannula for suction and coagulation, O.D.: 3,6 mm, 90° curved, working length 16cm	1
19	Forceps, through- cutting, with fine flat jaws, bite 1 mm, straight, working length 18 cm	1
20	Forceps, through- cutting, with fine flat jaws, bite 1 mm, curved up, working length 18 cm	1
21	Forceps, through- cutting, with fine flat jaws, bite 1 mm, curved left, working lenght 18 cm	1
22	Forceps, through- cutting, with fine flat jaws, bite 1 mm, curved right, working length 18 cm	1
23	Nasal Forceps, with extra fine flat jaws, through-cutting, tissue sparing, width of cut 1.5 mm, straight sheath, straight jaws, with cleaning connector, working length 18 cm	1
24	Nasal Forceps, with extra fine flat jaws, through-cutting, tissue sparing, width of cut 1.5 mm, straight sheath, jaws angled upwards 45°, with cleaning connector, working length 18 cm	1
25	Nasal Forceps, with extra fine flat jaws, through-cutting tissue-sparing, bite 1.5 mm, working length 18cm, sheath curved 25°, jaws 45° upturned	1
26	Nasal Forceps, with extra fine flat jaws, through-cutting, tissue sparing, width of cut 1.5 mm, straight sheath, jaws angled downwards 45°, with cleaning connector, working length 18 cm	1
27	Forceps, very delicate, oval cupped jaws 0.9 mm, straight, working length 18 cm	1
28	Forceps, very delicate, oval cupped jaws 0.9 mm, curved upwards, working length 18 cm	1
29	Forceps, round cupped jaws, diameter 0.6 mm, extra delicate, straight, working length 18 cm	1
30	Forceps, oval cupped jaws, 0.6 mm, extra delicate, curved to right, working length 18 cm	1
31	Forceps, oval cupped jaws, 0.6 mm, extra delicate, curved to left, working length 18 cm	1
32	Grasping Forceps, fine serration, straight, with cleaning connector, working length 18 cm	1
33	Scissors, straight, with small handle, with cleaning connector, working length 18 cm	1
34	Scissors, curved to right, with small handle, with cleaning connector, working length 18 cm	1
35	Scissors, curved to left, with small handle, with cleaning connector, working length 18 cm	1
36	Scissors, curved upwards, with small handle, with cleaning connector, working length 18 cm	1
37	Spoon Forceps, spoon size 3 x 10 mm, single action jaws, working length 17 cm	1
38	Round Knife 45°, width 1 mm, working length 10 cm, total length 20 cm	1
39	Round Knife 5°, width 2 mm, working length 10 cm, total length 20 cm	1
40	Scissors, upturned 45°, delicate, sheath 360° rotatable, with cleaning connector, working length 18 cm	1
41	Dissector, tip 45°, width 1 mm, working length 10 cm, total length 20 cm	1
42	Dissector, sharp, round spatula, tip angled 45°, size 2 mm, with round handle, length 25 cm	1
43	Dissector, sharp, tip angled 15°, with round handle, size 2 mm, length 25 cm	1

Sl. No.	Technical Specification	
44	Elevator, sharp, slightly curved spatula, straight, size 3 mm, with round handle, length 25 cm	1
45	Hook, 90°, blunt, length 25 cm, with round handle	1
46	Seeker, angled 45°, with ball end, diameter 1 mm, length 25 cm	1
47	Micro Raspatory, single curved to right, width 2 mm, length 25 cm	1
48	Suction Elevator, with stylet, curved, length 25 cm	1
49	Suction Tube, malleable, with elongated cut-off hole and stylet, working length 18 cm,4 Fr.	1
50	Suction Tube, malleable, with conical tip, with elongated cut-off hole and stylet, working length 15 cm, 8 Fr.	1
51	Suction Tube, malleable, with conical tip, with elongated cut-off hole and stylet, working length 12 cm, 10 Fr.	1
52	Suction Tube, with cut-off hole, drop-shaped, with distance markings, conical distal end, 8 Fr., working length 15 cm	1
53	Suction Tube, with cut-off hole, drop-shaped, with distance markings, conical distal end, tip curved upwards, ball end, 2.4 mm, working length 15 cm	1
54	Bone Punch, detachable, rigid, upbiting 60° forward, size 1 mm, working length 17 cm	1
55	Bone Punch, detachable, rigid, upbiting 60° forward, size 2 mm, working length 17 cm	1
56	Bone Punch, detachable, rigid, upbiting 60° forward, size 3 mm, working length 17 cm	1
57	Bone Punch, detachable, rigid, downbiting 60° forward, size 1 mm, working length 17 cm	1
58	Bone Punch, detachable, rigid, downbiting 60° forward, size 2 mm, working length 17 cm	1
59	Bone Punch, detachable, rigid, downbiting 60° forward, size 3 mm, working length 17 cm	1
60	Curette, round wire, ID 5 mm, distally curved shaft, with round handle, length 25 cm	1
61	Curette, round wire, ID 3 mm, distally curved shaft, with round handle, length 25 cm	1
62	Curette, round wire, ID 5 mm, tip laterally angled 90°, with round handle, length 25 cm	1
63	Curette, round wire, Id 5 mm, tip angled 90°, with round handle, length 25 cm	1
64	Ring- Curette, round wire, ID 3 mm, tip angled 90°, with round handle, length 25 cm	1
65	Ring-Curette, round wire, ductile, ID 5 mm, tip angled 45°, with round handle, length 25 cm	1
66	Curette, round wire, ID 3 mm, tip angled 45°, with round handle, length 25 cm	1
67	Curette, stirrup-shape, blunt, with round handle, length 25 cm	1
68	Suction- Curette, with round wire, ID 5 mm, tip angled 45°, length 25 cm	1
69	Suction, Curette, basket-shape, round wire, size 5 mm, rotating tubing- connector, LUER, length 25 cm,	1
70	Ring- Curette, round wire, ID 3 mm, tip laterally angled 90°, with round handle, length 25 cm	1
71	Nucleus Cutting Forceps single action jaws, movable jaw opening upwards, diameter 3.5 mm, working length 20 cm	1
72	scalpel, with telescopic blade, consisting of: Handle, outer tube, Micro-knife, pointed	1
73	Micro Knife, sickle-shaped, alone	2
74	Antrum Punch, backward cutting, sheath 360° rotatable, with fixing screw, working length 10 cm, take apart sheath, for use with cleaning adaptor	1
	Nasal Scissors, cutting blades curved upwards, to cut the anterior part of the middle	
75	turbinate in case of narrow nose and to prevent postoperative synechia, with cleaning connector, working length 13 cm	1
76	Nasal Forceps, straight, size 1, with cleaning connector, working length 13 cm	1
77	Nasal Forceps, 45° upturned, size 1, with cleaning connector, working length 13 cm	1

Sl. No.	Technical Specification	
78	Punch, circular cutting, for sphenoid, ethmoid and choanal atresia, diameter 3.5 mm, with cleaning connector, working length 18 cm	1
79	Container for Sterilization and Storage, of one set for endoscopic endonasal skull base surgery, external dimensions (w x d x h): 527 x 252 x 187 mm	1
80	Aluminium Tray for sterilization and sterile storage consisting of: tray 1 for telescopes , tray 2 for instruments , tray 3 rack for forceps External dimensions (w x d x h): 525 mm x 248 mm x 202 mm	1
81	Plastic Container for sterilizing, suitable for steam, gas, and hydrogen peroxide (Sterrad®) sterilization and storage, perforated, with lid, external dimensions (w x d x h): 321 x 90 x 45 mm for use with two rigid endoscopes up to max. 20 cm working length	1
82	Bipolar High Frequency Cord with 2 x 4 mm banana-plug ,length 300 cm	2
83	Bipolar High Frequency Cord, length 300 cm	2
84	Unipolar High Frequency Cord, with 4 mm plug, length 300 cm.	2
85	Straight Forward Telescope 0°, enlarged view, diameter 4 mm, length 30 cm, autoclavable, Fiber optic light transmission incorporated.	1
86	Forward-Oblique Telescope 30°, enlarged view, diameter 4 mm, length 30 cm, autoclavable, Fiber optic light, transmission incorporated.	1
87	Suction and Irrigation Sheath 0°, for endoscopic diagnosis and surgery of the paranasal sinuses and anterior skull base, vertical oval, diameter 4.8 mm x 6 mm, with separate channel for suction and irrigation.	1
88	Suction and Irrigation Sheath 30° for endoscopic diagnosis and surgery of the paranasal sinuses and anterior skull base, vertical oval, diameter 4.8 mm x 6 mm, with separate channel for suction and irrigation.	1
89	Plastic container, perforated, inner size: 520 x 246 x 120 mm, consisting of: Lower section, Lid, Knopped base.	1

<u>Item 13</u> <u>Transventricular Endoscope and instruments</u>

Sl. No.	<u>Technical Specification</u>
1	It should be compatible with HD endoscope camera system
2	Wide angled forward oblique telescope 6 deg., enlarged view, with 3 channels, autoclavable fiberoptic light transmission incorporated, preferably color-coded.
3	Operating sheath preferably with valve, Outer Dia. Less than 7 mm with graduated scale with lateral stopcock and inlet for catheter, with obturator - 1no.
4	Scissors, single action jaws, pointed, diameter 2-2.5mm length 30cm - 1 no
5	Biopsy forceps - 1 no
6	Grasping forceps with teeth fine size- 1 no
7	Biopsy punch forceps single action jaws fine size working length 28cm - 1 no. Instruments should preferably be rotating type
8	Puncture needle- 1 no
9	Irrigation tube autocalvable with luer lock connection- 1 no
10	Coagulating electrode, bipolar 5 fr - 1 no

Sl. No.	Technical Specification
11	Bipolar cord - 4 no
12	Universal table holder, multi-articulated should have three or more joints with 360 deg. of freedom with holding device
13	Instrumentation Set For Endoscopic Third Ventriculostomy (Treatment For Hydrocephalus Patients To Avoid Usage of Shunts), Colloid Cyst, Marsuplisation Of Archnoid Cyst And Multiple Biopsy From Ventricular Tumors And Cystic Fenestration with complete set of accessories
14	Sterilization tray with silicon cushion pads along with the basic video cart, rides on 4 antistatic dual wheels with locking brakes, 3 fixed shelfs, main switch integrated cable conduit in the video cart, Drawer unit with lock, 3 horizontal cable conduits, one with cable winding, two with 4-times Electrical subdistributer, 1 set of non-sliding stands for units, 1 TFT – Monitor arm for mounting on vertical beam.
15	Manufactures/Supplier should have ISO certificate to Quality Standard
16	Offered model should be European CE or USFDA or BIS certified

<u>Item 14</u> <u>Endoscope HD camera System with Accessories</u>

Sl. No.	Technical Specification	Qty.
A	Specifications:	
	It should be compatible with the tranventricular & endonasal endoscope system	
	Each set should have	
В	Full HD Camera – with integrated Image Processing Module.	
	Special Features:	
1	Should be fully compatible to the colour systems PAL & NTSC.	
2	All the necessary setting required to be done during surgery in the camera should be possible under sterile area.	
3	Should have the facility of Digital Image Processing by means of an integrated Image Processing Module. Multiple settings allow the user to select the preferred level of image enhancement.	1 EACH
a	Digital contrast enhancement	
b	Digital anti-moiré/anti-grid filter for use with fiberscope's.	
4	Should have Integrated Optical Zoom lens system.	
5	Should have the additional facility of Electronic 2x zoom, selectable in 4 steps.	
6	USB port for recording HD Videos	
7	Should have the Auto Exposure System for consistent illumination level.	
8	High horizontal image resolution of more than 750 lines.	

Sl. No.	<u>Technical Specification</u>	Qty.
9	Automatic white balance with memory function for two settings.	
10	Multilingual menu system.	
11	Character generator	
12	World power supply	-
13	2 programmable function keys on the camera head for control of camera functions or video printer/recorder functions & other peripheral units.	
14	Adaptable to an operating microscope by means of a special quick adapter.	
15	Camera head fully soakable for disinfection.	
16	Image sensor:3*1/2" CCD-Chip.	
17	1920x 1080P	-
18	Signal-to-noise ratio:>= 60 dB.	-
19	AGC: Microprocessor controlled	-
20	LENSE Integrated optical zoom lens ,f=25-50mm	-
21	Weight 240g	•
22	Min. sensitivity:3 Lux (f 1.4).	
23	Dimensions:Diameter 37*47mm, length 124mm.	
24	Certified to:IEC 601-1, 601-2-18, CSA 22.2 No. 601, UL 2601	
25	The system should be USA FDA or CE certified	
26	The company should have its own service centre & repair facility in India.	
С	Xenon Light Source	
	Specifications:	
1	High intensity Xenon light source with spare Xenon lamp with external cold light source outside the endoscope with cable connector.	
	Special features :	
2	High light intensity with 300watt Xenon Lamp.	
3	High colour temperature – more than 6000 K corresponds to brightness of sunlight resulting in high visual and photographic clarity for colour redention.	1
4	Monitoring of lamp function.	EACH
	Technical specifications:	1
5	Lamp type: Xenon lamp,300 watt	-
6 7	Colour temperature: approx. 6000 K Light outlets 1	-
	Light outlets 1	-
8	Light intensity adjustment continuously manual adjustment	
9	Certified to IEC 601–1, CE label according to MDD, protection class 1/BF	

Sl. No.	Technical Specification	Qty.
D	MEDICAL GRADE 26 Inch Table Mounted LED VIDEO MONITOR	
	Special features :	
1	Multi-norm monitor for PAL & NTSC with automatic Switchover.	
2	Liquid Crystal Display.	
3	Composite, S-Video, RGB, SDI/HD-SDI, DVI-D, VGA, compatible.	
4	Compact & Light weight design.	
5	Drip Water protected, dustproof housing.	
6	On-Screen menu for Monitor setting (in multiple language possibility).	1
7	Brightness 450 cd/m2.	
8	Max Viewing Angle 178 degree Vertical.	
9	Pixel Distance: 0.294mm.	
10	Contrast: 600: 1.	
11	Power Supply: 100 – 240 VAC, 50/60 Hz.	
12	Certification: EN 60601, protection class IPX1.	
13	Compatible with 4:3,5:4,16:9 and 16:10 signal format display Picture in picture	
14	Certified to EN60601-1,UL60601-1,MDD93/42/EECProtection class IPX1	
	FIBER OPTIC LIGHT CABLE	1
15	Size 4.8 mm, length300 cm.	1

<u>Item 15</u> <u>Intraoperative ultrasound</u>

Sl.	Technical Specification	
No.	recimeur opeenteuron	
1	Should be latest state of the art digital colour Doppler system capable of producing image of high diagnostic quality for both adult & pediatrcs paitents which includes specialized application of neurosurgery neonatal cranial /transcranial,cervical spine and use during other neurosurgical procedures with image guided biopsy & drainage facility with clear visualization of needle.	
2	Imaging mode: High resolution 2D B/B mode ,B/M mode, B/D mode ,B/C doppler ,triplex mode , M mode, colour flow imaging ,power doppler/power angio imaging mode ,colour Mmode simultaneous B/B colour mode ,pulse wave doppler	
3	Should have 1024 digital channels or more	
4	should have 256 grey shades	
5	should have at least 19" LCD colour display with tilt & swivel with facility to adjust height	
6	Machine should have touch command screen of 10" or more	
7	Should have compound imaging /pure harmonic detection for excellent image quality	
8	Should support convex, linear &phased array (cardiac) probes	

Sl. No.	Technical Specification
9	Machine should be capable of harmonic imaging for all probes
10	Should have contrast harmonic imaging.
11	Should have latest generation quad beam digital technology for studying flow dynamics in
11	color doppler or power doppler mode
12	Should have auto doppler tracing in real time
13	Should support probe frequency range from 2 to 13 MHz.
14	Should have facility for narrowing and expanding the field of view
15	Should have 3 active universal port
16	Should have atleast 8 TGC with memory function.
17	Should have high frame rates > 600 fps.
18	System dynamic range should be more than 170 db.
19	Should have high PRF ranging form 0.2 to 12 khz.
20	Should have 6 times or more read/write zoom facility with scrolling facility in basic &
20	zoom.
21	Should have facility to see and estimate the direction and velocity of blood flow in all
	directions and at any angle
22	Should have user adjustable B colourization maps, gain setting ,colour dopller baseline,other
	important parameter with live/frozen/loops
23	Scanning depth minimum 30 cms
24	Should have facility for narrowing and expanding the field of view
25	Should hav M Mode cursor
26	Should have cine memory of more than 1000 frames
27	Should have integrated hard disc for image storage/recall with complete image management
28	Should be capable of doing all the measurement/annotation on stored images
29	Should be DICOM ready.
30	Should be supplied with 1TB removable hard driver, laserjet printer and CD/DVD writer.
31	Specialised measurements/analysis calculations for specific clinical application such as neurology and vascular work.
32	Transducers : All transducers should have broadband beam former technology for extreme
3∠	high resolution imaging.
33	3.8-10 MHz multi frequency burr hole convex array probe with insertion diameter : 14 mm or
33	less and scanning area of 40deg or more with biopsy attachment.
34	6 -15 MHz linear probe for spine imaging with 25mm (+/- 1mm) foot area with sterilization.
35	5-10 MHz multi frequency convex probe for scanning during craniotomies with small foot print and biopsy attachment facility
36	Standards, Safety and Training
37	Manufacturers/Supplier should have ISO certificate to Quality Standard.
38	Should be US FDA or European CE approved or BIS approved for the quoted model
39	Comprehensive training for lab staff and support services till familiarity with the system.
1	Accessories
1	System as specified and probes
2	3.8-10 MHz multi frequency burr hole convex array probe

Sl. No.	Technical Specification
3	6 -15 MHz linear probe for spine imaging
4	5-10 MHz multi frequency convex probe
5	Colour inkjet /deskjet printer reputed make.

	BOQ		
SN	Item Name	Qty	UOM
1	System as specified	1	No
2	3.8-10 MHz multi frequency burr hole convex array probe	1	No
3	6 -15 MHz linear probe for spine imaging	1	No
4	5-10 MHz multi frequency convex probe	1	No
5	colour inkjet /deskjet printer reputed make.	1	No

<u>Item 16</u> <u>Mobile C-Arm Image Intensified With DSA</u>

Sl. No.	Technical Specification
A	Mechanical C-arm
1	Fully counterbalanced C-arm having:
2	Orbital movement : more than 110 degrees
3	Angulations : at least 180 degrees
4	Horizontal Excursion: more than 190 mm
5	Swivel Range : +\-10 degrees
6	Source to I.I. distance: 70 cm or more
7	Depth of immersion: 50 cm or more
В	X-Ray Parameters
1	Micro Processor Controlled, High frequency X-ray generator.
2	Generator Power15 kW or more and minimum 75 Khz frequency
	The generator should be capable of providing a boost or a high dose fluoroscopic exposure
3	at up to a minimum of 20 mA.
4	The X-Ray tube should have facility for fluoroscopy and Radiography.
5	The X ray tube should be of rotating anode.
6	The X-ray generator should have facility of digital, pulsed fluoroscopy with pulse rate of min. 15frames / sec.
7	The equipment should have :
a	Fluoroscopy Mode :40-110KV / : 12 mA or more
b	Digital radiography Mode: 40-110KV /: min 60 mA or more
8	Automatic dose rate control.
9	Additional safety filtration for scattered radiations.
10	An integrated laser light localizer, radiation free collimation.
11	The multifunction footswitch to control all operating modes and single image storage out of the sterile field
12	In built heat management capabilities, for long interventional procedures.
13	Anode heat storage capacity should be 300 K H.U or higher
14	Anode cooling capacity should be 70 K H.U/ min. or higher

Sl. No.	Technical Specification
15	The tube housing heat storage capacity should be a min. of 1500 KH.U
16	The system should operate in full capacity on 220 volts AC, 15 amps.
С	T.V. System
1	Image Intensifier should be min. of size 12" with zoom facility.
2	The television camera should be of CCD type with motorized facility rotation and acquisition in $1024x1024$ (1 K^2)
3	System should have two 17" TFT Monitors/LCD monitors
4	Cable free rear side and 180° rotatable monitors
5	Vertically and horizontally adjustable monitors for specific needs
6	Foldable monitors for protection during transport and storage of the trolley
7	Viewing angle of approximately 150° and ergonomic mounting on the trolley
D	Processing & DSA Acquisition
1	Automatic dose level sélection.
2	Automatic image parameter selection, but also provide user to over ride these settings manually.
3	Complete DSA Package with Road Mapping facility, Pixel shift, landmark, remasking capabilities etc.
4	Image storage of min. 10000 images in 1024x1024 matrix.
5	Image annotation facility, measuring of angles and distances.
6	Entering Demographic data of patients.
7	Support of virtually all DICOM 3.0 functionalities: DICOM Send/Receive, Storage, Print, Work list, Query/Retrieve, MPPS (Modality Performed Procedure Step) for importing data from HIS/RIS system.
8	Options for post processing, archiving and documentation: With CD, DVD in DICOM and with USB in DICOM and BMP format
E	3–D reconstruction capability
1	Integrated 3D imaging
2	Simultaneous acquisition/ viewing of 3D & 2D data sets
3	Fast acquisition of the data sets
4	Motorised movements for acquisition of data for 3D reconstruction.
5	Electronic shutters
6	Multiplanar reconstruction - MPR
7	Surface shaded display for bone surfaces [Interesting real time 2D image visualization (MDD SSD) to be newformed with manager.
8	Interactive real time 3D image visualization – (MPR, SSD) to be performed with mouse at the monitor trolley.
9	The system should have 3D reconstruction by using sequence of 2D images that were acquired with the c arm by using multiplanar reconstructions and by using volume rendering technique for the complex anatomy.
F	Accessories:
1	Lead Aprons (0.5 mm lead Eq.) 5 nos
	Specifications for Lead Apron:
a	Lead Apron of Lead equivalent 0.5mm

Sl.	Technical Specification
No.	
b	Should have minimum 20% less weight as compared to conventional lead apron.
c	To be used specifically for long surgeries in OT.
d	Surgical drop of nature
e	Minimum length should be 100 cm.
2	Thyroid shields 5 nos.,
3	Gonadal shields 3 nos.,
4	Lead Goggles 5 nos.
5	IP Plate :14x17" 2 nos
6	Slim LCD view box 2x1 films 2 nos
7	Online UPS of appropriate rating for 30 min. back up.
G	Should be USFDA/European CE with 4 digit notified body no or BIS approved, should have AERB/BARC approval before installation of the equipment

<u>Item 17</u> <u>Basic Microsurgical Instruments</u>

Instruments should be corrosion –resistant Whole set should be quoted completely

Sl. No.	Items	Qty
	Each set should be consisting of:	
1	Scalpel handle for blade No. 10-15 140-160 mm length	1
	blade No. 18-36 140-160 mm length	1
2	Metzen baum scissor, curved 140-150 mm	1
3	Mayo Scissor, Straight 140-160 mm	1
4	Reynolds-Jameson Vascular Scissor 140-150 mm	1
5	Yasargil Micro scissor, Bayonet shaped 170-180 mm	1
6	Micro scissors with round handle, straight 140-150 mm	1
7	Micro forceps bayonet shaped 170-180 mm	1
8	Micro forceps, Straight with round handles 0.2 tips 110-120 mm	1
9	Micro suture tying forceps, straight 120-130 mm	1
10	Micro forceps, jewellers pattern, straight tip 110-120 mm	1
11	Micro forceps, toothed , straight (110-120 mm)	1
12	Micro neelde holder, straight, without ratchet, Diamond dust tip, (6/0 & thinner sutures)130-150 mm)	1
13	Micro neelde holder, straight with round handles, without ratchet plane tip (for $8/0\ \&$ thinner stutures) 130-150 mm	1
14	Penfield dissector no 3,4,5	1 Each
15	Periostcal elevator 120-130 mm	1
16	Vessel dilator 0.5 mm 120-130 mm	1
17	Micro suction tips 1 mm	1
	0.5 mm	1

Sl. No.	Items	Qty
18	Storage cum autoclaving rack for instruments with lid	2
	(with separate slot for each instrument)	_

<u>Item 18</u> <u>Intra-Operative Facial Nerve Monitoring System</u>

	<u>Technical Specification</u>						
1	A microprocessor controlled system for recording the motor nerve responses during surgery is required.						
2	The system should work on 220V/50Hz mains only and have the following specifications:						
3	MAIN UNIT:						
a	EMG Channels : Minimum 2 Nos.						
b	Noise : < 10 mV P/P(Peak- Peak)						
c	Bandwidth : 10 Hz - 10 kHz						
d	Audio Output : Approx 14 W						
4	STIMULATOR:						
a	Constant Current stimulus						
b	Frequency of Stimulus : 3Hz or 30 Hz selectable						
c	Range of stimulus: 50uA- 5 mA						
d	Display in form of bar graph/Digital and audible sound response						
e	Should record 2 EMG signals.						
f	Should have identification of channels for precise diagnosis.						
g	Should be European CE /US FDA/BIS approved.						
h	Should able to detected operation of electro-cautery devices and machine should stop during cautery use to avoid artifacts.						
5	ACCESSORIES:						
a	The system needs to be supplied with complete set of accessories:						
b	forceps probe (reusable, autoclavable)- 1 No.						
c	Disposable Monopolar Stimulator Probe Box of 10- 1 Box						
d	Disposable Recording Needles/ Surface electrodes Box of 10- 2 Box						
e	Reusable twisted sub dermal Needles – 10 Nos.						
f	Disposable subdermal Needles (Box of 10) – 2 Boxs						
g	Surface electrodes- 10Nos						
h	Sensor to mute electro-cautery devices.						
	ROO						

	BOQ		
SN	Item Name	Qty	UOM
1	System as specified	1	No
2	Forceps probe (reusable, autoclavable)	1	No
3	Disposable Monopolar Stimulator Probe Box of 10	1	Box
4	Disposable Recording Needles/ Surface electrodes Box of 10- 2 Box	2	Box
5	Reusable twisted sub dermal Needles – 10 Nos.	10	Nos
6	Disposable subdermal Needles (Box of 10) – 2 Boxs	2	Nos
7	Surface electrodes- 10Nos	10	Nos

GENERAL TECHNICAL SPECIFICATIONS

GENERAL POINTS:

1. Warranty:

- a) Five years Comprehensive Warranty as per Conditions of Contract of the TE document for complete equipment (including Batteries for UPS, other vacuumatic parts wherever applicable) Warranty period will be 5 years from the date of installation, commissioning and Site Modification Work from the date of satisfactory installation, commissioning, trial run & handing over of equipment to Hospital/Institution/Medical College.
- b) 95% up time Warranty of complete equipment with extension of Warranty period by double the downtime period on 24 (hrs) X 7 (days) X 365 (days) basis.
- c) All software updates should be provided free of cost during Warranty period.

2. After Sales Service:

After sales service centre should be available at the city of Hospital/Institution/Medical College on 24 (hrs) X 7 (days) X 365 (days) basis. Complaints should be attended properly, maximum within 8 hrs. The service should be provided directly by Tenderer/Indian Agent. Undertaking by the Principals that the spares for the equipment shall be available for at least 10 years from the date of supply.

3. Training:

On Site training to Doctors/ Technicians/ staff is to be provided by Principal/ Indian Agents (if they have the requisite know-how) for operation and maintenance of the equipment to the satisfaction of the consignee. The same will be in line with the training modalities as specified in general technical specification.

- 4. Annual Comprehensive Maintenance Contract (CMC) of subject equipment with Site Modification Work:
 - a) The cost of Comprehensive Maintenance Contract (CMC) which includes preventive maintenance including testing & calibration as per technical/ service /operational manual of the manufacturer, labour and spares, after satisfactory completion of Warranty period may be quoted for next 5 years on yearly basis for complete equipment (including Batteries for UPS, other vacuumatic parts wherever applicable) and Site Modification Work (if any). The supplier shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, but at least once in six months during the CMC period
 - b) The cost of CMC may be quoted along with taxes applicable on the date of Tender Opening. The taxes to be paid extra, to be specifically stated. In the absence of any such stipulation the price will be taken inclusive of such taxes and no claim for the same will be entertained later.
 - c) Cost of CMC will be added for Ranking/Evaluation purpose. The same will be taken at Net Present Value with a 10% discounting factor each year.
 - d) The payment of CMC will be made on six monthly basis after satisfactory completion of said period, duly certified by end user on receipt of bank guarantee for 2.5 % of the cost of the equipment as per Section XV valid till 2 months after expiry of entire CMC period.
 - e) There will be 95% uptime warranty during CMC period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend CMC period by double the downtime period.
 - f) During CMC period, the supplier is required to visit at each consignee's site at least once in 6 months commencing from the date of the successful completion of warranty period for preventive maintenance of the goods.
 - g) All software updates should be provided free of cost during CMC.

- h) Failure of the above [4. e) to 4. g)] by the supplier, may lead to the forfeiture of the Bank Guarantee for Annual CMC.
- i) The payment of CMC will be made as stipulated in GCC Clause 21.

5. Site Modification Work:

Site Modification Work is indicated in the technical specification of the respective items, wherever required. The Tenderer shall examine the existing site where the equipment is to be installed, in consultation with HOD of Hospital/Institution/Medical College concerned. Site Modification Work details of each Hospital/Institution/Medical College are given at the end of Technical Specification. The Tenderer to quote prices indicating break-up of prices of the Machine and Site Modification Work of each Hospital/Institution/Medical College. The Site Modification Work costs to be quoted in Indian Rupee will be added for Ranking Purpose.

The taxes to be paid extra, to be specifically stated. In the absence of any such stipulation the price will be taken inclusive of such duties and taxes and no claim for the same will be entertained later.

The Site Modification Work should completely comply with AERB requirement, if any.

- **Note 1:** Tenderer's attention is drawn to GIT clause 18 and GIT sub-clause 11.1 A (iii). The tenderer is to provide the required details, information, confirmations, etc. accordingly failing which it's tender is liable to be ignored.
- Note 2: General: Bidders are requested to make sure that they should attach the list of equipment for carrying out routine and preventive maintenance wherever asked for and should make sure that Electrical Safety Analyzer / Tester for Medical equipment to periodically check the electrical safety aspects as per BIS Safety Standards IS-13540 which is also equivalent to IEC electrical safety standard IEC-60601 is a part of the equipment s. If the Electrical Safety Analyzer/Tester is not available they should provide a commitment to get the equipment checked for electrical safety compliance with Electronic Regional Test Labs / Electronics Test and Development Centres across the country on every preventive maintenance call.
- **Note 3:** Adequate training of personnel and non-locked open software and standard interface interoperability conditions for networked equipment in hospital management information system (HMIS)

The successful tenderer will be required to undertake to provide at his cost technical training for personnel involved in the use and handling of the equipment on site at the institute immediately after its installation. The company shall be required to train the institute personnel onsite for a minimum period of 1 month

All software updates should be provided free of cost during warranty period and CMC period

SECTION – VIII

QUALITY CONTROL REQUIREMENTS

(Proforma for equipment and quality control employed by the manufacturer(s)

Tender Reference No.

Date of opening

Time

Name and address of the Tenderer:

Note: All the following details shall relate to the **manufacturer(s)** for the goods quoted for.

- Name of the manufacturer
 - a. full postal address
 - b. full address of the premises
 - e. telephone number
 - f. fax number
- 02 Plant and machinery details:
- 03 Manufacturing process details:
- 04 Monthly (single shift) production capacity of goods quoted for
 - a. normal
 - b. maximum
- Total annual turn-over (value in Rupees)
- Quality control arrangement details
 - a. for incoming materials and bought-out components
 - b. for process control
 - c. for final product evaluation
- 07 Test certificate held
 - a . type test
 - b . BIS/ISO certification
 - c . any other
- 08 Details of staff
 - a. technical
 - b skilled
 - c unskilled

Signature and seal of the Tenderer

SECTION – IX

QUALIFICATION CRITERIA

- 1. The tenderer must be a manufacturer. In case the manufacturer does not quote directly, they may authorize an agent as per proforma of Manufacturer authorization form as given in the tender enquiry document to quote and enter into a contractual obligation.
- 2(a) The Manufacturer should have supplied and installed in last **Five** years from the date of Tender Opening, at least 25% of the quoted quantity (rounded off to next whole number) of the similar equipment meeting major parameters of technical specification which is functioning satisfactorily.
- 2(b) The Tenderers quoting as authorized representative of the manufacturer meeting the above criteria should have executed at least one contract in the last five years from the date of tender opening of medical equipment anywhere in India of the same manufacturer.
- 3. The bidders/ firms identifying as MSME and or start-up firms are exempted from fulfilling criteria at S. No. 2 (a) and 2(b) stated above. However, this does not exempt any bidder/ firm/ manufacturer from fulfilling the quality requirements.

NOTE:

- 1. The tenderer shall give an affidavit as under:
 - "We hereby certify that if at any time, information furnished by us is proved to be false or incorrect, we are liable for any action as deemed fit by the purchaser in addition to forfeiture of the earnest money."
- 2. In support of 2 (a) & 2 (b), the Tenderer shall furnish Performance statement in the enclosed Proforma 'A'.
 - The manufacturer (Tenderer)/ Indian Agent shall furnish Satisfactory Performance Certificate in respect of above, duly translated in English and duly notarized in the country of origin, along with the tender.
- 3. The Tenderer shall furnish a brief write-up, packed with adequate data explaining and establishing his available capacity/capability (both technical and financial) to perform the Contract (if awarded) within the stipulated time period, after meeting all its current/present commitments. The Tenderer shall also furnish details of Equipment and Quality Control in the enclosed Section VIII.
- 4. Notwithstanding anything stated above, the Purchaser reserves the right to assess the Tenderer's capability and capacity to perform the contract satisfactorily before deciding on award of Contract, should circumstances warrant such an assessment in the overall interest of the Purchaser.
- 5. The bidder should submit the manufacturer's production capacity, meeting the quantity requirement and delivery schedule requirement of this tender document.
- **6.** The Purchaser reserves the right to ask for a free demonstration of the quoted equipment at a pre determined place acceptable to the purchaser for technical acceptability as per the tender specifications, before the opening of the Price Tender.

PROFORMA 'A' PROFORMA FOR PERFORMANCE STATEMENT

(For the period of last five years)

Tender Reference No.	:
_	
Date of opening	:
Time	:
Name and address of the Tenderer	
Traine and address of the Tenderer	•
Name and address of the manufacturer	:

Order placed by (full	Order number and date	Description and quantity of ordered	Value of order	Date of completion of Contract As per contract		Remarks indicating reasons for	Have the goods been functioning
address of Purchaser/ Consignee)		goods and services	(Rs.)			delay if any	Satisfactorily (attach documentary proof)**
1	2	3	4	5	6	7	8

We hereby certify that if at any time, information furnished by us is proved to be false or incorrect, we are liable for any action as deemed fit by the purchser in addition to forfeiture of the earnest money.

Signature and seal of the Tenderer

- ** The documentary proof will be a certificate from the consignee/ end user with cross-reference of order no. and date in the certificate along with a notarized certification authenticating the correctness of the information furnished.
- ** The bidders are requested to submit the latest purchase order copies supplied to AIIMS, PGIMER, JIPMER, Institute of National importance for the specific model quoted along with the price bid.

SECTION - X

TENDER FORM

Date
Services Limited
d Consultancy Division
-62, Noida -201307, Uttar Pradesh.
accument No. doted
<u> </u>
•
<u> </u>
perform the services as mentioned above, in accordance with the delivery schedule
List of Requirements.
irm that, if our tender is accepted, we shall provide you with a performance security
unt in an acceptable form in terms of GCC clause 5, read with modification, if any,
"Special Conditions of Contract", for due performance of the contract.
· · · · · · · · · · · · · · · · · · ·
•
ersigned have examined the above mentioned TE document, including rigendum No, dated (if any), the receipt of which is herebown offer to supply and deliver (Description of goods and services) in your above referred document for the sum as shown in the price schedule with and made part of this tender. If our tender is accepted, we undertake to supply the services as mentioned above, in accordance with the delivery schedule List of Requirements.

We further understand that you are not bound to accept the lowest or any tender you may receive against your above-referred tender enquiry.

written acceptance thereof within the aforesaid period shall constitute a binding contract between

We confirm that we do not stand deregistered/banned/blacklisted by any Govt. Authorities.

We confirm that we fully agree to the terms and conditions specified in above mentioned TE document, including amendment/ corrigendum if any

(Signature with date)
(Name and designation)
Duly authorised to sign tender for and on behalf of

SECTION – XI PRICE SCHEDULE

Price to be filled in the relevant field of Price Format in Excel provided in the e-tendering portal.

<u>SECTION – XII</u> QUESTIONNAIRE

Fill up the Techno-Commercial Compliance Sheet Bid provided in spreadsheet (Excel file) and upload in the C-Folder

- 1. The tenderer should furnish specific answers to all the questions/issues mentioned in the Techno-Commercial Compliance Sheet. In case a question/issue does not apply to a tenderer, the same should be answered with the remark "not applicable".
- 2. Wherever necessary and applicable, the tenderer shall enclose certified scanned copy as documentary proof/ evidence to substantiate the corresponding statement.
- 3. In case a tenderer furnishes a wrong or evasive answer against any of the question/issues, their tender is liable to be ignored.

Note: The documents like Priced Proforma Invoice (Single Proforma Invoice from Manufacturer's indicating uniform unit rates) and List of Consumables with prices can be uploaded in the Notes & Attachment under Rfx information (<u>Please note, in the separate Notes & Attachment provided under Rfx information and not in the C-Folder Notes & Attachments</u>).

SECTION - XIII

BANK GUARANTEE FORM FOR EMD

Wher	eas		_ (hereinafter cal	led the "T	endere	er") has submit	ted its qu	otation of	dated
		for the	e supply of			(hereinafte	r called	the "ten	der")
again	st the purcha	ser's tender e	supply of nquiry No		k	Know all person	s by these	presents	s that
we			of		(Hereinafter call	led the "B	ank") ha	aving
our	registered	office at						bound	unto
			(hereinafter	called	the	"Purchaser)	in the	sum	of
			for which paymer	t will and	truly	to be made to	the said F	Purchasei	r, the
			and assigns by th				ommon Se	al of the	said
Bank	this	day of	20 The c	onditions (of this	obligation are:			
1)	the period If the Tend	of validity of	ys or amends, impathis tender. een notified of the						
	fails or refu	uses to acceptato notice that	the performance sexecute the contract the information/do	ct or		-			
witho note t	out the Purch that the amou	aser having to	haser up to the above substantiate its do it is due to it owin(s).	emand, pr	ovided	that in its dem	and the P	urchaser	r will
	-		orce for a period on a period on a period on a period of the Ba	•	•	-	d of tende	r validity	y and
			(S			e of the authoris		r of the E	Bank)
						Name and de	esignation	of the of	fficer
						• • • • • • • • • • • • • • • • • • • •			
			Seal			of the Bank and			

SECTION – XIV

MANUFACTURER'S AUTHORISATION FORM

CEO
HLL Infra Tech Services Limited
Procurement and Consultancy Division
B-14 A, Sector -62, Noida -201307, Uttar Pradesh.

Dear Sir,	
Ref: Your TE document No dated	
We, who are proven and rof (name and description of the goods offer	reputable manufacturers
factories at, hereby authorise Messrs	(name and address
of the agent) to submit a tender, process the same further and enter into a your requirement as contained in the above referred TE documents for the aby us.	•
We also state that we are not participating directly in this tender for the follo	
here).	1
We further confirm that no supplier or firm or individual (name and address of the above agent) tender, process the same further and enter into a contract with you aga contained in the above referred TE documents for the above goods manufact We also hereby extend our full warranty, CMC as applicable as per of Conditions of Contract, read with modification, if any, in the Special Congoods and services offered for supply by the above firm against this TE documents.	is authorised to submit a hinst your requirement as tured by us. clause 15 of the General ditions of Contract for the
We also hereby confirm that we would be responsible for the satisfactory ex on the authorised agent	
We also confirm that the price quoted by our agent shall not exceed the pr quoted directly"	rice which we would have
	Yours faithfully,
[Signature with date, name for and on behalf of Messrs	ne, designation and Email]
[Name & add	ress of the manufacturers]

Note:

- (1) This letter of authorisation should be on the letter head of the manufacturing firm and should be signed by a person competent and having the power of attorney to legally bind the manufacturer.
- (2) Original letter may be sent.
- (3) The purchaser reserves the right to verify this document with its signatory.

SECTION - XV

BANK GUARANTEE FORM FOR PERFORMANCE SECURITY/ CMC SECURITY

CEO	
HLL Infra Tech Services Limited	
Procurement and Consultancy Division	
B-14 A, Sector -62, Noida -201307, Uttar Pradesh.	
WHEREAS (Name and address of the supplier) (Hereina	after
called "the supplier") has undertaken, in pursuance of contract no	
dated to supply (description of goods and services) (herein after called	"the
contract").	
AND WHEREAS it has been stipulated by you in the said contract that the supplier shall fur	nish
you with a bank guarantee by a scheduled commercial bank recognised by you for the sum speci	
therein as security for compliance with its obligations in accordance with the contract;	
AND WHEREAS we have agreed to give the supplier such a bank guarantee;	
NOW THEREFORE we hereby affirm that we are guarantors and responsible to you, on behalf	f of
the supplier, up to a total of (Amount of the guarantee in words	
figures), and we undertake to pay you, upon your first written demand declaring the supplier to	o be
in default under the contract and without cavil or argument, any sum or sums within the limit	
(amount of guarantee) as aforesaid, without your needing to prove or to show grounds or reasonable to the contract the without your needing to prove or to show grounds or reasonable to the contract the without your needing to prove or to show grounds or reasonable to the contract the without your needing to prove or to show grounds or reasonable to the contract the contract the without your needing to prove or to show grounds or reasonable to the contract	
for your demand or the sum specified therein.	5011 5
We hereby waive the necessity of your demanding the said debt from the supplier before present	ting
us with the demand.	ung
We further agree that no change or addition to or other modification of the terms of the contraction of the contracti	ct to
be performed there under or of any of the contract documents which may be made between you	
the supplier shall in any way release us from any liability under this guarantee and we hereby w	
notice of any such change, addition or modification.	aive
This guarantee shall be valid till such time to cover two months beyond the warranty period from the cover two months beyond the warranty period from the cover two months beyond the warranty period from the cover two months beyond the warranty period from the cover two months beyond the warranty period from the cover two months beyond the warranty period from the cover two months beyond the warranty period from the cover two months beyond the warranty period from the cover two months beyond the warranty period from the cover two months beyond the warranty period from the cover two months beyond the warranty period from the cover two months beyond the warranty period from the cover two months beyond the warranty period from the cover two months beyond the warranty period from the cover two months beyond the warranty period from the cover two months beyond the warranty period from the cover two months beyond the warranty period from the cover two months beyond the warranty period from the cover two months beyond the cover two months beyond the cover two months beyond the warranty period from the cover two months beyond the cover two months are covered to the cover two months and the covered two months are covered to the co	m tha
date of Notification of Award i.e. up to (indicate date).	illi tile
date of Notification of Award f.e. up to (indicate date).	
(Signature with date of the authorised officer of the Ba	ank)
Name and designation of the of	
Seal, name & address of the Bank and address of the Bra	
Seal, name & address of the Dank and address of the Dia	HICH

SECTION - XVI

CONTRACT FORM - A

CONTRACT FORM FOR SUPPLY, INSTALLATION, COMMISSIONING, HANDING OVER, TRIAL RUN, TRAINING OF OPERATORS & WARRANTY OF GOODS

(Address of the Office issuing		_					
Contract No_		_dated					
This is in con	tinuation to	o this office's Notifi	cation of Awai	·d No	_dated _		
1. Name & ad	dress of the	Supplier:					
2. Purchaser's	TE docume	Supplier: date	ed	and subsequ	ient Am	endment	
No	, date	ed(if any)	issued by the	purchaser			
3. Supplier's	Tender No	dated	and sul	osequent com	municati	on(s)	
No	dated	d (if any)	exchanged be	tween the sup	plier and	the purc	haser in
	with this ter		,	1.		1	
4. In addition	to this Cont	ract Form, the follow	wing documents	s etc, which ar	e includ	ed in the	documents
		raphs 2 and 3 above	_				
as integral 1	part of this c	contract:					
	•	onditions of Contrac	t;				
(i	i) Special C	onditions of Contrac	et;				
(i	ii) List of R	equirements;					
(i	v) Technica	l Specifications;					
7)	v) Quality C	ontrol Requirements	;				
		orm furnished by the					
		hedule(s) furnished l	• • •				
		cturers' Authorisation	`	licable for this	tender);	;	
(i	x) Purchase	r's Notification of A	ward				
respe defin to Te 5. Some term for ready re (i) Bri	ectively assi- itions and a enderers' of s, conditions eference:	expressions used in gned to them in the bbreviations incorpor the Purchaser's TE of s, stipulations etc. our s of the goods and s	e conditions of orated under cla locument shall a ut of the above-	contract reference 1 of Section also apply to the referred documents.	erred to on II – 'e his contract are	above. I General l ract. re reprod	Further, the Instructions uced below
	Schedule	Brief description	Accounting	Quantity	Unit	Total	Terms of
	No.	of goods/services	unit	to be	Price	price	delivery
				supplied			
(ii) D	-	additional services (i e (in figure)edule					

- (iii) Details of Performance Security
- (iv) Quality Control
 - (a) Mode(s), stage(s) and place(s) of conducting inspections and tests.
 - (b) Designation and address of purchaser's inspecting officer
- (v) Destination and despatch instructions
- (vi) Consignee, including port consignee, if any

7.	Warranty clause Payment terms Paying authority	
		(Signature, name and address of the Purchaser's/Consignee's authorised official) For and on behalf of
Re	ceived and accepted this contract	
(Si	gnature, name and address of the supplier's execution	cutive
du	ly authorised to sign on behalf of the supplier)	
Fo	r and on behalf of	_
(N	ame and address of the supplier)	
(Se	eal of the supplier)	
Da	ite:	
Pla	ace:	

CONTRACT FORM – B

CONTRACT FORM FOR ANNUAL COMPREHENSIVE MAINTENANCE CONTRACT

Annual CM Contract No._____

		ress of the Supplier)				a	. 37	0.1		
ef:	supply	ict No , installation, comm ity of goods)							late of Contract for hing of operators &	
Т		inuation to the above act of Annual Compr			nce is l	hereby	y conc	luded	as under: -	
	1	2	3			4			5	
	Schedule				nual (ainten	Compr ance (Contra Unit y	act	Total Annual Comprehensive Maintenance Contract Cost for 5	
	No.	of goods	(Nos.)	1 st	2 nd	3 rd	4 th	5 th	Years	
				a	b	С	d	e	[3 x (4a+4b+4c+4d+4e)]	
T f	The CMC	(date of	the date of	of exp	piry (of all	obli	gation	ns under Warranty (dat	
n n (i T v I in	naintenance text 5 year including) and There will with penalt During CM ncluding to The supplies	ce, labour and spares rs as contained in the X ray tubes, Helium I Site Modification When the 95% uptime warm by, to extend CMC period, the supplesting and calibration of the shall visit each contains the supplementary.	, after satisfactive above reference of MRI, work (if any). The remaining of the remaining	etory corred comments. Batter EMC ple the tat earmanufas rec	complection contractions for the contraction contraction contractions for the contraction	etion of et on yer UPS on 24 time ponsigner's se	of War yearly S, other (hrs) eriod. ee's s rvice/ in the	ranty basis er vac X 7 (dite for technical manu	hich includes preven period may be quoted for complete equipmentation parts,	

dated_____

HLL Infra Tech Services Limited

7.	The bank guarantee valid till period] for an amount of Rs equipment as per contract] shall? TE document, along with the sign of issue of Annual CMC failing w Purchaser/Consignee.	[(1 be furnished in t ed copy of Annu	fill amount) equ he prescribed for all CMC within	ivalent to 2 ormat given a period of	2.5 % of the cost in Section XV f 21 (twenty one	of the of the e) days
8.	If there is any lapse in the performance bank guarantee for an amount of F as per contract) shall be payable to	Rs				
9.	Payment terms: The payment consignee by the supplier on six certified by the HOD concerned. T	of Annual CMC monthly basis a	fter satisfactory	completio	n of said period	
10.	Paying authority:		(name	of the	e consignee	i.e.
	Hospitalauthorised official)					
			Б. 1	of Hospi	ture, name and a	fficial)
			For and c	n behalf of	•	
Re	ceived and accepted this contract.					
	gnature, name and address of the su	ipplier's executi	ve			
,	y authorised to sign on behalf of th					
	and on behalf of	11				
	ame and address of the supplier)					
•	eal of the supplier)					
Da	te:					
	ce:					

SECTION - XVII

CONSIGNEE RECEIPT CERTIFICATE

(To be given by consignee's authorized representative)

The re	onowing store (s) has/have been received in g	ood condition.
1)	Contract No. & date	<u>:</u>
2)	Supplier's Name	<u>:</u>
3)	Consignee's Name & Address with	
	telephone No. & Fax No.	÷
4)	Name of the item supplied	<u>:</u>
5)	Quantity Supplied	<u>:</u>
6)	Date of Receipt by the Consignee	<u>:</u>
7)	Name and designation of Authorized	
	Representative of Consignee	<u>:</u>
8)	Signature of Authorized Representative of	
	Consignee with date	:
9)	Seal of the Consignee	:

<u>SECTION – XVIII</u> <u>Proforma of Final Acceptance Certificate by the Consignee</u>

To M/s			Date
Subject: Ce	rtificate of commissioning of equipm	ent /plant.	
conditions alo in Para no.02) and commissi (a) Contrac (b) Descrip (c) Equipm (d) Quantit (e) Bill of 1 Receipt (f) Name of (g) Name of (h) Date of	et No etion of the equipment (s)/plants: ent (s)/ plant(s) nos.:	ccessories and a set onical specifications. dated dated signee:	of spares (subject to remarks) The same has been installed I
Sl. No.	Description of Item	Quantity	Amount to be recovered
The proving to	est has been done to our entire satisfate (s)/plant(s).	action and operators l	nave been trained to operate
The supplier h	as fulfilled its contractual obligations	s satisfactorily ## or	
a) He had documb) He had period of the	as failed to fulfil its contractual oblig s not adhered to the time schedul tents/ drawings pursuant to 'Technica's not supervised the commissioning of specified in the contract from date of installation of the equipment (s)/plant pplier as specified in the contract has	e specified in the of Specifications'. of the equipment (s)/profinition by the Put(s).	contract in dispatching the blant(s)in time, i.e. within the urchaser/Consignee in respect
	delay for each of the activities to be	performed by the sup	oplier in terms of the contract
The amount on no.02	of recovery on account of non-supp	ly of accessories and	d spares is given under Para

The	amount	of	recovery	on	account	of	failure	of	the	supplier	to	meet	his	contractual	obligation	ıS
is			(here in	ndic	ate the a	mo	unt).									

(Signature) (Name) (Designation with stamp)

Explanatory notes for filling up the certificate:

- i) He has adhered to the time schedule specified in the contract in dispatching the documents/drawings pursuant to 'Technical Specification'.
- ii) He has supervised the commissioning of the equipment (s)/plant(s) in time, i.e. within the time specified in the contract from date of intimation by the Purchaser/Consignee in respect of the installation of the equipment (s)/plant(s).
- iii) Training of personnel has been done by the supplier as specified in the contract.
- iv) In the event of documents/drawings having not been supplied or installation and commissioning of the equipment (s)/plant(s) having been delayed on account of the supplier, the extent of delay should always be mentioned in clear terms.

Section - XIX

Consignee List

Sl. No.	Name of Hopsital and Address	Consignee Code	State	Airport	Dry Port/ Seaport
1	The Principal Siddartha Medical College NH 16 Service Road, Opp. Varun Maruthi Showroom Near Health University, Gunadala, Vijayawada Andhra Pradesh 520008 Phone: 09849903130 Email: principalsmcvja@yahoo.com	SMC- Vijayawada	Andhra Pradesh	Hyderabad	Vizag
2	Dr. M. Neeraja The Dean/ The Principal Govt. Medical College Opp. EE Roads & Buildings, Sai Nagar, Anantapur Andhra Pradesh - 515001 Phone: 08554-249115, 274568 EMail: gmc_atp@ap.nic.in; principal.gmcatp@yahoo.in	GMC- Anantapur	Andhra Pradesh	Hyderabad	Vizag
3	Dr. K. Ashok The Director Director's Quarters RIMS Campus Rajiv Gandhi Institute of Medical Sciences, Adilabad Vidya Nagar, Adilabad, Telangana 504001 Office: 08732-220521 Email: rimsadilabad@yahoo.com; directorrimsadilabad@yahoo.com	RGIMS- Adilabad	Telangana	Hyderabad	Vizag
4	Dr. Abbagani Vidyasagar The Principal Kakatiya Medical College, Waranagl Rangampet Street, Warangal, Telangana 506007 Phone: 0870-2446355, 2446888 Email: pwarangal@gmail.com; kmc_wgl@ap.nic.in	GMC- Warrangal	Telangana	Hyderabad	Vizag
5	Prof. A.K. Adhikari The Principal-cum-Chief Superintendent Gauhati Medical College Guwahati-781032 Tel: +91-2134538 / 2132751 Email: gmch-asm@nic.in	GMC- Guwahati	Assam	Kolkata	Kolkata

Sl. No.	Name of Hopsital and Address	Consignee Code	State	Airport	Dry Port/ Seaport
6	The Principal Assam Medical College, Dibrugarh Barbari, Dibrugarh, Assam - 786 002 Phone No.: (0373) 2300080, 2300352 Email: principalamch@rediffmail.com	AMC- Diburgarh	Assam	Kolkata	Kolkata
7	The Principal Srikrishna Medical College, Muzaffarpur NH 77, Uma Nagar, Rasulpur Saidpur Bazid Bihar - 842001 Phone No.: 0621-2260177 Email: info@skmedicalcollege.in	SKMC- Muzaffarpur	Bihar	Kolkata	Kolkata
8	The Principal Govt. Medical College, Darbhanga DMCH Road, Laheriasaria Darbhanga Bihar - 846001 Phone No.: 06272 233 092 Email: principaldmc202@gmail.com	GMC- Dharbhanga	Bihar	Kolkata	Kolkata
9	Dr. H. M. Mangal The Dean Govt. Medical College Civil Hospital Campus, Rajkot - 360001 Ph. No.: +91 281 2458337,2458338, 2458339 Email Address: deanrajkot@yahoo.co.in	PDUMC- Rajkot	Gujarat	Ahmedabad	Mundra / Pipavav / Kandla
10	The Principal Patliputra Medical College, Dhanbad B.C.C.L. Township, Koyla Nagar Dhanbad - 826005, Jharkhand Phone: +91-326-2230465 Email: enquiry@pmchdhanbad.com	PMCH- Dhanbad	Jharkhand	Kolkata	Kolkata
11	The Director Vijayanagar Institute of Medical Sciences Contonment, Bellary - 583104 Karnataka Phone: 08392-235201, 08392-242387 Email: directorvimsbellary@gmail.com	VIMS- Bellary	Karnataka	Bangalore	Bangalore
12	The Director Karnataka Institute of Medical Sciences,P. B Road, Vidyanagar Hubali - 580 022, Karnataka, India Phone: +91- 836- 2370057, +91- 836 - 2373447, +91 - 836 - 2373641 Email: directorkimshubli@gmail.com	KIMC- Hubbali	Karnataka	Bangalore	Bangalore

Sl. No.	Name of Hopsital and Address	Consignee Code	State	Airport	Dry Port/ Seaport
13	The Principal Government Medical College Medical College Rd, Kozhikode Kerala - 673008 Phone: 0495 235 0202 Email: principalmcc@gmail.com	GMC- Kozhikode	Kerala	Kochi	Kochi
14	Dr. N. Sridevi The Principal T. D. Medical College, Alappuzha Vandanam, Alappuzha, Kerala 688001 Phone: 0477 228 2611 Email: tdmcalappuzha@gmail.com	GTDMC- Alappuzha	Kerala	Kochi	Kochi
15	The Dean Govt. Medical College Jail Road, Near Sanjay Gandhi Hospital, Rewa Madhya Pradesh 486001 Phone: 07662-241655 Email: deanmcrewa@rediffmail.com	GMC-Rewa	Madhya Pradesh	Mumbai	Mumbai
16	The Director Netaji Subhash Ch. Bose Medical College, Jabalpur Nagpur Road, Jabalpur, Madhya Pradesh 482003 Phone: 076123 70951 Email: nscbmcjb@gmail.com	NSBMC- Jabalpur	Madhya Pradesh	Mumbai	Mumbai
17	Dr. S. N. Iyengar The Dean Gajra Raja Medical College, Gwalior Veer Savarkar Marg, Gwalior - 474009 Madhya Pradesh Phone: +91 (0751) 2403400 Email: grmc1946@yahoo.co.in	GRMC- Gwalior	Madhya Pradesh	Mumbai	Mumbai
18	The Dean Govt. Medical College, Aurangabad Panchakki Road, Aurangabad - 431001 Maharashtra Ph No.: 0240-2402028 Email: deangmca@gmail.com	GMC- Aurangabad	Maharashtra	Mumbai	Mumbai
19	The Dean Govt. Medical College, Latur Near Old Railway Station Latur (M.S.) 413512 Call us: 02382 247676 E-mail: info@gmclatur.org	GMC-Latur	Maharashtra	Mumbai	Mumbai

Sl. No.	Name of Hopsital and Address	Consignee Code	State	Airport	Dry Port/ Seaport
20	The Dean Govt. Medical College, Akola Akola - 444 001 Maharashtra Phone +91- 0724-2431960 Email: acadgmca@hotmail.com	GMC-Akola	Maharashtra	Mumbai	Mumbai
21	The Dean Shri Vasantrao Naik Govt. Medical College, Yavatmal Maharashtra - 445001 Phone: (07232) 242456,240843 Email: deanvngmc@sancharnet.in	SVNGMC- Yavatmala	Maharashtra	Mumbai	Mumbai
22	The Dean and Principal M. K. C. G. Medical College, Berhampur Berhampur, District - Ganjam Odisha. Pin: 760 004 Tel. No. (0680) 2292746 Fax: (0680) 2292809 E-mail: mkcgmc.bam@gmail.com	MKCGMC- Berhampur	Orissa	Kolkata	Kolkata
23	The Dean and Principal V. S. S. Medical College, Burla Burla, Sambalpur, Odisha - 768017 Phone: +91-6632430768 Email: vssmcburlaorissa@gmail.com	VSSMC- Burla	Orissa	Kolkata	Kolkata
24	The Principal Government Medical College Sangrur Road, New Lal Bagh, Patiala, Punjab 147001 Ph: 0175 221 2018 Email: gomcoitcell@yahoo.com	GMC-Patiala	Punjab	New Delhi	New Delhi
25	The Principal S. P. Medical College, Bikaner PBM Hospital, Bikaner, Rajasthan 334001 Phone: 0151 222 6300 Email: principal_spmc@live.com	SPMC- Bikaner	Rajasthan	Jaipur	Mundra / Pipavav / Kandla
26	The Principal R. N. T. Medical College, Udaipur Near Collectorate, Hospital Rd, Court Chouraha, Udaipur, Rajasthan 313001 Phone: 0294 241 8258 Email: rnt_mcudr62@rediffmail.com; rntmedicaleducationdept@gmail.com	RNTMC- Udaipur	Rajasthan	Jaipur	Mundra / Pipavav / Kandla
27	The Principal Govt. Medical College, Kota, LIC Office, Rangbari Rd, Sector - A, Rangbari, Kota, Rajasthan 324010 Phone: 0141 222 7406 Email: principalmck@gmail.com	GMC-Kota	Rajasthan	Delhi Air Cargo	Icd, Tughlakab ad

Sl. No.	Name of Hopsital and Address	Consignee Code	State	Airport	Dry Port/ Seaport
28	The Dean Thanjavur Medical College, Thanjavur Tamil Nadu - 613 004 Phone: 04362-240851, 04362-240951 Email: thjmc_tn@yahoo.com	GMC- Thanjavur	Tamil Nadu	Chennai	Chennai
29	The Dean Tirunelveli Medical College, Tirunelveli Address: Palayamkottai Tamil Nadu 627011 Phone: 0462 257 2733 Email: dean@tvmc.ac.in	GMC- Tirunelveli	Tamil Nadu	Chennai	Chennai
30	The Principal Agartala Govt. Medical College Agartala - 799 006 Phone: 03812357130/ 2356701 Email: agmc-tr@nic.in, agmc@rediffmail.com	AMC- Tripura	Tripura	Kolkata	Kolkata
31	The Dean Govt. Medical College, Jhansi Public Relation Officer Maharani Laxmi Bai Medical College, Hospital Jhansi Phone:- 0510-2321446 Email: principalmcjhs@gmail.com,clmlmcj@gmail.com	GMC-Jhansi	Uttar Pradesh	Delhi Air Cargo	Icd, Tughlakab ad
32	The Principal B.R.D.Medical college Gorakhpur Uttar Pradesh 273013 Phone: 0551 250 1736 Email Id:brdmcgkp1969@gmail.com, info@brdmc.org	GMC- Gorakhpur	Uttar Pradesh	Delhi Air Cargo	Icd, Tughlakab ad
33	The Principal M. L. N. Medical College, Allahabad George Town, Allahabad, Uttar Pradesh 211002 Phone: 2147483647 Email: ansari@gmail.com	MLNMC- Allahabad	Uttar Pradesh	Delhi Air Cargo	Icd, Tughlakab ad
34	The Principal L. L. R. Medical College, Meerut Garh Road, Jai Bhim Nagar, Meerut Uttar Pradesh 250004 Phone: 0121-2760888 Email: medllrm@yahoo.com	LLRMMC- Meerut	Uttar Pradesh	Delhi Air Cargo	Icd, Tughlakab ad

Sl. No.	Name of Hopsital and Address	Consignee Code	State	Airport	Dry Port/ Seaport
35	The Principal B. S. Medical College, Bankura Kenduadihi, Bankura West Bengal 722101 Phone: 03242 244 700 Email: bsmc_xsa@yahoo.com, prin_bsmc@wbhealth.gov.in	BSMC- Bankura	West Bengal	Kolkata	Kolkata
36	The Principal Govt. Medical College, Malda Englishbazar, Malda, West Bengal 732101 Phone: 03512 221 087 Email: prin_mldmch@wbhealth.gov.in	GMC-Malda	West Bengal	Kolkata	Kolkata
37	The Principal Prof. Samir Chandra Ghosh Roy North Bengal Medical College, Darjeeling Thiknikata, India, Siliguri, Darjeeling West Bengal 734012 Phone: 098320 17967 Email: sgroy53@gmail.com	NBMC- Darjeeling	West Bengal	Kolkata	Kolkata

<u>NB</u>: The consignee will ensure timely issue of NMIC, CDEC, Octroi Exemption Certificates, Road Permits & Entry Tax Exemption Certificates, wherever applicable, to the suppliers.

APPENDIX – A

No. P-45021/2/2017-B.E.-II
Government of India
Ministry of Commerce and Industry
Department of Industrial Policy and Promotion

Dated 15th June, 2017 Udyog Bhawan, New Delhi

To

All Central Ministries/Departments/CPSUs/All concerned

ORDER

Subject: Public Procurement (Preference to Make in India), Order 2017

Whereas it is the policy of the Government of India to encourage 'Make in India' and promote manufacturing and production of goods and services in India with a view to enhancing income and employment, and

Whereas procurement by the Government is substantial in amount and can contribute towards this policy objective, and

Whereas local content can be increased through partnerships, cooperation with local companies, establishing production units in India or Joint Ventures (JV) with Indian suppliers, increasing the participation of local employees in services and training them,

Now therefore the following Order is issued:

- 1. This Order is issued pursuant to Rule 153 (iii) of the General Financial Rules 2017.
- 2. **Definitions**: For the purposes of this Order:

'Local content' means the amount of value added in India which shall, unless otherwise prescribed by the Nodal Ministry, be the total value of the item procured (excluding net domestic indirect taxes) minus the value of imported content in the item (including all customs duties) as a proportion of the total value, in percent.

'Local supplier' means a supplier or service provider whose product or service offered for procurement meets the minimum local content as prescribed under this Order or by the competent Ministries / Departments in pursuance of this order.

'L1' means the lowest tender or lowest bid or the lowest quotation received in a tender, bidding process or other procurement solicitation as adjudged in the evaluation process as per the tender or other procurement solicitation.

'margin of purchase preference' means the maximum extent to which the price quoted by a local supplier may be above the L1 for the purpose of purchase preference.

'Nodal Ministry' means the Ministry or Department identified pursuant to this order in respect of a particular item of goods or services.

.....Contd. p.2/-

'Procuring entity' means a Ministry or department or attached or subordinate office of, or autonomous body controlled by, the Government of India and includes Government companies as defined in the Companies Act.

- 3. Requirement of Purchase Preference: Subject to the provisions of this Order and to any specific instructions issued by the Nodal Ministry or in pursuance of this Order, purchase preference shall be given to local suppliers in all procurements undertaken by procuring entities in the manner specified hereunder:
 - a. In procurement of goods in respect of which the Nodal Ministry has communicated that there is sufficient local capacity and local competition, and where the estimated value of procurement is Rs. 50 lakhs or less, only local suppliers shall be eligible. If the estimated value of procurement of such goods is more than Rs. 50 lakhs, the provisions of sub-paragraph b or c, as the case may be, shall apply.
 - b. In the procurements of goods which are not covered by paragraph 3a and which are divisible in nature, the following procedure shall be followed:
 - Among all qualified bids, the lowest bid will be termed as L1. If L1 is from a local supplier, the contract for full quantity will be awarded to L1.
 - ii. If L1 bid is not from a local supplier, 50% of the order quantity shall be awarded to L1. Thereafter, the lowest bidder among the local suppliers, will be invited to match the L1 price for the remaining 50% quantity subject to the local supplier's quoted price falling within the margin of purchase preference, and contract for that quantity shall be awarded to such local supplier subject to matching the L1 price. In case such lowest eligible local supplier fails to match the L1 price or accepts less than the offered quantity, the next higher local supplier within the margin of purchase preference shall be invited to match the L1 price for remaining quantity and so on, and contract shall be awarded accordingly. In case some quantity is still left uncovered on local suppliers, then such balance quantity may also be ordered on the L1 bidder.
 - c. In procurements of goods not covered by sub-paragraph 3a and which are not divisible, and in procurement of services where the bid is evaluated on price alone, the following procedure shall be followed:
 - Among all qualified bids, the lowest bid will be termed as L1. If L1 is from a local supplier, the contract will be awarded to L1.
 - ii. If L1 is not from a local supplier, the lowest bidder among the local suppliers, will be invited to match the L1 price subject to local supplier's quoted price falling within the margin of purchase preference, and the contract shall be awarded to such local supplier subject to matching the L1 price.
 - iii. In case such lowest eligible local supplier fails to match the L1 price, the local supplier with the next higher bid within the margin of purchase preference shall be invited to match the L1 price and so on and contract shall be awarded accordingly. In case none of the local suppliers within the margin of purchase preference matches the L1 price, then the contract may be awarded to the L1 bidder.

Carried Company	2104 3		104275	
Can	1	n	2	1
	LUI.	D.	JI	-

- 4. Exemption of small purchases: Notwithstanding anything contained in paragraph 3, procurements where the estimated value to be procured is less than Rs. 5 lakhs shall be exempt from this Order. However, it shall be ensured by procuring entities that procurement is not split for the purpose of avoiding the provisions of this Order.
- Minimum local content: The minimum local content shall ordinarily be 50%. The Nodal Ministry
 may prescribe a higher or lower percentage in respect of any particular item and may also
 prescribe the manner of calculation of local content.
- 6. Margin of Purchase Preference: The margin of purchase preference shall be 20%.
- 7. Requirement for specification in advance: The minimum local content, the margin of purchase preference and the procedure for preference to Make in India shall be specified in the notice inviting tenders or other form of procurement solicitation and shall not be varied during a particular procurement transaction.
- 8. Government E-marketplace: In respect of procurement through the Government E-marketplace (GeM) shall, as far as possible, specifically mark the items which meet the minimum local content while registering the item for display, and shall, wherever feasible, make provision for automated comparison with purchase preference and without purchase preference and for obtaining consent of the local supplier in those cases where purchase preference is to be exercised.

9. Verification of local content:

- a. The local supplier at the time of tender, bidding or solicitation shall be required to provide self-certification that the item offered meets the minimum local content and shall give details of the location(s) at which the local value addition is made.
- b. In cases of procurement for a value in excess of Rs. 10 crores, the local supplier shall be required to provide a certificate from the statutory auditor or cost auditor of the company (in the case of companies) or from a practicing cost accountant or practicing chartered accountant (in respect of suppliers other than companies) giving the percentage of local content.
- c. Decisions on complaints relating to implementation of this Order shall be taken by the competent authority which is empowered to look into procurement-related complaints relating to the procuring entity.
- d. Nodal Ministries may constitute committees with internal and external experts for independent verification of self-declarations and auditor's/ accountant's certificates on random basis and in the case of complaints.
- e. Nodal Ministries and procuring entities may prescribe fees for such complaints.
- f. False declarations will be in breach of the Code of Integrity under Rule 175(1)(i)(h) of the General Financial Rules for which a bidder or its successors can be debarred for up to two years as per Rule 151 (iii) of the General Financial Rules along with such other actions as may be permissible under law.
- g. A supplier who has been debarred by any procuring entity for violation of this Order shall not be eligible for preference under this Order for procurement by any other procuring entity for the

.....Contd.p.4/-

-4-

duration of the debarment. The debarment for such other procuring entities shall take effect prospectively from the date on which it comes to the notice of other procurement entities, in the manner prescribed under paragraph 9h below.

- h. The Department of Expenditure shall issue suitable instructions for the effective and smooth operation of this process, so that:
 - i. The fact and duration of debarment for violation of this Order by any procuring entity are promptly brought to the notice of the Member-Convenor of the Standing Committee and the Department of Expenditure through the concerned Ministry /Department or in some other manner:
 - ii. on a periodical basis such cases are consolidated and a centralized list or decentralized lists of such suppliers with the period of debarment is maintained and displayed on website(s);
 - iii. in respect of procuring entities other than the one which has carried out the debarment, the debarment takes effect prospectively from the date of uploading on the website(s) in the such a manner that ongoing procurements are not disrupted.

10. Specifications in Tenders and other procurement solicitations:

- a. Every procuring entity shall ensure that the eligibility conditions in respect of previous experience fixed in any tender or solicitation do not require proof of supply in other countries or proof of exports.
- b. Procuring entities shall endeavour to see that eligibility conditions, including on matters like turnover, production capability and financial strength do not result in unreasonable exclusion of local suppliers who would otherwise be eligible, beyond what is essential for ensuring quality or creditworthiness of the supplier.
- c. Procuring entities shall, within 2 months of the issue of this Order review all existing eligibility norms and conditions with reference to sub-paragraphs 'a' and 'b' above.
- d. If a Nodal Ministry is satisfied that Indian suppliers of an item are not allowed to participate and/ or compete in procurement by any foreign government, it may, if it deems appropriate, restrict or exclude bidders from that country from eligibility for procurement of that item and/ or other items relating to that Nodal Ministry. A copy of every instruction or decision taken in this regard shall be sent to the Chairman of the Standing Committee.
- e. For the purpose of sub-paragraph 10 d above, a supplier or bidder shall be considered to be from a country if (i) the entity is incorporated in that country, or ii) a majority of its shareholding or effective control of the entity is exercised from that country; or (iii) more that 50% of the value of the item being supplied has been added in that country. Indian suppliers shall mean those entities which meet any of these tests with respect to India."

.....Contd.p.5/-

- 11. Assessment of supply base by Nodal Ministries: The Nodal Ministry shall keep in view the domestic manufacturing / supply base and assess the available capacity and the extent of local competition while identifying items and prescribing minimum local content or the manner of its calculation, with a view to avoiding cost increase from the operation of this Order.
- 12. Increase in minimum local content: The Nodal Ministry may annually review the local content requirements with a view to increasing them, subject to availability of sufficient local competition with adequate quality.
- 13. Manufacture under license/ technology collaboration agreements with phased indigenization: While notifying the minimum local content, Nodal Ministries may make special provisions for exempting suppliers from meeting the stipulated local content if the product is being manufactured in India under a license from a foreign manufacturer who holds intellectual property

rights and where there is a technology collaboration agreement / transfer of technology agreement for indigenous manufacture of a product developed abroad with clear phasing of increase in local content.

- 14. Powers to grant exemption and to reduce minimum local content: Ministries /Departments of Government of India and the Boards of Directors of Government companies or autonomous bodies may, by written order,
 - a. reduce the minimum local content below the prescribed level;
 - b. reduce the margin of purchase preference below 20%;
 - c. exempt any particular item or procuring or supplying entities or class or classes of items or procuring or supplying entities from the operation of this Order or any part of the Order.

A copy of every such order shall be marked to the Member-Convenor of the Standing Committee constituted under this Order.

- 15. Directions to Government companies: In respect of Government companies and other procuring entities not governed by the General Financial Rules, the administrative Ministry or Department shall issue policy directions requiring compliance with this Order.
- 16. Standing Committee: A standing committee is hereby constituted with the following membership:

Secretary, Department of Industrial Policy and Promotion—Chairman

Secretary, Commerce-Member

Secretary, Ministry of Electronics and Information Technology-Member

Joint Secretary (Public Procurement), Department of Expenditure-Member

Joint Secretary (DIPP)—Member-Convenor

The Secretary of the Department concerned with a particular item shall be a member in respect of issues relating to such item. The Chairman of the Committee may co-opt technical experts as relevant to any issue or class of issues under its consideration.

.....Contd.p.6/-

- 17. Functions of the Standing Committee: The Standing Committee shall meet as often as necessary but not less than once in six months. The Committee
 - a. shall oversee the implementation of this order and issues arising therefrom, and make recommendations to Nodal Ministries and procuring entities.
 - b. shall annually assess and periodically monitor compliance with this Order
 - c. shall identify Nodal Ministries and the allocation of items among them for issue of notifications on minimum local content
 - may require furnishing of details or returns regarding compliance with this Order and related matters
 - e. may, during the annual review or otherwise, assess issues, if any, where it is felt that the manner of implementation of the order results in any restrictive practices, cartelization or increase in public expenditure and suggest remedial measures
 - f. may examine cases covered by paragraph 13 above relating to manufacture under license/ technology transfer agreements with a view to satisfying itself that adequate mechanisms exist for enforcement of such agreements and for attaining the underlying objective of progressive indigenization
 - g. may consider any other issue relating to this Order which may arise.
- 18. Removal of difficulties: Ministries /Departments and the Boards of Directors of Government companies may issue such clarifications and instructions as may be necessary for the removal of any difficulties arising in the implementation of this Order.
- 19. Ministries having existing policies: Where any Ministry or Department has its own policy for preference to local content approved by the Cabinet after 1st January 2015, such policies will prevail over the provisions of this Order. All other existing orders on preference to local content shall be reviewed by the Nodal Ministries and revised as needed to conform to this Order, within two months of the issue of this Order.
- 20. Transitional provision: This Order shall not apply to any tender or procurement for which notice inviting tender or other form of procurement solicitation has been issued before the issue of this Order.

(B. S. Nayak)

Under Secretary to Government of India

Ph. 2306 257

APPENDIX-B INTEGRITY PACT

PRE-CONTRACT INTEGRITY PACT

This Pre-Contract Integrity Pact (herein after called the Integrity Pact) is made on31 ^s day of the month ofMAY 2018					
Between					
HLL Infra Tech Services Ltd. [HITES], a wholly owned subsidiary company of M/s. HLI Lifecare Ltd. a Government of India Enterprise with registered office at HLL Bhavan Poojappura, Thiruvananthapuram 695 012, Kerala, India. (Hereinafter called "HITES" which expression shall mean and include, unless the context otherwise requires, his successors in office and assigns) of the First Party.					
And					
M/s, with office at Plot No.536,GF Udyog Vihar,Phase-V Gurgaon-122001, Haryana (India) represented by Shri, Chief Executive Office (hereinafter called the "BIDDER/Seller"/Contractor which expression shall mean and include, unless the context otherwise requires, his successors and permitted assigns) of the Second Party.					
Preamble					
[Both HITES and BIDDER referred above are jointly referred to as the Parties]					
HITES intends to award, under laid down organizational procedures, Purchase orders contract/s against Tender /Work Order /Purchase Order No. HITES desires full compliance with all relevant laws and regulations, and the principles of economic use of resources, and of fairness and transparency in its relations with it Bidder/s and Contractor/s.					
NOW, THEREFORE,					
To avoid all forms of corruption by following a system that is fair, transparent and free from any influence/prejudiced dealings prior to, during and subsequent to the currency of the contract to be entered into with a view to:-					

- 1. Enable HITES to obtain the desired materials/ stores/equipment/ work/ project done at a competitive price in conformity with the defined specifications by avoiding the high cost and the distortionary impact of corruption on public procurement; and
- 2. Enable the BIDDER to abstain from bribing or indulging in any corrupt practice in order to secure the contract by providing assurance to them that their competitors will also abstain from bribing and other corrupt practices and HITES will commit to prevent corruption, in any form, by its officials by following transparent procedures.

The parties hereto hereby agree to enter into this Integrity Pact and agree as follows:

Clause.1. Commitments of HITES

- 1.1 HITES undertakes that HITES and/or its Associates (i.e. employees, agents, consultants, advisors, etc.) will not demand, take a promise for or accept, directly or through intermediaries, any bribe, consideration, gift, reward, favour or any material or immaterial benefit or any other advantage from the BIDDER, either for themselves or for any person, organization or third party related to the contract in exchange for an advantage in the bidding process, bid evaluation, contracting or implementation process related to the contract.
- 1.2 HITES will, during the tender process / pre-contract stage, treat all BIDDERs with equity and reason, and will provide to all BIDDERs the same information and will not provide any such information or additional information, which is confidential in any manner, to any particular BIDDER which could afford an advantage to that particular BIDDER in comparison to other BIDDERs in relation to tendering process or during the contract execution.
- 1.3 All the officials of HITES regarding this Integrity Pact will report to IEM, any attempted or completed breaches of the above commitments as well as any substantial suspicion of such a breach shall not be permitted.
- 1.4 HITES will exclude from the process all known prejudiced persons and persons who would be known to have a connection or nexus with the prospective bidder.
- 1.5 If the BIDDER reports to HITES with full and verifiable facts any misconduct on the part of HITES's Associates (i.e. employees, agents, consultants, advisors, etc.) and the same is prima facie found to be correct by HITES, necessary disciplinary proceedings, or any other action as deemed fit, including criminal proceedings may be initiated by HITES. Further, such an Associate may be debarred from further dealings related to the contract process. In such a case, while an enquiry is being conducted by HITES the proceedings under the contract would not be stalled.

Clause 2. Commitments of BIDDERs/ CONTRACTORs

- 2. The BIDDER commits itself to take all measures necessary to prevent corrupt practices, unfair means and illegal activities during any stage of its bid or during any pre-contract or post-contract stage in order to secure the contract or in furtherance to secure it and in particular commit itself to the following:-
- 2.1 The BIDDER will not offer, directly or indirectly (i.e. employees, agents, consultants, advisors, etc.) any bribe, gift, consideration, reward, favour, any material or immaterial benefit or other advantage, commission, fees, brokerage or inducement to any official of HITES, connected directly or indirectly with the bidding process, or to any person, organization or third party related to the contract in exchange for any advantage in the bidding, evaluation, contracting and implementation of the contract.
- 2.2 The BIDDER further undertakes that it has not given, offered or promised to give, directly or indirectly any bribe, gift, consideration, reward, favour, any

material or immaterial benefit or other advantage, commission, fees, brokerage or inducement to any official of HITES or otherwise in procuring the contract or forbearing to do or having done any act in relation to obtaining or execution of the contract or any other contract with HITES for showing or forbearing to show favour or disfavor to any person in relation to the contract or any other contract with HITES.

- 2.3 The BIDDER will not engage in collusion, price fixing, cartelization, etc. with other counterparty(s).
- 2.4 The Bidder (s) will not pass to any third party any confidential information entrusted to it, unless duly authorized by HITES.
- 2.5 The Bidder (s) will promote and observe ethical practices within its Organization and its affiliates.
- 2.6 BIDDER shall disclose the name and address of agents and representatives and Indian BIDDERS shall disclose their foreign principals or associates.
- 2.7 The Bidder (s) will not make any false or misleading allegations against HITES or its Associates.
- 2.8 BIDDERs shall disclose the payments to be made by them to agents/brokers or any other intermediary, in connection with this bid/contract.
- 2.9 The BIDDER further confirms and declares to HITES that the BIDDER is the original manufacture/integrator/authorized government sponsored export entity of the defense stores and has not engaged any individual or firm or company whether Indian or foreign to intercede, facilitate or in any way to recommend to HITES or any of its functionaries, whether officially or unofficially to award the contract to the BIDDER, nor has any amount been paid, promised or intended to be paid to any such individual, firm or company in respect of any such intercession, facilitation or recommendation.
- 2.10 The BIDDER while presenting the bid or during pre-contract negotiations or before signing the contract, shall disclose any payments he has made, is committed to or intends to make to officials of HITES or their family members, agents, brokers or any other intermediaries in connection with the contract and the details of services agreed upon for such payments.
- 2.11 The BIDDER will not accept any advantage in exchange for any corrupt practice, unfair means and illegal activities.
- 2.12 The BIDDER commits to refrain from giving any complaint directly or through any other manner without supporting it with full and verifiable facts.

- 2.13 If the BIDDER or any employee of the BIDDER or any person acting on behalf of the BIDDER, either directly or indirectly, is a relative of any of the officers of HITES, or alternatively, if any relative of an officer of HITES has financial interest/stake in the BIDDER's firm, the same shall be disclosed by the BIDDER at the time of filing of tender.
 - The term 'relative' for this purpose would be as defined in Section 2(77) of the Companies Act 2013
- 2.14 The BIDDER shall not lend to or borrow any money from or enter into any monetary dealings or transactions, directly or indirectly, with any employee of HITES.
- 2.15 The BIDDER will not collude with other parties interested in the contract to impair the transparency, fairness and progress of the bidding process, bid evaluation, contracting and implementation of the contract, and will not enter into any undisclosed agreement or understanding with other Bidders, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to introduce cartelization in the bidding process.
- 2.16 The BIDDER will not commit any offence under the relevant Indian Penal Code, 1860 or Prevention of Corruption Act, 1988; further the Bidder(s)/ Contractor(s) will not use improperly, for purposes of competition or personal gain, or pass on to others, any information or document provided by the HITES as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically. The BIDDER also undertakes to exercise due and adequate care lest any such information is divulged.
- 2.17 The BIDDER will not instigate third persons to commit offences outlined above or be an accessory to such offences.
- 2.18 The Bidder(s)/Contractors(s) of foreign origin shall disclose the name and address of the Agents/representatives in India, if any. Similarly the Bidder(s)/Contractors(s) of Indian Nationality shall furnish the name and address of the foreign Principal(s), if any.
- 2.19 The Bidder(s) shall not approach the courts while representing the matters to IEM and the Bidder(s) will await their decision in the matter.

Clause.3. Previous contravention and Disqualification from tender process and exclusion from future contracts

3.1 The BIDDER declares that no previous contravention occurred in the last three years immediately before signing of this Integrity Pact, with any other company in any country in respect of any corrupt practices envisaged hereunder or with any Public Sector Enterprise in India or any Government Department in India that could justify BIDDER's exclusion from the tender process

3.2 The BIDDER agrees that if it makes incorrect statement on this subject, BIDDER can be disqualified from the tender process or the contract, if already awarded, can be terminated for such reason.

If BIDDER before award or during execution has committed a contravention through a violation of Clause 2, above or in any other form such as to put his reliability or credibility in question, t HITES is entitled to disqualify the BIDDER from the tender process.

Clause.4. Equal treatment of all Bidders / Contractors / Subcontractors

- 4.1 The Bidder(s)/ Contractor(s) undertake(s) to demand from his Subcontractors a commitment in conformity with this Integrity Pact.
- 4.2 HITES will enter into agreements with identical conditions as this one with all Bidders and Contractors.
- 4.3 HITES will disqualify from the tender process all bidders who do not sign this Pact or violate its provisions.

Clause.5. Consequences of Violation / Breach

- 5.1 Any breach of the aforesaid provision by the BIDDER or any one employed by it or acting on its behalf (whether with or without the knowledge of the BIDDER) shall entitle HITES to take all or any one of the following action, wherever required:-
- i. To immediately call off the pre-contract negotiations without assigning any reason or giving any compensation to the BIDDER. However, the proceedings with the other BIDDER(s) would continue.
- ii. If BIDDER commits violation of Integrity Pact Policy during bidding process, he shall be liable to compensate HITES by way of liquidated damages amounting to a sum equivalent to 5% to the value of the offer or the amount equivalent to Earnest Money Deposit/Bid Security, whichever is higher.
- iii. In case of violation of the Integrity Pact after award of the contract, HITES will be entitled to terminate the contract. HITES shall also be entitled to recover from the contractor liquidated damages equivalent to 10% of the contract value or the amount equivalent to security deposit/ performance guarantee, whichever is higher.
- iv. To immediately cancel the contract, if already signed, without giving any compensation to the BIDDER.
- v. To recover all sums already paid by HITES, and in case of an Indian BIDDER with interest thereon at 2% higher than the prevailing Prime Lending Rate of State Bank of India, while in case of a BIDDER from a country other than India with interest thereon at 2% higher than the LIBOR. If any outstanding payment is due to the BIDDER from HITES in connection with any other contract for any other stores, such outstanding payment could also be utilized to recover the aforesaid amount.

- vi. To encash the advance bank guarantee and performance guarantee /warranty bond, if furnished by the BIDDER, in order to recover the payments already made by HITES, along with interest.
- vii. To cancel all or any other contract with the BIDDER. The BIDDER shall be liable to pay compensation for any loss or damage to HITES resulting from such cancellation/recession and HITES shall be entitled to deduct the amount so payable from the money(s) due to the BIDDER.
- viii. To debar the BIDDER from participating in future bidding processes of HITES for a minimum period of five (5) years, which may be further extended at the discretion of HITES or until Independent External Monitors is satisfied that the Bidder (s) will not commit any future violation.
 - ix. To recover all sums paid in violation of this Pact by BIDDER(s) to any middleman or agent or broker with a view to securing the contract.
 - x. In cases where irrevocable Letters of credit have been received in respect of any contract signed by HITES with the BIDDER, the same shall not be opened.
 - xi. Forfeiture of performance guarantee in case of a decision by HITES to forfeit the same without assigning any reason for imposing sanction for violation of the pact.
- 5.2 HITES will be entitled to all or any of the actions mentioned in para 5.1(i) to (x) of this pact also on the commission by the BIDDER or any one employed by it or acting on its behalf (whether with or without the knowledge of the BIDDER), of an offence as defined in Chapter IX of the Indian Penal Code, 1860 or Prevention of Corruption Act, 1988 or any other statute enacted for prevention of corruption.
- 5.3 The decision of HITES to the effect that a breach of the provisions of this Pact has been committed by the BIDDER shall be final and conclusive on the BIDDER. However, the BIDDER can approach the Independent External Monitor(s) appointed for the purposes of this Pact.

Clause.6. Fall Clause

The BIDDER undertakes that it has not supplied/is not supplying similar product/systems or subsystems OR providing similar services at a price / charge lower than that offered in the present bid in respect of any other Ministry/Department of the Government of India or PSU and if it is found any stage that similar product/systems or sub systems was supplied by the BIDDER to any to the Ministry/Department of the Government of India or a PSU at a lower price, then that very price, with due allowance for elapsed time will be applicable to the present case and the difference in the cost would be refunded by the BIDDER to HITES, if the contract has already been concluded.

Clause .7. Independent External Monitor(s)

7.1 HITES has appointed Sh. A.K. Arora, EX-DG, Indian Defense Service of Engineers as Independent External Monitor(s) (hereinafter referred to as

IEM(s)) for this Pact in consultation with the Central Vigilance Commission. Contact details of IEM is as below:

Sh. A.K. Arora Independent External Monitor (IEM)

Office: HLL Infra Tech Services Ltd B-14-A, sector 62, Noida 201307, U.P

Tel: 0120 4071500

Residence: B-333, Chittaranjan Park

New Delhi – 110019 Tel: 011 26273406

Mobile: +91 8130588577 Email: iem@hllhites.com

- 7.2 The responsibility of the IEM(s) shall be to review independently and objectively, whether and to what extent the parties comply with the obligations under this Pact.
- 7.3 The IEM(s) shall not be subject to instructions by the representatives of the parties and perform their functions neutrally and independently.
- 7.4 Both the parties accept that the IEM(s) have the right to access all the documents relating to the project/ procurement, including minutes of meetings.
- 7.5 As soon as the IEM(s) notices, or has reason to believe, a violation of this pact, he will so inform the CEO/CMD.
- 7.6 The BIDDER(S) accepts that the IEM(s) have the right to access without restriction to all project documentation of HITES including that provided by the BIDDER. The BIDDER will also grant the IEM(s), upon his request and demonstration of a valid interest, unrestricted and unconditional access to his project documentation. The same is applicable to subcontractors engaged by the BIDDER. The IEM(s) shall be under contractual obligation to treat the information and documents of the BIDDER/ Subcontractor(s) with confidentiality.
- 7.7 HITES will provide to the IEM(s) sufficient information about all meetings among the parties related to the Project provided such meeting could have an impact on the contractual relation between the parties. The parties will offer to the IEM(s) option to participate in such meetings.
- 7.8 The IEM(s) will submit a written report to the CEO/CMD of HITES within 3 to 5 weeks from the date of reference or intimation to him by HITES/BIDDER.

Clause.8.Criminal charges against violating Bidder(s)/ Contractor(s)/ Subcontractor(s)

If HITES obtains knowledge of conduct of a Bidder, Contractor or Subcontractor, or of an employee or a representative or an associate of a Bidder, Contractor or Subcontractor which constitutes corruption, or if HITES has substantive suspicion in this regard, HITES will inform the same to the Chief Vigilance Officer, HLL

Clause.9. Facilitation of Investigation

In case of any allegation of violation of any provisions of this Pact or payment of commission, HITES or its agencies shall be entitled to examine all the documents, including the Books of Accounts of the BIDDER and the BIDDER shall provide necessary information and documents in English and shall extend all possible help for the purpose of such examination.

Clause.10. Law and Place of Jurisdiction

Both the Parties agree that this Pact is subject to Indian Law. The place of performance and hence this Pact shall be subject to Delhi/ NCR Jurisdiction.

Clause.11. Other legal Actions

The actions stipulated in the Integrity Pact are without prejudice to any other legal action that may follow in accordance with the provisions of the extant law in force relating to any civil or criminal proceedings.

Clause.12. Validity and Duration of the Agreement

This Pact begins when both parties have legally signed it. It expires for the Contractor/Successful bidder 12 months after the last payment under the contract or the complete execution of the contract to the satisfaction of the both HITES and the BIDDER /Seller, including warranty period, whichever is later, and for all other Bidders/unsuccessful bidders 6 months after the contract has been awarded.

If any claim is made / lodged during this time, the same shall be binding and continue to be valid despite the lapse of this pact as specified above, unless it is discharged / determined by Chairman and Managing Director/ CEO of HITES.

Clause. 13. Other provisions

- 13.1 Changes and supplements as well as termination notices need to be made in writing. Both the Parties declare that no side agreements have been made to this Integrity Pact.
- 13.1 If the Contractor is a partnership or a consortium, this agreement must be signed by all partners or consortium members.
- 13.1 Should one or several provisions of this agreement turn out to be invalid, the remainder of this agreement remains valid. In this case, the parties will strive to come to an agreement to their original intentions

IN WITNESS THEREOF the parties have signed and executed this pact at the place and date first above mentioned in the presents of following witnesses:

HLL Infra Tech Services Ltd.	Bidder		
Witness	Witness		
1	1		
2	2		

 $^{^{}st}$ Provisions of these clauses would $\,$ be amended /deleted in line with the policy of the HITES in regard to involvement of Indian agents of foreign suppliers.