(A GOVT. OF INDIA ENTERPRISE)
KANAGALA – 591225, BELGAUM DIST.

PHONE NOS.: 08333 – 279240 (Manager), 279244 (General)

FAX NO.: 08333 - 279245

E-mail: <u>purchasekfb@lifecarehll.com</u>, <u>purchasenfk@gmail.com</u>

Website <u>www.lifecarehll.com</u>

### **NOTICE INVITING TENDER (NIT)**

HL:BG:PS:SS REACTOR:2013-14 DATE: 25.11.2013

### SUB: NIT FOR REACTOR SS WITH CONDENSER AND RECEIVER

HLL Lifecare Limited (Formerly Hindustan Latex Ltd), India's leading Manufacturers and Marketers of Contraceptive, Health Care and Pharma Products is a Mini Ratna Company.

HLL Lifecare Limited (Formerly Hindustan Latex Ltd), a PSU under the Ministry of Health & Family Welfare, Govt. of India invites Sealed & Superscribed Tenders under **Two Bid System (Technical & Price)** in the prescribed forms enclosed from Manufacturers / Authorized Dealers for the supply, erecting and commissioning of **REACTOR SS WITH CONDENSER AND RECEIVER** at our Factory site at Kanagala, Belgaum Dist (Karnataka).

Specifications and Terms & Conditions etc. are detailed in Tender Documents. NIT / Tender Documents / NIT can be had from our Office on any working day between 11:00 AM to 3:30 PM by paying ₹ 500/- by Cash / DD (inclusive of ST) drawn in favor of HLL LIFECARE LTD, payable at State Bank of India, NIPANI – 591 237. Further, Tender Documents can also be downloaded from our website <a href="www.lifecarehll.com">www.lifecarehll.com</a>. However cost of Tender Documents i.e. ₹ 500/- in the form of DD should be enclosed along with Technical Bid.

NAME OF THE ITEM	QTY. REQUIRED (NO.)
REACTOR SS WITH CONDENSER AND RECEIVER	01
Unloading, Installation and Commissioning in Suppliers Scope.	
Specifications as detailed in <u>USER REQUIREMENT SPECIFICATION</u> (ANNEXURE 1) of this NIT.	

1. Last date for Receipt of Technical & Price Bid : 09.12.2013 (15:00 Hrs.)

2. Opening of Technical Bid : 09.12.2013 (16:00 Hrs.)

3. In the event of the date/s mentioned above being declared subsequently as holiday/s for the Purchaser's Office, the due date for submission and opening of bids will be the next working day at the same venue and time.

(A GOVT. OF INDIA ENTERPRISE)
KANAGALA – 591225, BELGAUM DIST.

PHONE NOS.: 08333 – 279240 (Manager), 279244 (General)

FAX NO.: 08333 - 279245

E-mail: <u>purchasekfb@lifecarehll.com</u>, <u>purchasenfk@gmail.com</u>

Website www.lifecarehll.com

### **NOTICE INVITING TENDER (NIT)**

HL:BG:PS:SS REACTOR:2013-14 DATE: 25.11.2013

#### SUB: NIT FOR REACTOR SS WITH CONDENSER AND RECEIVER

- 4. Earnest Money Deposit (Refundable): An amount of ₹ 25,000/- by DD drawn in favor of "HLL LIFECARE LTD" payable at State Bank of India, NIPANI 591 237 towards EMD should be enclosed along with the Technical Bid only.
- 5. Tender Cost (Nonrefundable): An amount of ₹ 500/- (inclusive of S.T.) by DD drawn in favor of "HLL LIFECARE LTD" payable at State Bank of India, NIPANI 591 237 towards cost of Tender Form should be enclosed along with the Technical Bid only.
- 6. Technical Bids received without enclosure of EMD & Tender Cost will be summarily rejected. Please note that HLL Lifecare Ltd. will not be responsible for any delay in submission of Tender.
- 7. Exemption from payment of EMD: However, SSI Units who wish to avail exemption from payment of EMD should produce an Exemption Certificate issued by the concerned DIC or NSIC stating that the SSI Unit should be exempted from payment of EMD in respect of the relevant Tender NO. indicated in the NIT / Tender Document.
- 8. Acceptance / Rejection of the Tender is entirely at the discretion of HLL.

**DEPUTY GENERAL MANAGER(PURCHASE)** 

Page NO.2 of 16

### TENDER NO.HL:BG:PS:SS REACTOR:2013-14 DT.25.11.2013

### 1) FORMATS FOR TECHNICAL BID

- a) INSTRUCTIONS TO THE BIDDERS
- b) USER REQUIREMENT SPECIFICATION OF REACTOR SS WITH CONDENSER AND RECEIVER (ANNEXURE 1)
- c) QUALIFICATION CRITERIA (ANNEXURE 2)
- d) GENERAL CONDITIONS FORMING PART OF THE BID

### 2) FORMS FOR PRICE BID

a) SCHEDULE - A: PRICE BID / RATE SCHEDULE (WITH TERMS & CONDITIONS)

NOTE: Technical Bid & Price Bid forms shall be submitted in Separate Covers.

#### **How to send the Bid:**

Both the Bids i.e. Technical Bid & Price Bid shall be submitted in sealed covers separately. Technical Bid & Price Bid shall be superscribed on the respective covers in order to clearly identify between the 2 Bids. The two separately marked Bids enclosed in single sealed cover with Tender NO. Complete in all respect addressed to The Deputy General Manager (Purchase), HLL Lifecare Ltd., Kanagala - 591 225 Dist. Belgaum, Karnataka State should reach us on or before the due date and time mentioned in the NIT.

#### **CONTENTS OF THE BIDDING DOCUMENTS:**

### 1. Technical Bid:

- a) DD for ₹25,000/- towards EMD / Exemption Certificate from concerned DIC / NSIC.
- b) DD for ₹ 500/- towards Tender Cost.
- c) USER REQUIREMENT SPECIFICATION OF REACTOR SS WITH CONDENSER AND RECEIVER (ANNEXURE 1) duly filled, signed and sealed. Details shall be enclosed as required by us.
- d) QUALIFICATION CRITERIA (ANNEXURE 2) duly filled, signed and sealed. Details shall be enclosed as required by us.
- e) GENERAL CONDITIONS FORMING PART OF THE BID duly signed and sealed.

### 2. Price Bid:

- a) SCHEDULE A: Price Bid duly filled, signed and sealed.
- b) Terms & Conditions of Price Bid duly signed and sealed.

### TENDER NO.HL:BG:PS:SS REACTOR:2013-14 DT.25.11.2013

### **INSTRUCTIONS TO THE BIDDERS**

- 1. The Quotation must to be in Two Parts i.e., A. <u>Technical Bid</u> and B. <u>Price Bid.</u>
- 2. The Bidder is expected to examine all Specifications, Instructions, Forms, and Terms & Conditions given in the Bidding Documents. Failure to furnish all information required in the Bidding Documents or submission of a Bid not substantially responsive to the Bidding Documents in every respect will be at the Bidders risk and may result in rejection of the Bid
- Any clarification required will have to be obtained one week prior to the Date of opening of the Technical Bid. For any technical clarifications please feel free to contact our Mr. Pramod Unune @ mail id: <u>pramodunune@lifecarehll.com</u> OR Cell NO.09480400331.
- 4. Both, Technical Bid and Price Bid must be furnished in two separate sealed & super scribed covers.
- 5. Bids received after the deadline for submission shall not be considered.
- Technical Bid must be furnished as shown in the Contents of Bidding Documents @ SI.
   NO.1 mentioned above and must be super scribed as "Technical Bid REACTOR SS WITH CONDENSER AND RECEIVER Ref: Tender NO.HL:BG:PS:SS REACTOR:2013-14 / 25.11.2013".
- 7. Price Bid must be furnished as shown in the Contents of Bidding Documents @ SI NO.2 mentioned above i.e., in <u>SCHEDULE A: PRICE BID</u> and must be super scribed as "Price Bid REACTOR SS WITH CONDENSER AND RECEIVER Ref: Tender NO.HL:BG:PS:SS REACTOR:2013-14 / 25.11.2013".
- 8. Technical Bids and Price Bids those are not submitted in two separate sealed & super scribed covers are liable for rejection.
- 9. Enclose additional sheets, if necessary, to highlight the deviations from the Technical Bid and Price Bid. Provide proper reference to these additional sheets in the Technical Bid and Price Bid.
- 10. The Evaluation of the Technical Bid is carried on the Responses given in the Technical Bid.
- 11. Price Bid of a particular Bidder would be considered for opening only if their Technical Bid is qualified. *The date & time of opening of Price Bid will be intimated separately.*
- 12. The Price Bid of those Bidders who do not qualify will be returned unopened.
- 13. Acceptance / Rejection of the Tender is entirely at the discretion of HLL.
- 14. Bids received by FAX / E-MAIL will not be considered.

TENDER NO.HL:BG:PS:SS REACTOR:2013-14 DT.25.11.2013

USER REQUIREMENT SPECIFICATION

### **ANNEXURE 1**

All the Specifications given below shall be completed in the **Supplier Specifications Column** with accurate information i.e., in case of all the parameters are complied as per the given specification parameters, the same specification shall be mentioned in the respective column, and in the case of deviation from the given specification parameters, appropriate deviations from the required specifications shall clearly be stated. In the absence of above and in case the columns are filled with "Yes and No" parameters such Tenders will be summarily rejected. **Qualification Criteria in Annexure 2 is must for qualification.** 

SL. NO.	SCOPE OF SUPPLY
1	Supply Installation and Commission SS Reactor with condenser and receiver as per detailed specification given in the document.
2	Validation Documents IQ / OQ / DQ
3	Installation & Commissioning of supplied system and imparting training to employees
4	Validation of System
5	Flameproof Certificate from certifying body wherever applicable shall be provided.

We have read and understood the above Specifications and agree to abide by the same.

Place:	Signature of the Bidder
Date:	Name, Seal and Address of the Bidder

(A GOVT. OF INDIA ENTERPRISE)

## TENDER NO.HL:BG:PS:SS REACTOR:2013-14 DT.25.11.2013 USER REQUIREMENT SPECIFICATION

### **ANNEXURE 1**

SUPPL	IERS NAME:	
CLIEN	T'S NAME: HLL LIFECARE LIMITED, KANAGALA	
	Sub: Technical Bid for Supply, Installation and Commissioni CONDENSER AND RECEIVER	ng of REACTOR SS WITH
SI No	HLL Specification	Supplier Specifications
ı	TECHNICAL SPECIFICATION	
01	Equipment Name: SS Reactor	
02	Type: Impeller	
03	Capacity: 2000 liters	
04	Design Pressure (Shell): 10 Kg/cm <sup>2</sup>	
05	Design Pressure (Jacket) : 6 Kg/cm <sup>2</sup>	
06	Design Temperature: -10 to 250°C max	
07	Operating Pressure (Shell): 6 Kg/cm <sup>2</sup>	
80	Operating Pressure (Jacket): 4 Kg/cm <sup>2</sup>	
80	Operating Temperature: -5-210°C	
10	Test Pressure (Shell) : 6 Kg/cm <sup>2</sup>	
11	Test Pressure (Jacket) : 6 Kg/cm <sup>2</sup>	
12	Shell inside dia : 1300 mm	
13	Height: 1500 mm	
14	Jacket inside dia : 1400 mm	
15	Shell Thickness: 8 mm	
16	Dished end Thickness: 10 mm	
17	Jacket Thickness : 8 mm	
18	Dish end Jacket Thickness : 10 mm	
II	MATERIAL OF CONSTRUCTION	
01	Shell, Heads: SS316L ASA	
02	Jacket : M. S	
03	Internals: SS316	
III	<b>Support:</b> The reactor is provided with Four Leg Support.	
01	Reflux line size pipe =1.5 inch (38 mm)	
02	With U bend and valve pipe material of construction: S.S 316	
03	With lenton Assembly, Stuffing Box, Bearing Housing, With Bearing Gland Pusher, With Gun metal Bush for cooling arrangement.	
04	Temperature sensor line is to be made 1 inch size on the top side reactor.	

We have read and understood the above Specifications and agree to abide by the same.

Place: Signature of the Bidder
Date: Name, Seal and Address of the Bidder

Page NO.6 of 16

(A GOVT. OF INDIA ENTERPRISE)

## TENDER NO.HL:BG:PS:SS REACTOR:2013-14 DT.25.11.2013 USER REQUIREMENT SPECIFICATION

### **ANNEXURE 1**

SUPPI	LIERS NAME:				
CLIEN	IT'S NAME: HLL LIFECARE LIMITED, KANAGALA				
	Sub: Technical Bid for Supply, Installation and Commissionin CONDENSER AND RECEIVER	g of REACTOR SS WITH			
SI No	HLL Specification	Supplier Specifications			
05	Lubricants detail: VG / Servo mesh 320 for Gear Box.				
06	Insulation of jacket: 100 mm thick rock wool / PUF				
	insulation with 120 kg / cm³ density with SS304 cladding				
	(24 gauges).				
07	Provide Solenoid valve to steam line.				
08	Temperature setting indicator.				
09	Reactor volume indicator. (It is useful during mass				
	quenching from one reactor to other reactor.				
IV	INSTRUMENTATION				
01	Compound Gauge (Reactor Shell Side): 1 No				
02	Temperature Gauge (Reactor Shell Side): 1 No				
03 Pressure Gauge (Reactor Jacket Side): 1 No					
04	Safety Valve (Reactor Shell Side): 1 No				
05	Safety Valve (Reactor Jacket Side) : 1 No				
	06 Compound Gauge (Receiver shell side): 1 No				
07					
08	Side Glass (Reactor shell side): 1 No				
09	Manhole (Reactor shell side): 1 No				
10	Sampling nozzle (Reactor shell side): 1 No				
11	Thermowell nozzle (Reactor shell side): 1 No				
12	Bottom outlet nozzle (Reactor shell side): 1 No				
V	AGITATOR DATA SHEET				
01	Type : Flat Blade Turbine				
02	Speed: 150 rpm				
03	Shaft dia: 80 mm				
04	Number of impellers : 4 Nos				
05	No of blades : 6 Nos				
06	Impeller Sweep dia.: 420 mm				
07	Distance between impellers : 600 mm				
08	MOC of shaft: SS 316L				
09	MOC of impeller: SS 316L				
10	Stool top bearing: 32212				
11	Sto11 Bottom bearing: 32213				

We have read and understood the above Specifications and agree to abide by the same.

Place: Signature of the Bidder
Date: Name, Seal and Address of the Bidder

(A GOVT. OF INDIA ENTERPRISE)

## TENDER NO.HL:BG:PS:SS REACTOR:2013-14 DT.25.11.2013 USER REQUIREMENT SPECIFICATION

### **ANNEXURE 1**

SUPPL	IERS NAME:	
CLIEN	IT'S NAME: HLL LIFECARE LIMITED, KANAGALA	
	Sub: Technical Bid for Supply, Installation and Commissionii CONDENSER AND RECEIVER	ng of REACTOR SS WITH
SI No	HLL Specification	Supplier Specifications
VI	GEAR BOX	
01	Make : Greaves Gears	
02	Type: V 500	
03	Reduction: 10:1 Worm reduction Gear Type – RV	
04	High Speed coupling / Size : Direct Coupled	
05	Low speed coupling bolt : Flexible Pin & Bush Coupling	
2.1	BC4	
06	Stuffing Box: Mechanical Seal with cooling	
07	Electrical Panel Board: Control Panel board machine with flame proof, starter, On/Off	
VII	MECHANICAL SEAL	
01	Materials Specification: Complete Mechanical Seal with	
Οī	Sleeve housing	
02	Type : Double mechanical seal	
03	Size : 3.125" – Approx.	
04	Make: Leakproof / Colossus / AES	
VIII	FLAMEPROOF MOTOR DATA SHEET	
01	Frame: 132	
02	KW: 7.5	
03	HP:10	
04	Amps: 14.5	
05	RPM: 1450	
06	Volt : 415 <u>+</u> 10%	
07	Hz : 50 <u>+</u> 5%	
80	Phase: 3 Phase	
09	Type of Duty: \$1	
10	Ins. Class : F	
11	Rating: CONT	
12	Motor Body earthing: Double earthing to motor body	
1.0	with copper wire of suitable size as per standard.	
13	Discharge of static Electricity: To ensure discharge electricity and entire reactor and drums used.	

We have read and understood the above Specifications and agree to abide by the same.

Place: Signature of the Bidder
Date: Name, Seal and Address of the Bidder

(A GOVT. OF INDIA ENTERPRISE)

## TENDER NO.HL:BG:PS:SS REACTOR:2013-14 DT.25.11.2013 USER REQUIREMENT SPECIFICATION

### **ANNEXURE 1**

SUPPL	LIERS NAME:						
CLIEN	IT'S NAME: HLL LIFECARE LIMITED, KANAGALA						
	Sub: Technical Bid for Supply, Installation and Commissionin CONDENSER AND RECEIVER	ng of REACTOR SS WITH					
SI No	HLL Specification	Supplier Specifications					
14	Specification of static Electric discharge device: Model: Bond-Rite clamp with 5 m (16Ft) cable BRC05 (Self testing clamps with and built in LED indicators for safety in critical operations that are prone to corrosion)						
15	Flameproof control panel includes : Digital temperature controller, Digital temperature- Indicator, Digital Time Star Delta starter, R-Y-B Lamp						
	Party should give successful trials for the above						
	mentioned functionality.						
IX	CONDENSER DATA SHEET						
01	Name of the equipment : Condenser						
02	Type : Shell and tube type						
03	Heat transfer area : 6.0 m <sup>2</sup>						
04	Tube Details: 3/4" x 2020 mm L x 55 nos x Triangular pitched to 31.75 mm						
05	Operating temperature : Tube side = 90 ° C max., Shell side = 40 ° C max.						
06	Operating pressure : Tube side = Atmosphere, Shell side - 3.0 kg / cm <sup>2</sup>						
07	Test pressure : Tube side - 8.0 kg / cm <sup>2</sup> Shell side - 6.0 kg / cm <sup>2</sup>						
08	Vapour inlet : Tube side						
09							
X	CONDENSER INSTRUMENTATION						
01	Compound Gauge: Condenser vapor inlet - 1 No						
02	Temperature Gauge : Condenser vapor inlet - 1 No						
03	Pressure Gauge: Condenser vapor inlet - 1 No						
04	Safety Valve: Condenser vapor inlet - 1 No						
05	Safety Valve : Condenser vapor outlet - 1 No						
06	Compound Gauge: Condenser vapor outlet - 1 No						
07	Pressure Gauge: Condenser vapor outlet - 1 No						

We have read and understood the above Specifications and agree to abide by the same.

Place: Signature of the Bidder
Date: Name, Seal and Address of the Bidder

(A GOVT. OF INDIA ENTERPRISE)

## TENDER NO.HL:BG:PS:SS REACTOR:2013-14 DT.25.11.2013 USER REQUIREMENT SPECIFICATION

### **ANNEXURE 1**

SUPPLIERS NAME:					
CLIENT'S NAME: HLL LIFECARE LIMITED, KANAGALA					
Sub: Technical Bid for Supply, Installation and Commissioning of REACTOR SS WITH					
CONDENSER AND RECEIVER					
SI No	HLL Specification	Supplier Specifications			
ΧI	RECEIVER DATA SHEET				
01	Name of the equipment : Receiver				
02	Type : Shell and jacket type				
03	Capacity: 250 L				
04	Design Pressure (Shell): 8.0 kg/cm <sup>2</sup>				
05	Design Pressure (Jacket): 10.0 kg/cm <sup>2</sup>				
06	Design Temperature : 250 ° C max				
07	Operating Pressure (Shell) : Atmosphere				
80	Operating Pressure (Jacket): 3.0 kg/cm <sup>2</sup>				
09	Operating Temperature : Operating Temperature				
10	Test Pressure (Shell) [Kg/cm <sup>2</sup> ]: 6.0 kg/cm <sup>2</sup>				
11	Test Pressure (Jacket) [Kg/ cm²] : 6.0 kg/ cm²				
12	Shell inside dia (mm) : 700 mm				
13	Height (mm): 800 mm				
14	Jacket inside dia (mm) : 800 mm				
15	Shell Thickness (mm) : 6.0 mm				
16	Dished end Thickness (mm) : 8.0 mm				
17	Jacket Thickness (mm) : 6.0 mm				
18	Dish end Jackets Thickness (mm) : 8.0 mm				
19	Light and Sight Glass (mm) : 100 mm				
20	Instrumentation: Compound gauge –1 to 5 kg/cm <sup>2</sup>				
XII	RECEIVER INSTRUMENTATION				
01	Compound Gauge : Receiver Shell Side - 1 No				
02	Temperature Gauge : Receiver Shell Side - 1 No				
03	Pressure Gauge: Receiver Jacket Side - 1 No				
04	Safety Valve : Receiver Shell Side - 1 No				
05	Safety Valve : Receiver Jacket Side - 1 No				
06	Light Glass : Receiver Shell Side - 1 No				
07	Side Glass : Receiver Shell Side - 1 No				
80	Manhole : Receiver Shell Side - 1 No				
09	Bottom outlet nozzle : Receiver Shell Side - 1 No				

We have read and understood the above Specifications and agree to abide by the same.

Place: Signature of the Bidder
Date: Name, Seal and Address of the Bidder

Page NO.10 of 16

(A GOVT. OF INDIA ENTERPRISE)

## TENDER NO.HL:BG:PS:SS REACTOR:2013-14 DT.25.11.2013 QUALIFICATION CRITERIA

### **ANNEXURE 2**

SUPPLIERS NAME:						
CLIENT'S NAME: HLL LIFECARE LIMITED, KANAGALA						
	Sub: Technical Bid for Supply, Installation and Commissioning of REACTOR SS WITH CONDENSER AND RECEIVER					
SI No	Eligibility Criteria	Supplier Response				
01	Party should have supplied atleast 3 nos of similar SS Reactors (same or higher capacity) supply order copies shall be enclosed as proof for verification. Supported with customer satisfaction certificate.					
02	Party should have supplied this reactors to at least 1 API / Bulk Drug manufacturers supply order copies shall be enclosed as proof for verification of the vendors.					
03	Party also should provide the references of customers to whom we can contact about the performance of the equipment and also if required demonstration at the party's premises will have to be arranged by bidder.					

ı	list of	Enc	امدا	ıroc	t_	Too	hn	ical	Rid.
	1191 (31	-r 10 '	וצראו	$\Pi \hookrightarrow C$	1()	100	rırı	11 (11	DI(1:

1.	
2.	
3.	
4.	
5.	

### **SPECIAL NOTE:**

- The Bid should include specific answers strictly with respect to our Tender Specifications and Specification deviation if any, should be highlighted with clarifications. Otherwise, the Bid will not be considered. Wherever space is insufficient, please enclose separate sheets
- 2. The Bid along with its enclosures should be furnished with Original only. Bid received by FAX / E-MAIL will not be considered.

Place:	Signature of the Bidder
Date:	Name, Seal and Address of the Bidder

TENDER NO.HL:BG:PS:SS REACTOR:2013-14 DT.25.11.2013

#### **GENERAL CONDITIONS FORMING PART OF BID**

This is Two-Bid System comprising of:

- A) Technical Bid
- B) Price Bid
- 1. Both the Bids shall be submitted in sealed covers separately. Tender NO. of Technical Bid and Price Bid shall be superscribed on the respective covers in order to clearly identify between the 2 Bids. The two separately marked Bids enclosed in single sealed cover with the respective Tender NO. mentioned thereon, complete in all respect, addressed to THE DEPUTY GENERAL MANAGER (PURCHASE) HLL LIFECARE LTD., KANAGALA 591 225, DIST- BELGAUM, KARNATAKA STATE, INDIA should reach us on or before the due date and time mentioned in the NIT. The Purchaser shall not be responsible for postal delay if any, in the delivery of the Bidding Document or non-receipt of the same.
- 2. EMD of ₹ 25,000/- should be remitted by DD only, drawn in favor of HLL Lifecare Limited, payable at State Bank of India, Nipani and shall be enclosed along with the Technical Bid. Tender without EMD will be out rightly rejected. However, SSI Units who wish to avail exemption from payment of EMD should produce an exemption certificate issued by the concerned DIC or NSIC stating that the SSI Unit should be exempted from payment of EMD in respect of the relevant Tender NO. Indicated in the Tender Document.
- 3. Bids received after the deadline for the submission will not be considered.
- 4. Un-sealed Tenders received are liable to be rejected and this will be on sole risk of Bidders.
- 5. The Bidder is expected to examine all Specifications, Instructions, Forms, Terms & Conditions given in the Tender Document.
- 6. The Tender should be complete in all respects & incomplete Tenders are liable to be rejected.
- 7. Description and Specification should be the same as given in the Enquiry / Tender / NIT.
- 8. Any change in the Description or Specification shall be at the specific instruction of HLL. In case an offer of a brand is being made, the offer should be as per the Description given in the NIT / Tender and the brand name to be given in bracket. A Separate Sheet should be attached.
- 9. HLL Lifecare Limited reserves the right to split up the order for the entire quantity on more than a supplier and also reserves the right to accept or reject the offer without assigning any reason.

#### 10. THERE WILL NOT BE ANY POST TENDER NEGOTIATION EXCEPT WITH 1st LOWEST.

11. Security Deposit of 5% OR 10% of the total order value should be deposited.

### TENDER NO.HL:BG:PS:SS REACTOR:2013-14 DT.25.11.2013

### **GENERAL CONDITIONS FORMING PART OF BID**

- 12. The Parties have to abide by Delivery Schedule strictly. HLL Lifecare Limited reserves the right to impose Penalty @ 0.5% value of the delayed material per week of delay subject to a maximum of 7.5% of the value of the supply defaulted if material is delayed beyond the due date and accepted by the Company.
- 13. Acceptance of the delayed supplies subject to Penalty Clause is solely at the discretion of the Company (HLL Lifecare Limited).
- 14. Rejected material should be taken back and replaced with supplier's cost within 7 (seven) days.
- 15. Dispatch Documents like Delivery Note, Packing List and Invoice should contain the following details:
  - a) Purchase Order NO. / Supply Order NO. & Date.
  - b) Description of Items as contained in the Purchase Order.
  - c) Quantity Dispatched
  - d) Total NO. of Packages.
- 16. The following information shall be stenciled or labeled on the exterior of the packing in bold letters, clearly visible, at least 50 mm high with waterproof ink.
  - A. Instruction for Storage and Handling.
  - B. Name and Address of Manufacturer.
  - C. Companies Address in full.
  - D. All Packages should be numbered and it should appear on top of the packages serially.
- 17. The Jurisdiction of any disputes, suits and proceedings arising out of this NIT / Tender shall be only in the Courts of Hukkeri Taluk, Belgaum Dist. / Trivandrum.

### 18. Indemnity Clause

If the Supplier fails to execute the order within the time prescribed for the delivery of goods ordered or violates or infringes the existing rates as mentioned and agreed to in the Purchase Order the Supplier shall and will indemnify the Company against all losses or damages whatsoever to be incurred or sustained including the legal cost or expenses incurred by the Company by reason of non-delivery of goods at agreed quantity and rate within the time specified in the Purchase Order. The Company will initiate legal action if the Supplier fails to execute the Purchase Order as per the schedule in the Purchase Order for the actual loss suffered or 5% of the total order value whichever is higher along with costs.

19. HLL Lifecare Limited shall fix the criteria for responsiveness of a Bid based on critical factors in the Tender Document. Bids pronounced non-responsive by HLL shall be summarily rejected.

### TENDER NO.HL:BG:PS:SS REACTOR:2013-14 DT.25.11.2013

### **GENERAL CONDITIONS FORMING PART OF BID**

20. Purch	ase Prefe	erence :	shall be	available	to th	he Bid	ders a	is per	Directive	of the	Dept.	of Pı	Jblic
Enterprise	es.												

- 21. Suppression of facts will disqualify the Bidder.
- 22. Payment Terms: Our intention is to make payment by cheque within 30 days of receipt; inspection and acceptance of the material and cheque will be forwarded to parties through Speed Post.
- 23. HLL Lifecare Limited reserves the right to qualify or not a Tender without assigning any reasons. The decision of HLL will be final and no correspondence will be entertained in this regard.
- 24. The Tender is liable to be suspended or cancelled at anytime at the discretion of the Company without assigning any reasons.

We have read and understood the above conditions and agree to abide by the same.

Place: Signature of the Bidder
Date: Name, Seal and Address of the Bidder

Page NO.14 of 16

HL:BG:PS:SS REACTOR:2013-14

DATE: 25.11.2013

### **SCHEDULE - A: PRICE BID**

ITEM: SUPPLY, INSTALLATION AND COMMISSIONING OF SS REACTOR WITH CONDENSER AND RECEIVER – Qty: 01 NO.

SL. NO.	PARTICULARS	AMOUNT (INR)
01	BASIC PRICE (including all the Components & Accessories as	
	per Tendered Specifications)	
02	PACKING CHARGES ( %)	
03	EXCISE DUTY ( %)	
04	SALES TAX ( % CST / VAT)	
05	FREIGHT CHARGES	
06	INSURANCE CHARGES	
07	INSTALLATION, ERECTION & COMMISSIONING CHARGES	
08	OTHER CHARGES, IF ANY (specify the name of the charges)	
09	SERVICE TAX (%) - inclusive @ 12.36% / applicable extra @	
	<u>12.36%</u> on SL. NO above / <u>Not Applicable</u>	
TOTAL	. VALUE INCLUSIVE OF ALL F.O.R. HLL KANAGALA BASIS	
RUPEE	S IN WORDS	

DELIVERT FERIOD (FROM THE DATE OF ORDER).	DELIVERY PERIOD	(FROM THE DATE OF ORDER):	
-------------------------------------------	-----------------	---------------------------	--

### **TERMS AND CONDITIONS OF PRICE BID:**

- 1. The rate should be inclusive of all for Supply, Installation & Commissioning on TURN KEY BASIS.
- 2. Civil Works, if any, required for Installation, Foundation laying etc., to be carried out by the party.
- 3. Party should take care of all Safety Measures and should obtain Work Permit from our Safety Dept. before starting the work.
- 4. In case of any damages caused to our (HLL Lifecare Limited) property by you/ your workmen while executing the above job, the Company (HLL Lifecare Limited) shall recover the cost of such damages from you.

Place: Signature of the Bidder
Date: Name, Seal and Address of the Bidder

Page NO.15 of 16

HL:BG:PS:SS REACTOR:2013-14

### **SCHEDULE - A: PRICE BID**

ITEM: SUPPLY, INSTALLATION AND COMMISSIONING OF SS REACTOR WITH CONDENSER AND RECEIVER - Qty: 01 NO.

- 5. In the event of any accident to your workmen or personnel while executing the above job in the Company's Premises (HLL Lifecare Limited), you shall pay the compensation as per the Workmen's Compensation Act and the rates framed there under.
- 6. Statutory Deductions, if any, applicable, like PF, ESI, Work Contract Tax and TDS etc., will be recovered from your payment.
- 7. There will not be any post Tender negotiation except with L1 (Lowest).
- 8. TIN / VAT NO. shall be furnished.
- 9. Service Charges, if any, on freight element shall be borne by Suppliers only.
- 10. There shall not be Corrections / Overwriting in Price Bid, if so, same are to be attested.
- 11. Rate shall be quoted in the enclosed format only. Please refer SCHEDULE A: PRICE BID.
- 12. Rates quoted shall be valid for a period of one year, from the date of your Offer.
- 13. Specifications of Items are as per Notice Inviting Tender (NIT).

We have read and understood the above Conditions and agree to abide by the same.

Place: Signature of the Bidder

Date: Name, Seal and Address of the Bidder

<u>Note:</u> We are utilizing services of M/s. Professional Courier Services for incoming and outgoing Letters / Parcels on day-to-day basis.

DATE: 25.11.2013