

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	06-10-2025 11:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	06-10-2025 11:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Ministry Of Health And Family Welfare
विभाग का नाम / Department Name	Department Of Health And Family Welfare
संगठन का नाम / Organisation Name	HII Lifecare Limited
कार्यालय का नाम / Office Name	HII Bhavan, Registered Office, Poojapura
कुल मात्रा / Total Quantity	2
वस्तु श्रेणी / Item Category	Customised Ambulance with Equipment (Q2)
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	27 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष / Years of Past Experience Required for same/similar service	3 Year (s)
टर्नओवर के लिए एमएसई को छूट प्राप्त है / MSE Exemption for Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Exemption for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़ / Document required from seller	Experience Criteria, Past Performance, Bidder Turnover, Certificate (Requested in ATC), Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है / Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)

बिड विवरण/Bid Details	
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
विगत प्रदर्शन / Past Performance	30 %
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/ RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
बिड का प्रकार/ Type of Bid	Two Packet Bid
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/ Evaluation Method	Total value wise evaluation
वित्तीय दस्तावेज की आवश्यकता है / Financial Document Required	Yes
मध्यस्थता खंड/ Arbitration Clause	No
सुलह खंड/ Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	HDFC Bank
ईएमडी राशि/EMD Amount	110000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	38

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

CGM-HR

EMD shall be in favour of HLL Lifecare Limited. Performance security shall be in favour of M/s PowerGrid Corporation of India Limited, and the details will be given along with purchase order issued by HLL. --- Power Grid Corporation of India Limited, North Eastern Region Transmission System,Dongtieh, Lower Nongrah, Lapalang, Shillong, Meghalaya - 793 006
(Cgm-hr)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	Yes
--	-----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover, shall upload the supporting documents to prove his eligibility for exemption.
2. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
4. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers

as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

5. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

8. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

एक्सेल में अपलोड किए जाने की आवश्यकता /Excel Upload Required :

BOQ72 - [1758774644.xlsx](#)

Customised Ambulance With Equipment (2 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic Parameters	Type of Ambulance Vehicle [as per clause 3*3 of AIS-125 (Part 1)]	Type C - Road Ambulance: Basic Life Support Ambulance
	Category of Vehicle	M2 (GVW <=5 tonnes)
	Type of Wheel Drive	Two wheel drive
	Type of Fuel	Diesel
Engine and Transmission	Maximum Engine Output / Power (kW) at rated RPM	85.0 - 200.0 Or higher (kiloWatt)
Vehicle Parameters	Maximum Gross Vehicle Weight (Kerb weight + Payload)	4150.0 - 7000.0 Or higher (kilogram)
Accessories/Features	Air Conditioning	Only Patient Compartment
Ambulance Body	Number of Attendant Seats (including driver)	2, 4
	Number of Stretcher	1
	Features of Main Stretcher	Main stretcher with an integral undercarriage
Electrical Requirement	Number of battery(ies) provided other than the vehicle battery	1, 2 Or higher
	Number of 12V connections for medical devices in patient's compartment	4, 5, 6 Or higher
	Number of 220V AC power supply connections for medical devices in patient compartment	4, 6, 8 Or higher
Warranty	Vehicle Warranty Time (Years)	3, 4, 5 Or higher (year)

Additional Specification Parameters - Customised Ambulance With Equipment (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
TECHNICAL SPECIFICATION	The specification provided in GEM tender document is only for reference and for actual specifications Bidders are requested to refer the Tender Document uploaded by HLL as ATC under the heading 'Buyer Added Bid Specific Terms and Conditions'.
PRODUCT COMPLIANCE SHEET	Bidder has to provide item by item compliance sheet as per attached ATC specification

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ramesh R	695012,HLL LIFECARE LTD, HLL BHAVAN, POOJAPURA, THIRUVANANTHAPURAM	2	30

Special terms and conditions-Version:2 effective from 29-01-2025 for category Customised Ambulance with Equipment

1. Special Terms and Conditions for Customized Ambulance with Equipment

This category is created to cater to the requirement of buyer where the buyer wants to procure Ambulance with medical devices and/or minor fabrications. This category is bid only category and Direct Purchase is not enabled.

1. The buyer shall define the equipment required in the Ambulance with complete technical specifications along with quantity. The buyer may refer AIS 125 (Part2) for list of equipment.
2. In case fabrication is required by the buyer inside the body of the Ambulance, details and drawings/pictures shall be provided by the buyer in the bid.
3. The buyer should check compliance of the vehicle to CMVR rules and compliance to AIS 125 (Part1) after fabrication and installation of medical devices.

Note for Sellers :

- For listing a catalog on GeM, the seller should specify the price for the vehicle. As the category is bid-only, the seller can submit their offer price while participating in the bid, based on the scope of work provided by the buyer.
- The seller should upload images that include the vehicle's front view, side view, and rear view with the door open.

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

List of Equipment

S.No.	DESCRIPTION	QTY
-------	-------------	-----

1	Trolley Stretcher	1
2	Spine Board	1
3	Pick up a Stretcher	1
4	Immobilization, a Set of fractures	1
5	Cervical upper spinal immobilization devices Cervical Collar Set	1
6	Extended Upper Spinal Immobilization Extrication Devices or Short Spinal Board (one of these)	1
7	Stationary Oxygen - 46.7 L	1
8	Stationary Oxygen - 10 L	1
9	Portable Oxygen - 2 L	1
10	Valve for Cylinders - Included with cylinder	2
11	Resuscitator with oxygen inlet and masks and airways for all ages and oxygen reservoir	1
12	Electric Portable Suction Aspirator with air flow of at least 30 L/min and a vacuum level of at least 600 mm Hg	1
13	Portable Suction Aspirator Manual	1
14	Manual B. P. Monitor Cuff Size: 10 cm. - 66 cm	1
15	Oximeter	1
16	Stethoscope	1
17	Thermometer Minimum Range: 28 degree C to 42 degree C	1
18	Device for Blood Sugar Determination	1
19	Diagnostic Light	1

20	Infusion Solutions, Litre	4
21	Equipments for injections and infusions set	2
22	Infusion Mounting	2
23	Portable Airways Care system (p.a.c.s.) Manual resuscitator Mouth to mask ventilator with oxygen inlet Airways oro- or nasopharyngeal airway Aspirator Suction catheter	1
24	Nebulization Apparatus	1
25	Material for treatment of wounds	1
26	Materials for treatment of burns and corrosives	1
27	Kidney Bowl	1
28	Vomiting Bag	1
29	Non-Glass Urine Bottle	1
30	Sharps Container	1
31	Sterile Surgical Gloves, Pairs	5
32	Non-Sterile Gloves for Single Use	100
33	Emergency Delivery Kit	1
34	Waste Bag	1
35	Non-Woven Stretcher Sheet	1
36	Basic protective clothing including high visibility reflective jacket or tabard	1

37	Safety / Debris Gloves, Pair	1
38	Safety Shoes, Pairs	1
39	Safety Helmet	1
40	Personal Protection Equipment against Infection	1
41	Cleaning and disinfection material	1
42	Seat belt cutter	1
43	Warning Triangle Lights	2
44	Spotlight	1
45	Fire Extinguisher, ABC Type (Minimum 2.5 Kg Capacity)	2
46	Access to the public telephone network e.g via the normal radio transmitter or by mobile (Cellular) telephone	1
47	Internal communication between driver and patient Compartment	1

—
—
—
—
—
—
—
—
—
—

—

Specification of the Vehicle

<u>Specification</u>	<u>Specification Name</u>	<u>Bid Requirement(Allowed Values)</u>
Generic Parameters	Type of Ambulance Vehicle [as per clause 3*3 of AIS- 125 (Part 1)]	Type C - Road Ambulance: Basic Life Support Ambulance
	Category of Vehicle	M2 (GVW <=5 tonnes)
	Type of Wheel Drive	Two wheel drive
	Type of Fuel	Diesel
Engine and Transmission	Maximum Engine Output /Power (kW) at rated RPM	85.0 - 200.0 Or higher (kiloWatt)
Vehicle Parameters	Maximum Gross Vehicle Weight (Kerb weight + Payload)	4150.0 - 7000.0 Or higher (kilogram)
Accessories/Features	Air Conditioning	Only Patient Compartment
Ambulance Body	Number of Attendant Seats (including driver)	2, 4
	Number of Stretcher	1
	Features of Main Stretcher	Main stretcher with an integral undercarriage
Electrical Requirement	Number of battery(ies) provided other than the vehicle battery	1, 2 Or higher
	Number of 12V connections for medical devices in patient's compartment	4, 5, 6 Or higher
	Number of 220V AC power supply connections for medical devices in patient compartment	4, 6, 8 Or higher
Warranty	Vehicle Warranty Time (Years)	3, 4, 5 Or higher (year)

Certification Parameters	Agreed to provide medical equipment as specified in the bid with applicable OEM Warranty	
	Availability of Chassis / Original Vehicle Manufacturer's authorization in case of Body Builders	
Registration	Registration of the ambulance will be done by the vendor	

—
—
—
—
—

ROLL IN PATIENT STRETCHER CUM TROLLEY CUM STRETCHER

1. It should be a Roll in stretcher which 1 person can load and unload in an ambulance easily; the frame of the stretcher should be comfortable for patient comfort & avoid bumps etc.
2. The 4 wheels must be a minimum of 150 mm diameter, and the 2 rear wheels should be pivoted with brakes.
3. The main frame and all legs should be made from stainless steel only, and the stretcher should weigh a max of 50 Kg.
4. The backrest should be adjustable by having a minimum of 4/5 fixed point adjustments.
5. The stretcher should be stable while loading, unloading and even when the stretcher is used for transport.
6. It must be supplied with a locking system activated automatically once the stretcher slides into position and deactivated by latch when the stretcher is released from ambulance.
7. It should have a mattress with high density foam.
8. It should be supplied with a set of 3 restraint belts with a type of locking buckle.
9. The platform should be made up of polyethylene but not Mild Steel, & with footrest for the patient.
10. It should have minimum 2 sidebars & their opening should be integrated near the sidebar itself
11. It should be CE marked and manufactured in an ISO 9001 and ISO 13485 certified facility.
12. Dimensions: Length: 1970mm, Width: 570mm, Load Capacity should be minimum 180 Kg.

13. The Stretcher should be EN 1789 Certified.

SPINE BOARD

1. The spine board should be made of high-density polyethylene with firm surface for immobilization with holes to immobilize patient & holes for carabineer fixation and lifting heavy patients.
 2. The weight of the spine board should be maximum 8 Kgs and It should have holes to fix immobilizers, straps, head immobilizers and should be able to lift patient easily and for transport.
 3. The spine board should immobilize pediatric patients and patients with different heights.
 4. Dimensions: (approx.) W 430 x H 63 x L 1840 mm, Thickness (approx.) 70 mm
 5. It should be supplied with 3 straps and load capacity should be minimum 160 Kg.
 6. It should be CE marked and ISO 9001 and ISO 13485 certified.

SCOOP STRETCHER

1. It should allow coupling and uncoupling of any of the ends and scoop up the patient using this stretcher.
2. It should be telescopic and folding in length and width for storage and ease in transportation.
3. The Scoop Stretcher frame and locks also should be made of metal only.
4. It should have a locking system to select the length of the stretcher by folding in swift movement.
5. It should have 3 nylon restraint straps to fix the patient to the stretcher.
6. It should be CE marked and ISO 9001 and ISO 13485 certified.
7. Load capacity: - minimum 150 Kg.
8. Dimensions: Length Extension 1600 mm to 2000 mm, Width: 430 mm, Weight: 10 kg maximum approx.
9. It should be ISO 9001 and ISO 13485 certified.

SUCTION ASPIRATOR

1. It should be rugged for use in ambulances and the machine should be made up of ABS for protection.
2. The jar should be a minimum of 1000 ml and connected to the suction machine through a filter.
3. It should work on 230V AC, 12V DC and internal battery also.
4. It should have a low noise level and have a suction capacity of minimum 23 L/

min and a gauge to show the vacuum level.

5. The vacuum level should be adjustable up to 650 mm of hg by means of an easily controls knob.
6. The display should be LED, analog for display of suction vacuum level.
7. The suction machine should be supplied with a floor and wall mount for ambulances.
8. The total weight of the suction device along with mount should not be more than 10 Kg.
9. It should be ISO 9001 and ISO 13485 certified.
10. Dimensions: 220 x 370 x 220mm approx.
11. It should be CE, ISO 9001, ISO 13485 certified.

–

3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---